

Test Bank for Intermediate Algebra 13th Edition by Bittinger

[CLICK HERE TO ACCESS COMPLETE Test Bank](#)

Intermediate Algebra



Thirteenth Edition

BITTINGER | BEECHER | JOHNSON

Test Bank

Exam


Name _____

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

Plot the ordered pairs on the rectangular coordinate system provided.


1) $A(2, 2)$, $B(-3, 1)$

1) _____




2) $A(5, -3)$, $B(-2, 2)$

2) _____




3) $A(-6, -2)$, $B(-3, 4)$

3) _____




4) A(4, 5), B(1, -3)

4) _____




5) A(6, 5), B(-4, -2)

5) _____




6) A $\left(-\frac{1}{2}, -3\right)$, B(-1, 1)

6) _____




7) A(0, 6), B (0, -3)

7) _____



8) A(-2, 0), B (4, 0)

8) _____



MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Determine whether the given point is a solution of the equation.

9) $x + y = 11$; (7, 4)

9) _____

A) Yes

B) No

10) $x + y = 10$; (5, 7)

10) _____

A) Yes

B) No

11) $x - y = 4$; (2, 3)

11) _____

A) No

B) Yes

12) $4x + y = 24$; (5, 4)

12) _____

A) No

B) Yes

13) $5x + 4y = 36$; (4, 4)

13) _____

A) Yes

B) No

14) $3x - 3y = 15$; (2, 3)

14) _____

A) Yes

B) No

15) $-3x - 2y = 11$; $(-5, 2)$

A) Yes

B) No

15) _____

16) $y = 2x$; $(-2, -4)$

A) Yes

B) No


16) _____

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

Show that the two ordered pairs are solutions to the given equation. Then use the graph of the two points to determine another solution. Answers may vary.


17) $y = x - 1$; $(7, 6)$, $(-2, -3)$

17) _____




18) $y = x + 1$; $(2, 3)$, $(-3, -2)$

18) _____




19) $y = \frac{1}{2}x + 3$; (2, 4), (-4, 1)

19) _____




20) $y = \frac{1}{2}x - 2$; (4, 0), (-2, -3)

20) _____




21) $2x + y = 7$; (3, 1), (4, -1)

21) _____




22) $x + 2y = 8$; $(2, 3)$, $(-2, 5)$




22) _____

23) $6x - 2y = 4$; $(0, -2)$, $(3, 7)$



23) _____

24) $3x - 3y = 9$; $(-2, -5)$, $(7, 4)$




24) _____

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.


Graph the linear equation.

25) $y = 2x + 2$


25) _____




A)




B)



C)




D)




26) $y = \frac{2}{5}x - 1$


26) _____




A)




B)



C)




D)




27) $y = \frac{1}{5}x - \frac{1}{5}$


27) _____




A)




C)



B)




D)




28) $x - 8y = 7$


28) _____




A)




B)



C)




D)




29) $3y - 9x = -27$


29) _____




A)




B)



C)




D)




30) $7x - y = 1$


30) _____




A)




B)



C)




D)




31) $y = -\frac{1}{5}x - \frac{1}{5}$


31) _____




A)




C)



B)




D)




32) $-2x + 16y = -14$


32) _____




A)




C)



B)




D)




33) $-9x - y = 0$


33) _____




A)




B)



C)




D)




34) $-3x + y = 0$


34) _____




A)




B)



C)




D)




Graph.

35) $y = 4x^2$


35) _____




A)




B)



C)




D)




36) $y = x^2 + 4$


36) _____




A)




B)



C)




D)




37) $y = -x^2 - 5$


37) _____




A)




C)



B)




D)




38) $y = 4x^2 - 3$


38) _____




A)




B)



C)




D)




39) $y = \frac{6}{x}$


39) _____




A)




C)



B)




D)




40) $y = -\frac{6}{x}$


40) _____




A)




B)



C)




D)




41) $y = |6 - x|$


41) _____




A)




B)



C)




D)




42) $y = x^3 - 1$


42) _____




A)




B)



C)




D)




43) $y = |x| + 1$


43) _____




A)




B)



C)




D)



Is the following correspondence a function?

44)

44) _____




A) Yes

B) No

45)


45) _____



A) No

B) Yes

46)




A) No

B) Yes

46) _____

47)




A) No

B) Yes

47) _____

48)




A) Yes

B) No

48) _____

49)




A) Yes

B) No

49) _____

50)



A) Yes

B) No

50) _____

51) Domain: All students attending Laughlin Community College
Correspondence: Each student's Social Security Number
Range: A set of Social Security Numbers

A) Yes

B) No

51) _____

52) Domain: All students attending the University of Ohio
Correspondence: Each student's teachers
Range: A set of teachers

A) Yes

B) No

52) _____

53)

Name	Test Score
Bob L.	88
Susan H.	83
Jim H.	76
Bruce B.	96

A) No

B) Yes

53) _____

Find the function value.

54) Find $f(4)$ when $f(x) = -x + 7$.

A) 12

B) 3

C) 4

D) -3

54) _____

- 55) Find $f(3)$ when $f(x) = -4x + 18$.
 A) -72 B) 8 C) 6 D) 18 55) _____
- 56) Find $f(-8)$ when $f(x) = 8x - 9$.
 A) -76 B) -73 C) 73 D) -26 56) _____
- 57) Find $g(a - 1)$ when $g(x) = 2x - 2$.
 A) $2a - 2$ B) $2a + 1$ C) $2a - 4$ D) $\frac{1}{2}a - 2$ 57) _____
- 58) Find $f(-12)$ when $f(x) = -6$.
 A) -12 B) 6 C) 72 D) -6 58) _____
- 59) Find $f(-2)$ when $f(x) = x^2 - 3x + 4$.
 A) 14 B) 6 C) 2 D) -6 59) _____
- 60) Find $f(0)$ when $f(x) = x^2 + 2x + 5$.
 A) 5 B) 0 C) 25 D) -5 60) _____
- 61) Find $f(2a)$ when $f(x) = 5x^2 + 4x$.
 A) $5a^2 + 8a$ B) $20a^2 + 4a$ C) $10a^2 + 8a$ D) $20a^2 + 8a$ 61) _____
- 62) Find $f(2)$ when $f(x) = 2x^2 - 5x + 7$.
 A) -9 B) 5 C) 1 D) 25 62) _____
- 63) Find $f(-6)$ when $f(x) = |x - 7|$.
 A) -13 B) 13 C) -6 D) 7 63) _____
- 64) Find $f(7)$ when $f(x) = x^3$.
 A) 21 B) 216 C) 2187 D) 343 64) _____
- 65) Find $f(-3)$ when $f(x) = x^4 + 1$.
 A) 13 B) -80 C) 82 D) 28 65) _____


Solve the problem.

- 66) It has been determined that the number of fish $f(t)$ that can be caught in t minutes in a certain pond using a certain bait is $f(t) = .23t + 1$, for $t > 10$. Find the approximate number of fish that can be caught if you fish for 24 minutes.
 A) About 6 fish B) About 28 fish C) About 26 fish D) About 14 fish 66) _____
- 67) The function $P(d) = 1 + \frac{d}{33}$ gives the pressure, in atmospheres (atm), at a depth d feet in the sea. Find the pressure at 44 feet.
 A) $\frac{4}{3}$ atm B) $\frac{7}{3}$ atm C) $\frac{1}{3}$ atm D) $\frac{15}{11}$ atm 67) _____


- 68) The function F described by $F(C) = \frac{9}{5}C + 32$ gives the Fahrenheit temperature corresponding to the Celsius temperature C . Find the Fahrenheit temperature equivalent to 10°C . 68) _____
- A) 86°F B) 50°F C) 104°F D) 68°F

Graph the function.


- 69) $f(x) = x - 4$ 69) _____




A)




B)



C)




D)




70) $y = -4x - 5$


70) _____




A)




B)



C)




D)




71) $f(x) = \frac{1}{2}x + 6$


71) _____




A)




C)



B)




D)




72) $f(x) = x^2 - 5$


72) _____




A)




B)



C)




D)




73) $f(x) = x^2 + 2x - 3$


73) _____




A)




B)



C)




D)




74) $f(x) = -x^2 + 2x - 6$


74) _____




A)




B)



C)




D)




75) $f(x) = 5 - x^2$


75) _____




A)




B)



C)




D)




76) $f(x) = |2 - x|$


76) _____




A)




B)



C)




D)




77) $f(x) = |x| + 3$


77) _____




A)




C)



B)




D)




78) $f(x) = x^3 - 4$


78) _____




A)




C)



B)




D)



Determine whether the graph is the graph of a function.

79)

79) _____




A) Not a function

B) Function

80)

80) _____




A) Function

B) Not a function

81)

81) _____




A) Function

B) Not a function

82)

82) _____




A) Function

B) Not a function

83)

83) _____




A) Not a function

B) Function

84)

84) _____




A) Not a function

B) Function

Solve.

85) Cars sold

85) _____




Crafty Bill's Cool Car Sales opened as a used car sales lot in 1991. The graph shows the number of cars sold as a function of time. What is the approximate number of cars sold in 1993?

- A) 700 cars B) 750 cars C) 600 cars D) 150 cars

86) Cars sold


86) _____



Crafty Bill's Cool Car Sales opened as a used car sales lot in 1991. The graph shows the number of cars sold as a function of time. What is the approximate number of cars sold in 1995?

- A) 750 cars B) 600 cars C) 350 cars D) 700 cars


87) The height h in feet of a projectile thrown upward from the roof of a building after time t seconds is shown in the graph below. How high will the projectile be after 0.7 seconds? 87) _____



- A) 450 ft B) 425 ft C) 500 ft D) 475 ft

- 88) The surface area A of a cylinder is shown in the graph below. What is the radius if the surface area is 25 m^2 ? 88) _____


Surface Area (in m^2)



- A) 1.8 m B) 1.2 m C) 1.6 m D) 1.4 m

- 89) The graph shows the relationship between the area A of a rectangle and the length L , if the width is fixed. Find the area if the length is 14 cm. 89) _____


Area (in cm^2)



- A) 121 cm^2 B) 132 cm^2 C) 154 cm^2 D) 176 cm^2

For the function represented in the graph, determine the domain or range, as requested.


- 90) Find the domain. 90) _____



- A) $\{-5, -4, -3, -2, -1, 0, 1, 2, 3\}$ B) $[-1, 1]$
C) $[-4, 4]$ D) $\{-4, -3, -2, -1, 0, 1, 2, 3\}$

91) Find the domain.

91) _____



A) $[-4, 7]$


B) $[-1, 4]$

C) $[4, -4]$

D) $[-5, 5]$

92) Find the domain.

92) _____



A) $[-1, 1]$


C) $\{-5, -4, -3, -2, -1, 0, 1, 2, 3, 4, 5\}$

B) $[-3, 4]$

D) $[-4, 4]$

93) Find the range.

93) _____



A) $\{-4, -3, -2, -1, 0, 1, 2, 3, 4\}$


C) $[-1, 1]$

B) $[-5, 3]$

D) $\{-5, -4, -3, -2, -1, 0, 1, 2, 3\}$

94) Find the range.

94) _____



A) $[-4, -3]$


B) $[-5, 5]$

C) $[0, 2]$

D) $[-1, 1]$

95) Find the range.

95) _____



A) $[-5, 5]$


B) $[-3, 5]$

C) $\{-3, -2, -1, 0, 1, 2, 3, 4, 5\}$

D) $[-5, 3]$

96) Find the range.

96) _____



A) $[3, -3]$


B) $[-4, 3]$

C) $\{-5, -4, -3, -2, -1, 0, 1, 2, 3, 4, 5\}$

D) $[-3, 3]$

97) Find the domain.

97) _____




- A) $[-3, 3]$
C) all real numbers

- B) $[-18, 18]$
D) $[-5, 5]$

98) Find the domain.

98) _____



- A) $[-4, 4]$


- B) $[-5, 5]$

- C) $(-5, 5)$

- D) $[-5, 5]$

99) Find the range.

99) _____



- A) $[2, 5]$

- B) $\{2, 3, 4, 5\}$


- C) $[-5, 3]$

- D) $\{-5, -3, -1, 1, 3\}$

The graph of a function f is provided. Determine the requested function value.

100) $f(-4)$

100) _____



A) -5


B) 3

C) -3

D) 5

101) $f(1)$

101) _____



A) -2


B) -4

C) 4

D) 1

102) $f(5)$

102) _____



A) 0


B) 4

C) 10

D) 6

103) $f(0)$

103) _____



A) -4


B) -12

C) -2

D) 2

104) $f(1)$

104) _____



A) -2

B) 1


C) -3

D) -5

A function f is depicted in the graph. Find any input values that produce the indicated output.

105) $f(x) = 1$

105) _____



A) -2


B) -3

C) 1

D) -1

106) $f(x) = 1$

106) _____



A) -3


B) -2

C) 4

D) -4

107) $f(x) = 3$

107) _____



A) $x = 7$ and $x = -3$


B) $x = -1$ and $x = -3$

C) $x = 1$

D) $x = 1$ and $x = 3$

108) $f(x) = -4$

108) _____




A) $x = 0$

B) $x = 2$ and $x = 0$

C) $x = -1$ and $x = 3$

D) $x = 2$

109) $f(x) = -2$



A) $\{x \mid -2 \leq x \leq -1\}$

B) $\{x \mid -2 < x \leq -1\}$

C) -1

D) $\{x \mid -2 < x < -1\}$

Find the domain.

110) $f(x) = \frac{2}{x-1}$

A) $\{x \mid x \text{ is a real number and } x \neq 1\}$

C) $\{x \mid x \text{ is a real number and } x \neq -1\}$

B) $\{x \mid x \text{ is a real number and } x \neq 2\}$

D) $\{x \mid x \text{ is a real number and } x \neq -2\}$

111) $f(x) = \frac{8}{9-x}$

A) $\{x \mid x \text{ is a real number and } x \neq 9\}$

C) $\{x \mid x \text{ is a real number and } x \neq -8\}$

B) $\{x \mid x \text{ is a real number and } x \neq -9\}$

D) $\{x \mid x \text{ is a real number and } x \neq 8\}$

112) $f(x) = -6x + 9$

A) $\{x \mid x \text{ is a real number and } x \neq 1.5\}$

C) $\{x \mid x \text{ is a real number and } x \neq 9\}$

B) $\{x \mid x \text{ is a real number and } x \neq -6\}$

D) All real numbers

113) $f(x) = 7x - 1$

A) All real numbers

C) $\{x \mid x \text{ is a real number and } x \neq -0.5\}$

B) $\{x \mid x \text{ is a real number and } x \neq -2\}$

D) $\{x \mid x \text{ is a real number and } x \neq 2\}$

114) $f(x) = x^2 + 5$

A) $\{x \mid x \text{ is a real number and } x \neq 5\}$

C) $\{x \mid x \text{ is a real number and } x \neq \sqrt{5}\}$

B) $\{x \mid x \text{ is a real number and } x \neq -5\}$

D) All real numbers

115) $f(x) = |7x + 1|$

A) $\{x \mid x \text{ is a real number and } x \neq -0.14285714\}$

C) All real numbers

B) $\{x \mid x \text{ is a real number and } x \neq -1\}$

D) $\{x \mid x \text{ is a real number and } x \neq -7\}$

116) $f(x) = \frac{1}{|4-x|}$

A) All real numbers

C) $\{x \mid x \text{ is a real number and } x \neq -4\}$

B) $\{x \mid x \text{ is a real number and } x \neq 4\}$

D) $\{x \mid x \text{ is a real number and } x < 4\}$

109) _____

110) _____

111) _____

112) _____

113) _____

114) _____

115) _____

116) _____

117) $f(x) = x^3 + 9$

A) $\{x \mid x \text{ is a real number and } x \neq 9\}$

C) All real numbers


B) $\{x \mid x \text{ is a real number and } x \neq \sqrt[3]{9}\}$

D) $\{x \mid x \text{ is a real number and } x \neq -9\}$

117) _____

Find the function value.

118) $f(-1)$



A) -4


B) -1

C) -2

D) 0

118) _____

119) $f(-2)$



A) -8

B) -11

C) -7

D) -9

119) _____

Determine the slope and the y-intercept.

120) $y = 6x + 7$

A) Slope 7, y-intercept (0, 6)

C) Slope 6, y-intercept (0, 7)

B) Slope -6, y-intercept (0, 7)

D) Slope 7, y-intercept (0, -6)

120) _____

121) $f(x) = -4x + 5$

A) Slope -4, y-intercept (0, 5)

C) Slope 5, y-intercept (0, -4)

B) Slope 4, y-intercept (0, 5)

D) Slope 5, y-intercept (0, 4)

121) _____

122) $y = -3x + 3.5$

A) Slope 3.5, y-intercept (0, -3)

C) Slope 3, y-intercept (0, 3.5)

B) Slope -3, y-intercept (0, 3.5)

D) Slope -3, y-intercept (0, -3.5)

122) _____

123) $y = 1.4x + 2$

- A) Slope 1.4, y-intercept (0, 2)
C) Slope 2, y-intercept (0, -1.4)

- B) Slope -1.4, y-intercept (0, 2)
D) Slope 2, y-intercept (0, 1.4)

123) _____

124) $6x - 9y = -27$

- A) Slope 1, y-intercept (0, -3)
C) Slope -1, y-intercept (0, 3)

- B) Slope $\frac{2}{3}$, y-intercept (0, 3)
D) Slope $-\frac{2}{3}$, y-intercept (0, -3)

124) _____

125) $3x - 4y - 4 = 0$

- A) Slope $\frac{3}{4}$, y-intercept (0, -1)
C) Slope $-\frac{4}{3}$, y-intercept (0, -1)

- B) Slope $\frac{4}{3}$, y-intercept (0, 1)
D) Slope $-\frac{3}{4}$, y-intercept (0, 1)

125) _____

126) $14y + 2x + 7 = 4 + 2x$


- A) Slope 0, y-intercept $(0, \frac{3}{14})$
C) Slope 0, y-intercept $(0, -\frac{3}{14})$

- B) Slope $-\frac{1}{7}$, y-intercept $(0, -\frac{3}{7})$
D) Slope $\frac{1}{7}$, y-intercept $(0, -\frac{3}{14})$

126) _____

Find the slope of the line.

127)



A) 1

B) 7


C) -7

D) -1

127) _____

128)

128) _____



A) -1


B) 4

C) 1

D) -4

129)

129) _____



A) 2


B) $-\frac{1}{2}$

C) $\frac{1}{2}$

D) -2

130)

130) _____



A) $\frac{1}{2}$

B) $-\frac{1}{2}$

C) -2

D) 2

Find the slope of the line containing the two given points.

131) (9, 4) and (2, 6)

A) $\frac{2}{7}$

B) $\frac{10}{11}$

C) $-\frac{7}{2}$

D) $-\frac{2}{7}$

131) _____

132) (-4, 3) and (7, -4)

A) $\frac{7}{11}$

B) $-\frac{7}{11}$

C) $-\frac{11}{7}$

D) $-\frac{1}{3}$

132) _____

133) (-3, 3) and (9, 3)

A) 0

B) 1

C) Undefined

D) $\frac{1}{2}$

133) _____

134) (16, 12) and (-8, -13)

A) $\frac{25}{24}$

B) $-\frac{1}{8}$

C) $-\frac{25}{24}$

D) $\frac{24}{25}$

134) _____

135) (-9.6, 5.8) and (16.6, 15.2)

A) $\frac{131}{47}$

B) $-\frac{47}{131}$

C) $\frac{47}{131}$


D) $-\frac{131}{47}$

135) _____

Find the slope (or rate of change). Use appropriate units.


136) Find the slope (or pitch) of the roof.

136) _____



137)


137) _____



- A) 0.4 miles per hour
 B) 2.4 miles per hour
 C) 4.4 miles per hour
 D) 0.2 miles per hour


138)

138) _____



- A) \$5000 per year
 B) -\$5000 per year
 C) -\$4000 per year
 D) \$4000 per year

139)




- A) \$1.00 per minute
B) \$2.20 per minute
C) \$0.17 per minute
D) \$6.00 per minute

139) _____



Find the intercepts and then graph the line.

140) $12y - 3x = -6$




A) $(0, -\frac{1}{2})$; $(2, 0)$

B) $(0, \frac{1}{2})$; $(-2, 0)$




140) _____

C) $(0, -\frac{1}{2})$; $(-2, 0)$




D) $(0, \frac{1}{2})$; $(2, 0)$




141) $-4x - 8y = 8$


141) _____




A) $(0, -1); (-2, 0)$




C) $(0, 1); (-2, 0)$



B) $(0, 1); (2, 0)$




D) $(0, -1); (2, 0)$




142) $x - 2y = 2$


142) _____




A) $(0, -1); (-2, 0)$




C) $(0, 1); (-2, 0)$



B) $(0, 1); (2, 0)$




D) $(0, -1); (2, 0)$




143) $2x - 10y = 0$


143) _____




A) $(0, 0); (0, 0)$




C) $(0, 0); (0, 0)$



B) $(0, 0); (0, 0)$




D) $(0, 0); (0, 0)$




144) $8x - 5 = y$


144) _____




A) $(0, \frac{5}{8}); (-5, 0)$




B) $(0, -\frac{5}{8}); (-5, 0)$




C) $(0, -5); (-\frac{5}{8}, 0)$



D) $(0, -5); (\frac{5}{8}, 0)$




145) $f(x) = -3 - 7x$




145) _____


A) $(0, -3); (\frac{3}{7}, 0)$




B) $(0, \frac{3}{7}); (-3, 0)$



C) $(0, -\frac{3}{7}); (-3, 0)$




D) $(0, -3); (-\frac{3}{7}, 0)$




146) $7y = -28 + 4x$


146) _____




A) $(0, 4); (7, 0)$




C) $(0, 7); (4, 0)$



B) $(0, -4); (7, 0)$




D) $(0, 7); (-4, 0)$




147) $1.3y - 2.2x = 8.58$


147) _____




A) $(0, 6.6); (-3.9, 0)$




C) $(0, 3.9); (6.6, 0)$



B) $(0, -3.9); (6.6, 0)$




D) $(0, -6.6); (-3.9, 0)$




Graph using the slope and the y-intercept.

148) $y = \frac{5}{6}x + 1$


148) _____




A)




B)



C)




D)




149) $f(x) = -\frac{1}{2}x + 3$


149) _____




A)




B)



C)




D)




150) $x - 2y = 4$


150) _____




A)




B)



C)




D)




151) $2x + 5y = 10$


151) _____




A)




B)



C)




D)




152) $3x - 15y = 15$


152) _____




A)




B)



C)




D)




153) $-3x - 27y = 9$


153) _____




A)




B)



C)




D)




154) $g(x) = -0.6x + 3$


154) _____




A)




B)



C)




D)




155) $6 \cdot f(x) = 4x - 16$


155) _____




A)




B)



C)




D)




156) $-2x + 14 \cdot f(x) = -14$


156) _____




A)




C)



B)




D)




Graph.

157) $y = 2$


157) _____




A)




C)



B)




D)




158) $x = 2$


158) _____




A)




B)



C)




D)




159) $y + 5 = 0$


159) _____




A)




B)



C)




D)




160) $19x = 95$


160) _____




A)




C)



B)




D)




161) $2 \cdot f(x) + 3x = 2 + 3x$


161) _____




A)




C)



B)



D)



If possible, determine the slope.

162) $x = -6$

162) _____

A) Not defined

B) $-\frac{1}{6}$

C) 0

D) -6

163) $y = -\frac{1}{5}$

163) _____

A) Not defined

B) -5

C) 0

D) $-\frac{1}{5}$

164) $7 \cdot f(x) - 1 = 0$ 164) _____
 A) 0 B) 7 C) $\frac{1}{7}$ D) Not defined

165) $4 - 3x = 8 + 2x$ 165) _____
 A) 0 B) Not defined C) $\frac{4}{5}$ D) $-\frac{4}{5}$

Tell whether the lines are "parallel", "perpendicular", or "neither."

166) $3x - 8y = 8$ 166) _____
 $32x + 12y = 8$
 A) Neither B) Perpendicular C) Parallel

167) $3x - 4y = -20$ 167) _____
 $8x + 6y = -20$
 A) Neither B) Parallel C) Perpendicular

168) $9x + 3y = 12$ 168) _____
 $6x + 2y = 11$
 A) Perpendicular B) Neither C) Parallel

169) $9x + 3y = 12$ 169) _____
 $12x + 4y = 18$
 A) Parallel B) Neither C) Perpendicular

170) $3x - 3y = 4$ 170) _____
 $2x + 4y = 4$
 A) Neither B) Perpendicular C) Parallel

171) $y + 1 = -4x$ 171) _____
 $6y = 12x - 16$
 A) Perpendicular B) Neither C) Parallel

172) $3x = 20$ 172) _____
 $9y = 20$
 A) Neither B) Perpendicular C) Parallel

Find a linear function whose graph has the given slope and y-intercept.

173) Slope $-\frac{8}{9}$, y-intercept $\left(0, \frac{67}{9}\right)$ 173) _____
 A) $f(x) = -\frac{8}{9}x - \frac{67}{9}$ B) $f(x) = \frac{8}{9}x - \frac{67}{9}$
 C) $f(x) = -\frac{8}{9}x + \frac{67}{9}$ D) $f(x) = \frac{8}{9}x + \frac{67}{9}$

- 174) Slope $-\frac{2}{3}$, y-intercept (0, 6) 174) _____
 A) $f(x) = \frac{2}{3}x - 6$ B) $f(x) = -\frac{2}{3}x - 6$ C) $f(x) = -\frac{2}{3}x + 6$ D) $f(x) = \frac{2}{3}x + 6$
- 175) Slope $\frac{2}{5}$, y-intercept (0, 2) 175) _____
 A) $f(x) = \frac{2}{5}x - 2$ B) $f(x) = \frac{2}{5}x + 2$ C) $f(x) = -\frac{2}{5}x - 2$ D) $f(x) = -\frac{2}{5}x + 2$
- 176) Slope $\frac{1}{2}$, y-intercept (0, 1) 176) _____
 A) $f(x) = \frac{1}{2}x + 1$ B) $f(x) = \frac{1}{2}x - 1$ C) $f(x) = -\frac{1}{2}x + 1$ D) $f(x) = -\frac{1}{2}x - 1$
- 177) Slope $-\frac{2}{3}$, y-intercept $\frac{23}{3}$ 177) _____
 A) $f(x) = -\frac{2}{3}x + \frac{23}{3}$ B) $f(x) = \frac{2}{3}x + \frac{23}{3}$
 C) $f(x) = -\frac{2}{3}x - \frac{23}{3}$ D) $f(x) = \frac{2}{3}x - \frac{23}{3}$
- 178) Slope $-\frac{3}{4}$, y-intercept 2 178) _____
 A) $f(x) = -\frac{3}{4}x + 2$ B) $f(x) = \frac{3}{4}x - 2$ C) $f(x) = \frac{3}{4}x + 2$ D) $f(x) = -\frac{3}{4}x - 2$
- 179) Slope $-\frac{8}{9}$, y-intercept 3 179) _____
 A) $f(x) = -\frac{8}{9}x - 3$ B) $f(x) = \frac{8}{9}x + 3$ C) $f(x) = -\frac{8}{9}x + 3$ D) $f(x) = \frac{8}{9}x - 3$
- 180) Slope $-\frac{5}{9}$, y-intercept 2 180) _____
 A) $f(x) = -\frac{5}{9}x + 2$ B) $f(x) = \frac{5}{9}x - 2$ C) $f(x) = \frac{5}{9}x + 2$ D) $f(x) = -\frac{5}{9}x - 2$
- 181) Slope 9, y-intercept (0, -10) 181) _____
 A) $f(x) = -10x - 9$ B) $f(x) = 9x + 10$ C) $f(x) = 9x - 10$ D) $f(x) = 9x + 9$
- 182) Slope -9, y-intercept $\left(0, -\frac{3}{4}\right)$ 182) _____
 A) $f(x) = -\frac{3}{4}x + 9$ B) $f(x) = -9x - \frac{3}{4}$ C) $f(x) = -\frac{3}{4}x - 9$ D) $f(x) = -9x + \frac{3}{4}$

Find an equation of the line having the specified slope and containing the indicated point. Write your answer in slope-intercept form.

183) $m = -3$; $(8, -3)$ 183) _____
 A) $y = -3x + 19$ B) $y = -3x + 22$ C) $y = 3x + 20$ D) $y = -3x + 21$

184) $m = -9$; $(-7, 6)$ 184) _____
 A) $y = 9x - 59$ B) $y = -9x - 58$ C) $y = -9x - 65$ D) $y = -9x - 57$

185) $m = 5$; $(0, 3)$ 185) _____
 A) $y = -5x + 1$ B) $y = 5x + 8$ C) $y = 5x + 10$ D) $y = 5x + 3$

186) $m = 9$; $(0, -4)$ 186) _____
 A) $y = 9x + 6$ B) $y = 9x + 4$ C) $y = 9x - 4$ D) $y = -9x - 2$

187) $m = 6$; $(-9, 0)$ 187) _____
 A) $y = 6x - 57$ B) $y = 6x + 54$ C) $y = -6x + 50$ D) $y = 6x - 55$

188) $m = 1.2$; $(4, -2)$ 188) _____
 A) $y = 1.2x + 6.8$ B) $y = 1.2x + 2.8$ C) $y = 1.2x - 6.8$ D) $y = 1.2x - 2.8$

189) $m = -\frac{3}{5}$; $(5, -2)$ 189) _____
 A) $y = -\frac{3}{5}x + 1$ B) $y = -\frac{3}{5}x + \frac{13}{5}$ C) $y = \frac{3}{5}x - 1$ D) $y = -\frac{3}{5}x + 5$

190) $m = -3$; $(0, 6.1)$ 190) _____
 A) $y = -3x - 6.1$ B) $y = 6.1x + 3$ C) $y = -3x + 6.1$ D) $y = 6.1x - 3$

Find an equation of the line containing the given pair of points

191) $(5, -1)$ and $(2, 8)$ 191) _____
 A) $y = 14x + 3$ B) $y = 3x + 14$ C) $y = -3x + 14$ D) $y = 14x - 3$

192) $(4, -17)$ and $(8, -37)$ 192) _____
 A) $y = 5x - 37$ B) $y = -\frac{1}{5}x - \frac{81}{5}$ C) $y = -5x + 3$ D) $y = \frac{1}{5}x - \frac{89}{5}$

193) $(7, -7)$ and $(-4, 4)$ 193) _____
 A) $y = -\frac{4}{7}x$ B) $y = -x$ C) $y = x$ D) $y = -x - 7$

194) $(0, 0)$ and $(2, -5)$ 194) _____
 A) $y = -\frac{2}{5}x$ B) $y = -\frac{5}{2}x$ C) $y = -\frac{5}{2}x - 5$ D) $y = \frac{5}{2}x$

195) $(3, 0)$ and $(0, -5)$ 195) _____
 A) $y = -\frac{5}{3}x - 5$ B) $y = -\frac{3}{5}x + 3$ C) $y = \frac{5}{3}x - 5$ D) $y = \frac{3}{5}x - 5$

196) (0, 8) and (-2, -7) 196) _____
 A) $y = \frac{15}{2}x + 8$ B) $y = -4x + 8$ C) $y = 4x + 8$ D) $y = -\frac{15}{2}x + 8$

197) (-4, 0) and (4, 9) 197) _____
 A) $y = -\frac{1}{2}x + \frac{9}{2}$ B) $y = -\frac{9}{8}x + \frac{9}{2}$ C) $y = \frac{1}{2}x + \frac{9}{2}$ D) $y = \frac{9}{8}x + \frac{9}{2}$

198) $\left(1, \frac{9}{20}\right)$ and $\left(4, \frac{6}{5}\right)$ 198) _____
 A) $y = 4x - \frac{4}{5}$ B) $y = \frac{1}{4}x + \frac{1}{5}$ C) $y = 4x - \frac{71}{20}$ D) $y = \frac{1}{4}x + \frac{71}{80}$

199) $\left(\frac{1}{5}, \frac{3}{5}\right)$ and $\left(-\frac{1}{10}, \frac{1}{10}\right)$ 199) _____
 A) $y = \frac{5}{3}x$ B) $y = \frac{5}{3}x + \frac{4}{15}$ C) $y = -\frac{5}{3}x$ D) $y = \frac{5}{3}x - \frac{2}{15}$

Write an equation of the line described.

200) Through (3, 13), parallel to $3x + 5y = 29$ 200) _____
 A) $y = -\frac{3}{5}x + \frac{74}{5}$ B) $y = \frac{29}{5}x + \frac{29}{5}$ C) $y = -\frac{5}{3}x + \frac{13}{3}$ D) $y = \frac{3}{5}x - \frac{74}{5}$

201) Through (3, -3), parallel to $3x - 5y = 14$ 201) _____
 A) $y = -\frac{14}{5}x - \frac{14}{5}$ B) $y = \frac{3}{5}x - \frac{24}{5}$ C) $y = \frac{5}{3}x - 1$ D) $y = -\frac{3}{5}x + \frac{24}{5}$

202) Through (-7, 1), perpendicular to $-5x - 4y = 39$ 202) _____
 A) $y = \frac{5}{4}x + \frac{5}{4}$ B) $y = \frac{4}{5}x + \frac{33}{5}$ C) $y = -\frac{4}{5}x + \frac{33}{5}$ D) $y = \frac{7}{4}x + \frac{39}{4}$

203) Through (6, 2), perpendicular to $7x - 6y = 48$ 203) _____
 A) $y = \frac{6}{7}x + \frac{48}{7}$ B) $y = \frac{6}{7}x - \frac{50}{7}$ C) $y = -\frac{7}{6}x - \frac{25}{3}$ D) $y = -\frac{6}{7}x + \frac{50}{7}$

204) Through (8, -4), perpendicular to $x = -9$ 204) _____
 A) $y = 8$ B) $y = 4$ C) $y = 8x - 4$ D) $y = -4$

Solve the problem.

205) A gas station sells 4820 gallons of regular unleaded gasoline on a day when they charge \$1.35 per gallon, whereas they sell 3861 gallons on a day that they charge \$1.40 per gallon. Find a linear function that expresses gallons sold as a function of price. 205) _____
 A) $G(p) = -19,180p + 30,691.2$ B) $G(p) = -19,180p + 30,696.8$
 C) $G(p) = -19,180p + 30,729$ D) $G(p) = -19,180p + 30,713$

- 206) A gas station sells 4820 gallons of regular unleaded gasoline in a day when they charge \$1.35 per gallon, whereas they sell 3967 gallons on a day that they charge \$1.40 per gallon. Find a linear function that expresses gallons sold as a function of price. Use this function to predict the number of gallons sold at a price of \$1.23 per gallon. 206) _____
 A) 6867.2 gallons B) 6863.9 gallons C) 6871.3 gallons D) 6876.2 gallons
- 207) Persons taking a 30-hour review course to prepare for a standardized exam average a score of 620 on that exam. Persons taking a 70-hour review course average a score of 783. Find a linear function $S(t)$, which fits this data, and which expresses score as a function of time. 207) _____
 A) $S(t) = 4.075t + 497.75$ B) $S(t) = -4.075t + 497.75$
 C) $S(t) = 3.6675t - 501.75$ D) $S(t) = 3.6675t + 501.75$
- 208) Persons taking a 30-hour review course to prepare for a standardized exam average a score of 620 on that exam. Persons taking a 70-hour review course average a score of 809. Find a linear function, $S(t)$, which fits this data, and which expresses score as a function of time. Use this function to predict an average score for persons taking a 60-hour review course. Round your answer to the tenths place. 208) _____
 A) 761.8 B) 766.0 C) 775.8 D) 754.5
- 209) In 1995 the United States recovered 21% of its municipal solid wastes through recycling, up from 17% in 1990. Let P represent the percentage recycled and t the number of years since 1990. Find a linear function $P(t)$ that fits this data. 209) _____
 A) $P(t) = 0.4t - 17$ B) $P(t) = -0.8t + 7$ C) $P(t) = 0.8t + 17$ D) $P(t) = 0.8t + 24$
- 210) In 1995 the United States recovered 27% of its municipal wastes through recycling, up from 17% in 1990. Let P represent the percentage recycled and t the number of years since 1990. Find a linear function $P(t)$ that fits this data. Use this function to predict the percentage recycled in 2001. 210) _____
 A) 35.4% B) 40.7% C) 37.1% D) 39%
- 211) The total sales made by a salesperson was \$25,000 after 3 months and \$68,000 after 23 months. Predict the total sales after 35 months. 211) _____
 A) \$93,800 B) \$93,842 C) \$93,900 D) \$93,770

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

Provide an appropriate response.


- 212) Without making a drawing, explain why the graph of the equation $y = x - 5$ passes through three quadrants. 212) _____
- 213) Explain in your own words why equations of the form $y = b$ have graphs that are horizontal lines. 213) _____
- 214) Why is the slope of a horizontal line zero? 214) _____
- 215) Why is the slope of a vertical line undefined? 215) _____
- 216) Explain why the order in which coordinates are subtracted to find slope does not matter as long as x -coordinates are subtracted in the same order as y -coordinates. 216) _____

- 217) If one line has a slope of -3 and another line has a slope of -6 , which line is steeper? Why? 217) _____
- 218) Can an equation of a vertical line be written in slope-intercept form? 218) _____
- 219) Can the point-slope equation be used to write an equation of a vertical line? Why or why not? 219) _____
- 220) Describe a situation in which point-slope form would be more useful. 220) _____
- 221) The total number of reported cases of AIDS in the United States has risen from 372 in 1981 to 100,000 in 1989 and 200,000 in 1992. Does a linear equation fit this data? Why or why not? 221) _____


Answer Key

Testname: UNTITLED71


1)



2)




3)




Answer Key

Testname: UNTITLED71


4)



5)




6)




Answer Key

Testname: UNTITLED71

7)



8)



9) A

10) B

11) A

12) B

13) A

14) B

15) A

16) A

17) Show that (7, 6) is a solution:

$$y = x - 1$$

$$6 = ? 7 - 1$$

$$6 = ? 6 \quad \text{TRUE}$$

Show that (-2, -3) is a solution:

$$y = x - 1$$

$$-3 = ? -2 - 1$$

$$-3 = ? -3 \quad \text{TRUE}$$

Coordinates of the additional solution may vary but should satisfy $y = x - 1$.

Answer Key

Testname: UNTITLED71

18) Show that (2, 3) is a solution:

$$y = x + 1$$

$$3 =? 2 + 1$$

$$3 =? 3 \quad \text{TRUE}$$

Show that (-3, -2) is a solution:

$$y = x + 1$$

$$-2 =? -3 + 1$$

$$-2 =? -2 \quad \text{TRUE}$$

Coordinates of the additional solution may vary but should satisfy $y = x + 1$.

19) Show that (2, 4) is a solution:

$$y = \frac{1}{2}x + 3$$

$$4 =? \frac{1}{2}(2) + 3$$

$$4 =? 1 + 3$$

$$4 =? 4 \quad \text{TRUE}$$

Show that (-4, 1) is a solution:

$$y = \frac{1}{2}x + 3$$

$$1 =? \frac{1}{2}(-4) + 3$$

$$1 =? -2 + 3$$

$$1 =? 1 \quad \text{TRUE}$$

Coordinates of the additional solution may vary but should satisfy $y = \frac{1}{2}x + 3$.

20) Show that (4, 0) is a solution:

$$y = \frac{1}{2}x - 2$$

$$0 =? \frac{1}{2}(4) - 2$$

$$0 =? 2 - 2$$

$$0 =? 0 \quad \text{TRUE}$$

Show that (-2, -3) is a solution:

$$y = \frac{1}{2}x - 2$$

$$-3 =? \frac{1}{2}(-2) - 2$$

$$-3 =? -1 - 2$$

$$-3 =? -3 \quad \text{TRUE}$$

Coordinates of the additional solution may vary but should satisfy $y = \frac{1}{2}x - 2$.

Answer Key

Testname: UNTITLED71

21) Show that (3, 1) is a solution:

$$\begin{aligned} 2x + y &= 7 \\ 2(3) + 1 &=? 7 \\ 6 + 1 &=? 7 \\ 7 &=? 7 \quad \text{TRUE} \end{aligned}$$

Show that (4, -1) is a solution:

$$\begin{aligned} 2x + y &= 7 \\ 2(4) + (-1) &=? 7 \\ 8 + (-1) &=? 7 \\ 7 &=? 7 \quad \text{TRUE} \end{aligned}$$

Coordinates of the additional solution may vary but should satisfy $2x + y = 7$.

22) Show that (2, 3) is a solution:

$$\begin{aligned} x + 2y &= 8 \\ 2 + 2(3) &=? 8 \\ 2 + 6 &=? 8 \\ 8 &=? 8 \quad \text{TRUE} \end{aligned}$$

Show that (-2, 5) is a solution:

$$\begin{aligned} x + 2y &= 8 \\ -2 + 2(5) &=? 8 \\ -2 + 10 &=? 8 \\ 8 &=? 8 \quad \text{TRUE} \end{aligned}$$

Coordinates of the additional solution may vary but should satisfy $x + 2y = 8$.

23) Show that (0, -2) is a solution:

$$\begin{aligned} 6x - 2y &= 4 \\ 6(0) - 2(-2) &=? 4 \\ 0 - (-4) &=? 4 \\ 4 &=? 4 \quad \text{TRUE} \end{aligned}$$

Show that (3, 7) is a solution:

$$\begin{aligned} 6x - 2y &= 4 \\ 6(3) - 2(7) &=? 4 \\ 18 - 14 &=? 4 \\ 4 &=? 4 \quad \text{TRUE} \end{aligned}$$

Coordinates of the additional solution may vary but should satisfy $6x - 2y = 4$.

24) Show that (-2, -5) is a solution:

$$\begin{aligned} 3x - 3y &= 9 \\ 3(-2) - 3(-5) &=? 9 \\ -6 + 15 &=? 9 \\ 9 &=? 9 \quad \text{TRUE} \end{aligned}$$

Show that (7, 4) is a solution:

$$\begin{aligned} 3x - 3y &= 9 \\ 3(7) - 3(4) &=? 9 \\ 21 - (12) &=? 9 \\ 9 &=? 9 \quad \text{TRUE} \end{aligned}$$

Coordinates of the additional solution may vary but should satisfy $3x - 3y = 9$.

25) C

26) C

27) A

28) D

29) A

30) D

Answer Key

Testname: UNTITLED71

- 31) C
- 32) A
- 33) A
- 34) C
- 35) A
- 36) B
- 37) D
- 38) B
- 39) C
- 40) A
- 41) D
- 42) A
- 43) D
- 44) A
- 45) B
- 46) A
- 47) B
- 48) B
- 49) A
- 50) B
- 51) A
- 52) B
- 53) B
- 54) B
- 55) C
- 56) B
- 57) C
- 58) D
- 59) A
- 60) A
- 61) D
- 62) B
- 63) B
- 64) D
- 65) C
- 66) A
- 67) B
- 68) B
- 69) B
- 70) D
- 71) C
- 72) C
- 73) C
- 74) C
- 75) C
- 76) A
- 77) D
- 78) C
- 79) B
- 80) A

Answer Key

Testname: UNTITLED71

- 81) B
- 82) B
- 83) B
- 84) B
- 85) B
- 86) A
- 87) D
- 88) C
- 89) C
- 90) D
- 91) B
- 92) D
- 93) D
- 94) A
- 95) B
- 96) B
- 97) A
- 98) B
- 99) B
- 100) B
- 101) C
- 102) C
- 103) A
- 104) A
- 105) B
- 106) C
- 107) D
- 108) B
- 109) B
- 110) A
- 111) A
- 112) D
- 113) A
- 114) D
- 115) C
- 116) B
- 117) C
- 118) C
- 119) D
- 120) C
- 121) A
- 122) B
- 123) A
- 124) B
- 125) A
- 126) C
- 127) D
- 128) C
- 129) A
- 130) A

Answer Key

Testname: UNTITLED71

- 131) D
- 132) B
- 133) A
- 134) A
- 135) C
- 136) A
- 137) C
- 138) C
- 139) C
- 140) A
- 141) A
- 142) D
- 143) A
- 144) D
- 145) D
- 146) B
- 147) A
- 148) D
- 149) A
- 150) C
- 151) C
- 152) A
- 153) B
- 154) C
- 155) D
- 156) B
- 157) B
- 158) A
- 159) B
- 160) B
- 161) D
- 162) A
- 163) C
- 164) A
- 165) B
- 166) B
- 167) C
- 168) C
- 169) A
- 170) A
- 171) B
- 172) B
- 173) C
- 174) C
- 175) B
- 176) A
- 177) A
- 178) A
- 179) C
- 180) A

Answer Key

Testname: UNTITLED71

- 181) C
- 182) B
- 183) D
- 184) D
- 185) D
- 186) C
- 187) B
- 188) C
- 189) A
- 190) C
- 191) C
- 192) C
- 193) B
- 194) B
- 195) C
- 196) A
- 197) D
- 198) B
- 199) B
- 200) A
- 201) B
- 202) B
- 203) D
- 204) D
- 205) D
- 206) A
- 207) A
- 208) A
- 209) C
- 210) D
- 211) A
- 212) When $x < 0$, then $y < 0$ and the graph contains points in quadrant III. When $0 < x < 5$, then $y < 0$ and the graph contains points in quadrant IV. When $x > 5$, then $y > 0$ and then graph contains points in quadrant I.
- 213) The second coordinate of any point on the graph is b , regardless of the first coordinate, so the graph is a line parallel to the x -axis and $|b|$ units above or below it. Thus, the graph is a horizontal line.
- 214) For any two points on the line (x_1, b) and (x_2, b) , $x_1 \neq x_2$, $m = \frac{b - b}{x_1 - x_2} = \frac{0}{x_1 - x_2} = 0$.
- 215) For any two points on the line (a, y_1) and (a, y_2) , $y_1 \neq y_2$, $m = \frac{y_1 - y_2}{a - a} = \frac{y_1 - y_2}{0}$.
- 216) $m = \frac{y_2 - y_1}{x_2 - x_1} = \frac{-1 \cdot (y_2 - y_1)}{-1 \cdot (x_2 - x_1)} = \frac{y_1 - y_2}{x_1 - x_2}$.
- 217) The line with a slope of -6 is steeper, because the larger the absolute value of the slope, the steeper the line.
- 218) No, the slope of a vertical line is undefined.
- 219) No; the slope of a vertical line is undefined.
- 220) Point-slope form would be more useful if you wanted to find an equation of a line with a specified slope passing through a specified point that is not the y -intercept.
- 221) No; the rate of increase is not constant. The slope of the segment from $(0, 372)$ to $(8, 100,000)$ is $12,453.5$ while the slope of the segment from $(8, 100,000)$ to $(11, 200,000)$ is $33,333.\bar{3}$.