


# Solutions for Mathematics All Around 7th Edition by Pirnot

[CLICK HERE TO ACCESS COMPLETE Solutions](#)



# Solutions

# INSTRUCTOR'S SOLUTIONS MANUAL

JAMES LAPP

*University of Maryland Global Campus*


## MATHEMATICS ALL AROUND SEVENTH EDITION

Thomas L. Pirnot

*Kutztown University of Pennsylvania*

Margaret H. Moore

*University of Southern Maine*



The author and publisher of this book have used their best efforts in preparing this book. These efforts include the development, research, and testing of the theories and programs to determine their effectiveness. The author and publisher make no warranty of any kind, expressed or implied, with regard to these programs or the documentation contained in this book. The author and publisher shall not be liable in any event for incidental or consequential damages in connection with, or arising out of, the furnishing, performance, or use of these programs.

Reproduced by Pearson from electronic files supplied by the author.

Copyright © 2022, 2018, 2014 by Pearson Education, Inc. 221 River Street, Hoboken, NJ 07030. All rights reserved.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher. Printed in the United States of America.



ISBN-13: 978-0-13-696574-9

ISBN-10: 0-13-696574-1

## CONTENTS

<b>Chapter 1</b>	Problem Solving: Strategies and Principles	
1.1	Problem Solving .....	1
1.2	Inductive and Deductive Reasoning .....	13
1.3	Estimation.....	18
	Chapter Review Exercises .....	20
	Chapter Test .....	21
<b>Chapter 2</b>	Set Theory: Using Mathematics to Classify Objects	
2.1	The Language of Sets .....	23
2.2	Comparing Sets .....	24
2.3	Set Operations .....	27
2.4	Survey Problems.....	30
2.5	Looking Deeper: Infinite Sets.....	34
	Chapter Review Exercises .....	37
	Chapter Test .....	39
<b>Chapter 3</b>	Logic: The Study of What's True or False or Somewhere in Between	
3.1	Statements, Connectives, and Quantifiers .....	41
3.2	Truth Tables .....	42
3.3	The Conditional and Biconditional.....	49
3.4	Verifying Arguments.....	53
3.5	Using Euler Diagrams to Verify Syllogisms .....	61
3.6	Looking Deeper: Fuzzy Logic.....	64
	Chapter Review Exercises .....	66
	Chapter Test .....	68
<b>Chapter 4</b>	Graph Theory (Networks): The Mathematics of Relationships	
4.1	Graphs, Puzzles, and Map Coloring .....	73
4.2	The Traveling Salesman Problem.....	78
4.3	Directed Graphs.....	84
4.4	Looking Deeper: Scheduling Projects Using Pert .....	90
	Chapter Review Exercises .....	101
	Chapter Test .....	104
<b>Chapter 5</b>	Numeration Systems: Does It Matter How We Name Numbers?	
5.1	The Evolution of Numeration Systems.....	107
5.2	Place Value Systems.....	111
5.3	Calculating in Other Bases .....	120
5.4	Looking Deeper: Modular Systems .....	126
	Chapter Review Exercises .....	133
	Chapter Test .....	135
<b>Chapter 6</b>	Number Theory and the Real Number System: Understanding the Numbers All Around Us	
6.1	Number Theory .....	139
6.2	The Integers.....	143
6.3	The Rational Numbers.....	146
6.4	The Real Number System.....	156
6.5	Exponents and Scientific Notation .....	160
6.6	Looking Deeper: Sequences .....	165
	Chapter Review Exercises .....	172
	Chapter Test .....	174

**Chapter 7 Algebraic Models: How Do We Approximate Reality?**

7.1 Linear Equations.....	177
7.2 Modeling with Linear Equations .....	186
7.3 Modeling with Quadratic Equations.....	193
7.4 Exponential Equations and Growth.....	204
7.5 Proportions and Variation.....	212
7.6 Modeling with Systems of Linear Equations and Inequalities .....	220
7.7 Looking Deeper: Dynamical Systems .....	241
Chapter Review Exercises .....	245
Chapter Test .....	252

**Chapter 8 Consumer Mathematics: The Mathematics of Everyday Life**

8.1 Percents, Taxes, and Inflation.....	259
8.2 Interest.....	263
8.3 Consumer Loans.....	270
8.4 Annuities .....	278
8.5 Amortized Loans .....	289
8.6 Looking Deeper: Annual Percentage Rate.....	296
Chapter Review Exercises .....	300
Chapter Test .....	304

**Chapter 9 Geometry: Ancient and Modern Mathematics Embrace**

9.1 Lines, Angles, and Circles.....	309
9.2 Polygons.....	314
9.3 Perimeter and Area .....	320
9.4 Volume and Surface Area .....	334
9.5 The Metric System and Dimensional Analysis.....	342
9.6 Geometric Symmetry and Tessellations .....	348
9.7 Looking Deeper: Fractals .....	353
Chapter Review Exercises .....	355
Chapter Test .....	358

**Chapter 10 Apportionment: How Do We Measure Fairness?**

10.1 Understanding Apportionment .....	363
10.2 The Huntington–Hill Apportionment Principle.....	370
10.3 Other Paradoxes and Apportionment Methods.....	378
10.4 Looking Deeper: Fair Division.....	397
Chapter Review Exercises .....	400
Chapter Test .....	404

**Chapter 11 Voting: Using Mathematics to Make Choices**

11.1 Voting Methods.....	409
11.2 Defects in Voting Methods.....	416
11.3 Weighted Voting Systems .....	423
11.4 Looking Deeper: The Shapley-Shubik Index .....	437
Chapter Review Exercises .....	449
Chapter Test .....	454

**Chapter 12 Counting: Just How Many Are There?**

12.1 Introduction to Counting Methods .....	461
12.2 The Fundamental Counting Principle.....	469
12.3 Permutations and Combinations.....	472
12.4 Looking Deeper: Counting and Gambling .....	476
Chapter Review Exercises .....	478
Chapter Test .....	479

**Chapter 13** Probability: What Are the Chances?

13.1	The Basics of Probability Theory .....	481
13.2	Complements and Unions of Events .....	488
13.3	Conditional Probability and Intersections of Events .....	493
13.4	Expected Value.....	500
13.5	Looking Deeper: Binomial Experiments .....	504
	Chapter Review Exercises .....	507
	Chapter Test .....	509

**Chapter 14** Descriptive Statistics: Making Sense of the Data


14.1	Organizing and Visualizing Data .....	513
14.2	Measures of Central Tendency .....	517
14.3	Measures of Dispersion .....	523
14.4	The Normal Distribution .....	536
14.5	Looking Deeper: Linear Correlation .....	541
	Chapter Review Exercises .....	548
	Chapter Test .....	551

[CLICK HERE TO ACCESS THE COMPLETE Solutions](#)


## Chapter 1: Problem Solving: Strategies and Principles

### Section 1.1: Problem Solving


1. Drawings may vary.




2. Drawings may vary.



3. Drawings may vary.



4. Drawings may vary.



5. Answers may vary. Let  $H$  be the hybrid automobiles,  $W$  be the windmill turbines, and  $S$  be solar energy.

6. Answers may vary. Let  $T$  be Tyrion,  $J$  be Jamie,  $C$  be Cersei,  $D$  be Daenerys, and  $S$  be Sansa.


7. Answers may vary. Let  $s$  be the dollar amount invested in stocks and  $b$  be the dollar amount invested in bonds.

8. Answers may vary. Let  $c$  be the amount of calcium and  $p$  be the amount of protein.

9. Answers (order) may vary. Combinations would be HH, HT, TH, and TT.

Penny	Nickel
Heads	Heads
Heads	Tails
Tails	Heads
Tails	Tails

10. Answers (order) may vary. Pairs would be (1, 1), (1, 2), (1, 3), (2, 1), (2, 2), (2, 3), (3, 1), (3, 2), and (3, 3).



11.  $2 \times 2 \times 2 \times 2 \times 2 = 32$ ; Graph not provided.


12.  $6 \times 6 = 36$

13. Answers (order) may vary. Using the "Be Systematic" strategy, first list all pairs that begin with L, next all new pairs that begin with S, etc. Pairs would be LS, LB, LE, LD, SB, SE, SD, BE, BD, ED.




## 2 Chapter 1: Problem Solving

14. Answers (order) may vary. Routes you can take are: (Begin, A, D, H, End), (Begin, A, E, H, End), (Begin, A, E, I, End), (Begin, B, E, H, End), (Begin, B, E, I, End), (Begin, B, F, I, End), (Begin, B, F, J, End), (Begin, C, F, I, End), (Begin, C, F, J, End), and (Begin, C, G, J, End).
15. (1, 1), (1, 2), (1, 3), (1, 4), (2, 1), (2, 2), (2, 3), (2, 4), (3, 1), (3, 2), (3, 3), (3, 4), (4, 1), (4, 2), (4, 3), (4, 4)



16. (1, 2), (1, 3), (1, 4), (2, 1), (2, 3), (2, 4), (3, 1), (3, 2), (3, 4), (4, 1), (4, 2), (4, 3)
17.  $r_3$  is the set of people who are good singers and appeared on “American Idol”.  $r_4$  is the set of people who have appeared on “American Idol” and are not good singers.
18.  $r_2$  is the set of people who are working to reduce global warming but not striving to reduce world hunger.  $r_4$  is the set of people who are striving to reduce world hunger but not working to reduce global warming.
19. 35, 42, 49, 56, 63; multiples of 7
20. 81, 243, 729, 2187, 6561; multiples of 3
21.  $bf, cd, ce, cf, cg$
22. (2, 4), (2, 5), (2, 6), (3, 1), (3, 2)
23. 21, 34, 55, 89, 144; sum of previous two numbers
24. 19, 23, 29, 31, 37; prime numbers
25. Answers may vary.

In how many ways can we line up three people for a picture? Let the people be labeled A, B, and C.



The possible orders are ABC, ACB, BAC, BCA, CAB, and CBA. There are 6 different ways.

In how many ways can we line up four people for a picture? Let the people be labeled A, B, C, and D.

Figure 1 consists of four hierarchical tree diagrams, labeled A, B, C, and D, arranged vertically. Each tree has a root node on the left, which branches into three child nodes in the middle. Each child node then branches into three grandchild nodes on the right. The nodes are labeled with letters A, B, C, and D. The trees are labeled A, B, C, and D at the root level.

- Tree A:** Root A branches into children B, C, and D. Child B branches into grandchildren C, D, and B. Child C branches into grandchildren D, B, and C. Child D branches into grandchildren C, B, and D.
- Tree B:** Root B branches into children A, C, and D. Child A branches into grandchildren D, C, and A. Child C branches into grandchildren D, A, and C. Child D branches into grandchildren C, B, and D.
- Tree C:** Root C branches into children A, B, and D. Child A branches into grandchildren D, B, and A. Child B branches into grandchildren D, A, and B. Child D branches into grandchildren B, A, and C.
- Tree D:** Root D branches into children A, B, and C. Child A branches into grandchildren C, B, and C. Child B branches into grandchildren C, A, and B. Child C branches into grandchildren B, A, and A.

26. Answers may vary. If you guess at 2 true-false questions, how many different ways can you fill in the 2 answers?

1	2
T	T
T	F
F	T
F	F

If you guess at 3 true-false questions, how many different ways can you fill in the 3 answers?

1	2	3
T	T	T
T	T	F
T	F	T
T	F	F
F	T	T
F	T	F
F	F	T
F	F	F

Copyright © 2022 Pearson Education, Inc.

4 Chapter 1: Problem Solving

---


26. (continued)

If you guess at 4 true-false questions, how many different ways can you fill in the 4 answers?

1	2	3	4
T	T	T	T
T	T	T	F
T	T	F	T
T	T	F	F
T	F	T	T
T	F	T	F
T	F	F	T
T	F	F	F
F	T	T	T
F	T	T	F
F	T	F	T
F	T	F	F
F	F	T	T
F	F	T	F
F	F	F	T
F	F	F	F

There are 16 different ways.


27. Answers may vary. Using the first three letters of the alphabet, how many two-letter codes can we form if we are allowed to use the same letter twice?



The possible codes are AA, AB, AC, BA, BB, BC, CA, CB, and CC. There are 9 different codes.

27. (continued)

Using the first five letters of the alphabet, how many two-letter codes can we form if we are allowed to use the same letter twice?



The possible codes are AA, AB, AC, AD, AE, BA, BB, BC, BD, BE, CA, CB, CC, CD, CE, DA, DB, DC, DD, DE, EA, EB, EC, ED, and EE. There are 25 different codes.

28. Answers may vary.

A lighting control panel has three switches. How many different ways can these switches be set in the up (u) or down (d) position?

Switch 1	Switch 2	Switch 3
u	u	u
u	u	d
u	d	u
u	d	d
d	u	u
d	u	d
d	d	u
d	d	d

There are 8 different lists.

6 Chapter 1: Problem Solving

28. (continued)

A lighting panel has four switches. How many different ways can these switches be set in the up (u) or down (d) position?

Switch 1	Switch 2	Switch 3	Switch 4
u	u	u	u
u	u	u	d
u	u	d	u
u	u	d	d
u	d	u	u
u	d	u	d
u	d	d	u
u	d	d	d
d	u	u	u
d	u	u	d
d	u	d	u
d	u	d	d
d	d	u	u
d	d	u	d
d	d	d	u
d	d	d	d

There are 16 different lists.

29. Answers may vary.

An electric-blue Ferrari comes with two options: run flat tires and front heated seats. You may buy the car with any combination of the options (including none). How many different choices do you have? Let  $R$  be run flat tires and  $F$  be front heated seats. If a feature is not included, it is indicated by a “0”. If it is included, it is indicated by a “1”. There are 4 different choices.


$R$	$F$
0	0
0	1
1	0
1	1

An electric-blue Ferrari comes with three options: run flat tires, front heated seats, and polished rims. You may buy the car with any combination of the options (including none). How many different choices do you have? Let  $R$  be run flat tires,  $F$  be front heated seats, and  $P$  be polished rims. If a feature is not included, it is indicated by a “0”. If it is included, it is indicated by a “1”. There are 8 different choices.

$R$	$F$	$P$
0	0	0
0	0	1
0	1	0
0	1	1
1	0	0
1	0	1
1	1	0
1	1	1


30. Answers may vary.

You have 2 different colors of paper to use and 3 different styles of font. How many different ways can you print your resume?



There are 6 different ways.

You have 2 different colors of paper to use and 4 different styles of font. How many different ways can you print your resume?



There are 8 different ways.

31. False, counterexamples may vary. June has 30 days.
32. False, counterexamples may vary. At the time this book was written, this was false because Bill Clinton is still alive.
33. False, counterexamples may vary.  $\frac{1}{2} + \frac{3}{4} = \frac{2}{4} + \frac{3}{4} = \frac{5}{4}$ ,  $\frac{1+3}{2+4} = \frac{4}{6} = \frac{2}{3}$ , and  $\frac{5}{4} \neq \frac{2}{3}$
34. False, counterexamples may vary.  $-9 < -5$  but  $(-9)^2 > (-5)^2$  since  $81 > 25$ .
35. False, A is the grandfather of C.
36. False, counterexamples may vary. You know your instructor and your instructor knows his/her mother, but (most likely) you don't know your instructor's mother.
37. False, counterexamples may vary. If the price of a \$10.00 item is increased by 10%, its new price is \$11.00. If the \$11.00 item is then decreased by 10%, the new price would be \$9.90, not \$10.00.
38. False, counterexamples may vary. If your hourly rate of \$10.00 is decreased by 20%, the new rate is \$8.00. If the \$8.00 rate is then increased by 20%, the new rate would be \$9.60, not \$10.00.

8 Chapter 1: Problem Solving

---

39. Explanations may vary. These two sequences do not give the same results. The question here is equivalent to asking if the algebraic statement,  $x^2 + 5 = (x + 5)^2$ , is true.

If we let  $x = 1$ , we have a counterexample.

$$1^2 + 5 \stackrel{?}{=} (1 + 5)^2$$

$$1 + 5 \stackrel{?}{=} 6^2$$

$$6 \neq 36$$

Hence, the statement is false.

40. Explanations may vary. These two sequences do not give the same results. The question here is equivalent to asking if the algebraic statement,  $x^2 - y^2 = (x - y)^2$ , is true.

If we let  $x = 1$  and  $y = 3$ , we have a counterexample.

$$1^2 - 3^2 \stackrel{?}{=} (1 - 3)^2$$

$$1 - 9 \stackrel{?}{=} (-2)^2$$

$$-8 \neq 4$$

Hence, the statement is false.

41. Explanations may vary. These two sequences do give the same results. The question here is equivalent to asking if the algebraic statement,  $\frac{x+y}{3} = \frac{x}{3} + \frac{y}{3}$ , is true. If you think of dividing by 3 as equivalent to multiplying by  $1/3$ , then you can use the distributive property to prove this statement.

$$\frac{x+y}{3} = \frac{1}{3}(x+y) = \frac{1}{3}x + \frac{1}{3}y = \frac{x}{3} + \frac{y}{3}$$

42. Explanations may vary. These two sequences do give the same results. The question here is equivalent to asking if the algebraic statement,  $x \cdot 5 + y \cdot 5 = (x + y) \cdot 5$ , is true. The proof of this statement is equivalent to proving the distributive property.

43. Answers may vary. 5 is a number;  $\{5\}$  is a number with braces around it. Moreover, 5 is a singly listed element, while  $\{5\}$  is a set that contains the single element 5.

44. Answers may vary. The second  $A$  has a prime ( ' ) on it. Moreover,  $A$  is a set (which is a subset of some universal set  $U$ ), and  $A'$  is the complement of set  $A$  relative to some universal set  $U$ .

45. Answers may vary. One is uppercase and the other is lowercase. Moreover,  $U$  usually denotes the universal set, and the lower-case letters are usually elements that appear in some set.

46. Answers may vary.  $\{ \}$  are different from  $( )$ . Moreover,  $\{1, 2\}$  is the set that contains only the elements 1 and 2.  $(1, 2)$  is the interval that contains all real numbers between 1 and 2 (not including 1 and 2 themselves). Note: Another interpretation of  $(1, 2)$  is being a point in a plane. However, with  $\{1, 2\}$  in this same problem, the interpretation should be relative to sets.

47. Answers may vary. The order of the numbers is different. Moreover, if you interpret  $(2, 3)$  and  $(3, 2)$  as intervals, they are both expressing the same set of numbers. The standard, however, is to express intervals  $(a, b)$  in such a way that  $a < b$  (assuming  $a$  and  $b$  are real numbers). Note: Another interpretation of  $(2, 3)$  and  $(3, 2)$  is as points in the plane, and these two points would be different. They would be points that are reflected over the line  $y = x$ . The context of this question, however, is relative to intervals.

48. The symbol on the right is the number zero; the symbol on the left is not a number.

49. – 52. No solution provided.

53. Answers may vary. Let  $O$  be the age of the older building and  $Y$  be the age of the younger building.

Guesses for $O$ and $Y$	Good Points	Weak Points
100, 221	Sum is 321.	The older is more than twice the younger.
110, 211	Sum is 321.	The older is less than twice the older.
107, 214	All conditions satisfied. We have the solution.	

The buildings are 107 and 214 years old.

54. Answers may vary. Let  $S$  be the shortest piece,  $M$  be the middle size piece, and  $L$  be the longest piece.

Guesses for $S$ , $M$ , and $L$	Good Points	Weak Points
3, 8, and 24	The longest is 3 times the middle size and the shortest is 5 less than the middle size.	Total length is less than 40.
5, 10, and 30	The longest is 3 times the middle size and the shortest is 5 less than the middle size.	Total length is more than 40.
4, 9, and 27	All conditions satisfied. We have the solution	

The three pieces should be 4, 9, and 27 inches long.

55. Answers may vary. Let  $M$  be the number of times Patrick Mahomes threw a touchdown pass,  $W$  be the number of times Carson Wentz threw a touchdown pass, and  $J$  be the number of times Lamar Jackson threw a touchdown pass.

Guesses for $M$ , $W$ , and $J$	Good Points	Weak Points
30, 24, and 22	$W$ is 2 more than $J$ and 6 less than $M$ .	Sum is less than 94.
40, 34, and 32	$W$ is 2 more than $J$ and 6 less than $M$ .	Sum is more than 94.
36, 30, and 28	All conditions satisfied. We have the solution.	

Mahomes had 36 touchdowns.

56. Answers may vary. Let  $P$  be the number of home runs hit by Joc Pederson,  $G$  be the number of home runs hit by Vladimir Guerrero and  $A$  be the number of home runs hit by Pete Alonso.

Guesses for $P$ , $G$ , and $A$	Good Points	Weak Points
30, 29 and 7	$P$ is 1 more than $G$ and 23 more than $A$ .	Sum is less than 72.
40, 39 and 17	$P$ is 1 more than $G$ and 23 more than $A$ .	Sum is more than 72.
32, 31 and 9	All conditions satisfied. We have the solution.	

Pederson had 32 hits.



10 Chapter 1: Problem Solving

57. Answers may vary. Let  $A$  be the amount invested at 8% and  $B$  be the amount invested at 6%.

Guesses for $A$ and $B$	Good Points	Weak Points
\$3,000 and \$5,000	Sum is \$8,000.	Return is less than \$550.
\$4,000 and \$4,000	Sum is \$8,000.	Return is more than \$550.
\$3,500 and \$4,500	All conditions satisfied. We have the solution	

Heather invested \$3,500 at 8% and \$4,500 at 6%.

58. Answers may vary. Let  $A$  be the amount invested at 11% and  $B$  be the amount invested at 8%.

Guesses for $A$ and $B$	Good Points	Weak Points
\$7,000 and \$2,000	Sum is \$9,000.	Return is less than \$936.
\$7,500 and \$1,500	Sum is \$9,000.	Return is more than \$936.
\$7,200 and \$1,800	All conditions satisfied. We have the solution.	

Carlos invested \$7,200 at 11% and \$1,800 at 8%.

59. Answers may vary. Let  $A$  be the number of administrators,  $S$  be the number of students, and  $F$  be the number of faculty members.

Guesses for $A$ , $S$ , and $F$	Good Points	Weak Points
10, 2, and 7	$A$ is 5 times $S$ and $F$ is 5 more than $S$ .	There are less than 26 people.
20, 4, and 9	$A$ is 5 times $S$ and $F$ is 5 more than $S$ .	There are more than 26 people.
15, 3, and 8	All conditions satisfied. We have the solution.	


There are 3 students.

60. Answers may vary. Let  $S$  be the number of senior citizens,  $Y$  be the number of young adults, and  $M$  be the number of middle-aged adults.

Guesses for $S$ , $Y$ , and $M$	Good Points	Weak Points
18, 6, and 9	$S$ is 3 times $Y$ and $M$ is one-half $S$ .	There are less than 55 people.
36, 12, and 18	$S$ is 3 times $Y$ and $M$ is one-half $S$ .	There are more than 55 people.
30, 10, and 15	All conditions satisfied. We have the solution.	

There are 30 senior citizens.

61. LCHPL, LCPHL, LHCPL, LHPCL, LPCHL, LPHCL



62.  $9 \times 8 \times 7 \times 6 \times 5 \times 4 \times 3 \times 2 \times 1 = 362,880$

63. PN, PD, PQ, ND, NQ, DQ

64. PND, PNQ, PDQ, NDQ, PNDQ

65. The possible schedules are given in the table below.

Math	English	Sociology	Art History
9	11	12	10
9	12	10	11
10	9	12	11
10	11	12	9
12	9	10	11
12	11	10	9

66. The possible schedules are given in the table below.

Math	English	Sociology	Art History
9	11	12	10
9	12	10	11
12	9	10	11

67. The possible schedules are given in the table below.

Math	English	Art History
9	11	10
9	12	10
9	12	11
10	9	11
10	11	9
10	12	9
10	12	11
12	9	10
12	9	11
12	11	9
12	11	10

68. The possible schedules are given in the table below.

Math	English	Sociology	Art History
9	11	12	10
9	12	11	10
10	9	12	11
10	11	12	9
10	12	11	9
12	9	11	10

69. 79; The top and bottom rows will both have 21 tiles, the middle row will have one tile, and the remaining 18 rows will have 2 tiles each.

$$2 \times 21 + 1 \times 1 + 18 \times 2 = 79$$

70. 48; The top and bottom rows will both have 1 tile, and the remaining 23 rows will have 2 tiles each.

$$2 \times 1 + 23 \times 2 = 48$$

12 Chapter 1: Problem Solving

71. You will pay more, in total, over the two years if the 8% raise occurs first. As an example, if tuition is \$100 and the 8% raise occurs first, you will pay  $100 + 0.08(100) = \$108$  the first year and  $108 + 0.05(108) = \$113.40$  the second year, for a total of \$221.40. If the 5% raise occurs first, you will pay  $100 + 0.05(100) = \$105$  the first year and  $105 + 0.08(105) = \$113.40$  the second year, for a total of \$218.40. Note that in either case, you would pay the same tuition during the second year.
72. The board would not follow its mandate. As an example, if tuition is \$100, you will pay  $100 + 0.02(100) = \$102$  after the first increase,  $102 + 0.03(102) = \$105.06$  after the second increase, and  $105.06 + 0.05(105.06) = \$110.31$  after the third increase, which is an approximately 10.3% increase.
73. – 76. Answers will vary.
77.  $6 \times 6 \times 6 = 216$
79. (41, 43), (59, 61); Pairs of sequential primes that differ by 2.
80. (23, 31), (29, 37); The first numbers are the primes in order, the second numbers come from taking the second prime number after the first.
81. There are a total of 55 squares.


$1 \times 1$	25
$2 \times 2$	16
$3 \times 3$	9
$4 \times 4$	4
$5 \times 5$	1


82. a) 12  
b) 6  
c) 100


$1 \times 1$	16
$1 \times 2$	12
$1 \times 3$	8
$1 \times 4$	4
$2 \times 1$	12
$2 \times 2$	9
$2 \times 3$	6
$2 \times 4$	3

$3 \times 1$	8
$3 \times 2$	6
$3 \times 3$	4
$3 \times 4$	2
$4 \times 1$	4
$4 \times 2$	3
$4 \times 3$	2
$4 \times 4$	1


83. As you look at the intersections, you'll see that there is a pattern as to how many routes can be created as you leave the Hard Rock Cafe on the way to The Cheesecake Factory. To choose direct routes, you must always be traveling down and/or to the right. The numbers indicate how many ways there are to get to the intersection below and to the right of the number. For example, the "2" below and to the right of the Hard Rock Cafe indicates there are two ways to arrive at that intersection, one by going right, then down, and another by going down, and then right. There are a total of 252 possible routes.



84. As you look at the intersections, you'll see that there is a pattern as to how many routes can be created as you leave the Hard Rock Cafe on the way to Baja Fresh and as you leave Baja Fresh on the way to The Cheesecake Factory. To choose direct routes, you must always be traveling down and/or to the right. The numbers indicate how many ways there are to get to the intersection below and to the right of the number. Since there are 10 ways to go from the Hard Rock Cafe to Baja Fresh and 10 ways to go from the Baja Fresh to The Cheesecake Factory, there are  $10 \times 10 = 100$  possible routes.




### Section 1.2: Inductive and Deductive Reasoning

- |              |               |
|--------------|---------------|
| 1. inductive | 6. deductive  |
| 2. deductive | 7. deductive  |
| 3. deductive | 8. inductive  |
| 4. inductive | 9. inductive  |
| 5. inductive | 10. deductive |
| 11. 16       | 13. 96        |
| 12. 32       | 14. 1,215     |

14 Chapter 1: Problem Solving


15. 21

17.



16. 0.101010

18.



19. A blue face in a green box followed by a red face in a blue box.



20. A red face in a blue box followed by a blue face in a green box.



21. Hint: Think of prime numbers.

X	X	X	X				X	X	
2	3	5	7				11	13	

22. Hint: Think of the Fibonacci sequence.

X	X	X		X			X				X						X	
1	2	3		5			8				13						21	

23.  $3+13$  or  $5+11$

25.  $3+17$  or  $7+13$

24.  $5+13$  or  $7+11$

26.  $3+23$ ,  $7+19$ , or  $13+13$

$$27. 1+2+3+4+5 = \frac{5 \times 6}{2}, 1+2+3+4+5+6 = \frac{6 \times 7}{2}$$

$$28. 2+4+6+8+10 = 5 \times 6, 2+4+6+8+10+12 = 6 \times 7$$

$$29. 1+3+5+7+9 = 25, 1+3+5+7+9+11 = 36$$

$$30. \frac{1}{1 \times 2} + \frac{1}{2 \times 3} + \frac{1}{3 \times 4} + \frac{1}{4 \times 5} + \frac{1}{5 \times 6} = \frac{5}{6}, \frac{1}{1 \times 2} + \frac{1}{2 \times 3} + \frac{1}{3 \times 4} + \frac{1}{4 \times 5} + \frac{1}{5 \times 6} + \frac{1}{6 \times 7} = \frac{6}{7}$$

$$31. 1+4+9+16 = 30$$

$$32. 1+4+9+16+25+36 = 91$$

33. a) The total of all the numbers in the square is  $1+2+3+\dots+16 = 136$ .

b) The total of the numbers for each row, column, and diagonal would be  $136/4 = 34$ .

c) One can deduce the missing numbers to yield the following.

7	6	12	9
10	11	5	8
13	16	2	3
4	1	15	14

34. a) The total of all the numbers in the square is  $1 + 2 + 3 + \dots + 16 = 136$ .  
 b) The total of the numbers for each row, column, and diagonal would be  $136/4 = 34$ .  
 c) One can deduce the missing numbers to yield the following.

16	3	2	13
5	10	11	8
9	6	7	12
4	15	14	1

35.

	1	2	3	4
A	1	4	3	2
B	3	2	1 <sup>8+</sup>	4
C	2	1 <sup>1-</sup>	4	3 <sup>1-</sup>
D	4 <sup>7+</sup>	3	2	1



36.

	1	2	3	4
A	1 <sup>3-</sup>	4 <sup>9+</sup>	2	3
B	4	2	3	1
C	2	3	1	4 <sup>9+</sup>
D	3 <sup>2-</sup>	1	4	2

37. Yes; there are many ways to do this. Try to rewrite the puzzle in various ways with some numbers or clues missing to see if you can still solve it.
38. Yes; there are many ways to do this. Try to rewrite the puzzle in various ways with some numbers or clues missing to see if you can still solve it.
39. Adriana (political issues), Caleb (solar power), Ethan (water conservation), and Julia (recycling)
40. Jessica (third), Serena (second), Andre (fourth), and Emily (first)
41. 36644633; Reversing the number in the first pair yields the relationship  $\begin{matrix} G & G & A & G & L & L & G & A \\ 6 & 6 & 4 & 6 & 3 & 3 & 6 & 4 \end{matrix}$ , so G, A, and L correspond to 6, 4, and 3, respectively. Assigning these values to the letters in the second word yields  $\begin{matrix} L & L & G & A & A & G & G & L \\ 3 & 3 & 6 & 4 & 4 & 6 & 6 & 3 \end{matrix}$ . Reversing the order of the resulting number leads to the final value of 36644633.
42. leader; Froofrug Merduc represents “Where is your”
43. 986763; reverse the numbers and delete one number from any pair of numbers.
44. 20; the numbers are found by repeatedly adding 6 then subtracting 2.
45. Answers may vary. Possible responses include that Sharifa would begin by visiting one of the six branches and then visit the five original cities in 120 ways. The total number of ways she could make her visits is  $6 \times 120 = 720$  ways. The same reasoning would lead to  $7 \times 720 = 5,040$  ways for seven cities.

16 Chapter 1: Problem Solving


46. Reasons will vary.



47. (d) step 3



48.



49. By looking at examples, inductive reasoning leads us to make conjectures which we then try to prove.

50. Consider examples; Look for patterns; Make a conjecture; Use deductive reasoning to prove the statement.

51. – 54. Answers will vary.

55. 53, 107, 213; Next term is the previous term plus twice the term before the previous term.

56. 5,461, 21,845, 87,381; Next term is four times the previous term plus one.


57. 47, 76, 123; Next term is sum of two previous terms.

58. 150, 298, 598; Next term is the previous term plus twice the term before the previous term.

59. There is a total of  $2 + 6 + 12 = 20$  squares.

$1 \times 1$	12
$2 \times 2$	6
$3 \times 3$	2


60. There is a total of  $3 + 8 + 15 + 24 = 50$  squares.



$1 \times 1$	24
$2 \times 2$	15
$3 \times 3$	8
$4 \times 4$	3

61. a) There are a total of 60 rectangles.


1×1	12
1×2	9
1×3	6
1×4	3
2×1	8
2×2	6
2×3	4
2×4	2
3×1	4
3×2	3
3×3	2
3×4	1



b) There are a total of 210 rectangles.

1×1	24
1×2	18
1×3	12
1×4	6
2×1	20
2×2	15
2×3	10
2×4	5
3×1	16
3×2	12
3×3	8
3×4	4

4×1	12
4×2	9
4×3	6
4×4	3
5×1	8
5×2	6
5×3	4
5×4	2
6×1	4
6×2	3
6×3	2
6×4	1



62. Answers may vary. One can count the rectangles in a systematic way like in Exercise 61. One can see that there is a pattern to the counting. Firstly, one needs to realize that the sum of the first  $n$  natural numbers is

$$1 + 2 + 3 + \dots + n = \frac{n(n+1)}{2}.$$

In Exercise 61, the first four natural numbers occurred in the last four entries.


Looking above these entries, you can see multiples of these numbers. One can view the sum of all the entries as

$$\begin{aligned} & (1+2+3+4) + 2 \cdot (1+2+3+4) + 3 \cdot (1+2+3+4) + 4 \cdot (1+2+3+4) + 5 \cdot (1+2+3+4) + 6 \cdot (1+2+3+4) \\ &= (1+2+3+4+5+6) \cdot (1+2+3+4) = \frac{6 \cdot 7}{2} \cdot \frac{4 \cdot 5}{2} = 21 \cdot 10 = 210. \end{aligned}$$


In general, the number of rectangles of all types would be  $\frac{m(m+1)}{2} \cdot \frac{n(n+1)}{2}$  for an  $m \times n$  rectangle. For the

case of a  $10 \times 6$  rectangle, we would have  $\frac{10 \cdot (10+1)}{2} \cdot \frac{6 \cdot (6+1)}{2} = 55 \cdot 21 = 1,155$  rectangles of all types.

63. The base is a  $6 \times 4$  rectangle. If you consider the diagram below as the base, we have  $6 \times 4 = 24$  baseballs. In order to build the next level, we are looking for the number of places in which four baseballs (squares) meet. There are  $5 \times 3 = 15$  such places.



For the next level we would have  $4 \times 2 = 8$  meeting places.






18 Chapter 1: Problem Solving

63. (continued)

For the last level we would have  $3 \times 1 = 3$  meeting places.



This yields a total of  $6 \times 4 + 5 \times 3 + 4 \times 2 + 3 \times 1 = 24 + 15 + 8 + 3 = 50$  baseballs.

64. Using the same reasoning as in Exercise 63, we have  $7 \times 5 + 6 \times 4 + 5 \times 3 + 4 \times 2 + 3 \times 1 = 35 + 24 + 15 + 8 + 3 = 85$  baseballs.

65. – 66. No solution provided.

67. In this trick, you will always get the result three.

- a) Call the number  $n$ .
- b)  $3n$
- c)  $3n + 9$
- d)  $\frac{3n + 9}{3} = \frac{3(n + 3)}{3} = n + 3$
- e)  $(n + 3) - n = n + 3 - n = 3$

68. In this trick, you will always get a result that is the number that you started with.

- a) Call the number  $n$ .
- b)  $5n$
- c)  $5n + 20$
- d)  $\frac{5n + 20}{5} = \frac{5(n + 4)}{5} = n + 4$
- e)  $(n + 4) - 4 = n + 4 - 4 = n$

**Section 1.3: Estimation**

1.  $20 + 40 + 190 + 40 = 290$
2.  $20 + 30 + 10 + 90 = 150$
3.  $35 - 15 = 20$
4.  $110 - 70 = 40$
5.  $5 \times 16 = 80$
6.  $1,000 \times 15 = 15,000$
7.  $18 / 3 = 6$
8.  $2,100 / 70 = 30$
9.  $0.1 \times 800 = 80$
10.  $0.001 \times 4,000 = 4$
11.  $9\% \times 1,000 = 0.09 \times 1,000 = 90$
12.  $20\% \times 700 = 0.20 \times 700 = 140$
13.  $4 \times 5 \times 6 = 120$  miles; The estimate is larger than the exact answer. The exact answer is 111 miles.
14.  $18 \times \$1.00 = \$18.00$ ; The estimate is larger than the exact answer. The exact answer is \$16.92.
15.  $325 / 50 = 6.5$  more hours, 7:30 PM; The estimate is earlier than the actual time. The actual answer is 7:50 PM.
16.  $\$60.00 / 15 = \$4.00$  per gallon; The estimate is less than the actual answer. The actual answer is \$3.89 per gallon.
17.  $\$120.00 \times 15\% = \$120.00 \times 0.15 = \$18.00$ ; The estimate is more than the exact answer. The exact answer is \$17.77.
18.  $\$75.00 / 3 = \$25.00$ ; The estimate is less than the exact answer. The exact answer is \$25.46.
19.  $(3 \times \$3.00) + (4 \times \$1.50) + \$3.00 = \$9.00 + \$6.00 + \$3.00 = \$18.00$ ; The estimate is larger than the exact answer. The exact answer is \$17.20.
20.  $\$1,400 \times 5\% = \$1,400 \times 0.05 = \$70.00$ ; The estimated total is  $\$1,400.00 + \$70.00 = \$1,470.00$ . The estimate is less than the exact answer. The exact answer is  $\$1,389.00 + \$83.34 = \$1,472.34$ .
21. It seems safe. Alicia probably weighs less than 200 pounds, so that leaves  $2,300 - 200 = 2,100$  pounds for the 21 students. They probably each weigh less than 100 pounds.

22. NFL linemen usually weigh at least 300 pounds. So the eight linemen would weigh at least  $8 \times 300 = 2,400$  pounds, which is above the elevator's capacity.
23.  $\$40,000 \times 4\% = \$40,000 \times 0.04 = \$1,600$ ; The estimate is larger than the exact answer. The exact answer is \$1,324.40.
24.  $(25 \times 5) + 15 = 125 + 15 = 140$ ;  $42,000 \div 140 = 300$  weeks; The estimate is less than the actual answer. The actual answer is 326 weeks.
25.  $\frac{1,000}{1} = 1,000$  times greater; The estimate is very close to the actual answer. The actual answer is 996.67 times greater.
26.  $\frac{400}{100} = 4$  times greater; The estimate is very close to the actual answer. The actual answer is 4.01 times greater.
27. Her total expenses are about \$100 per month;  $100 / 7 \approx 14$   $12 \times \$14 = \$168$ ; The estimate is larger than the actual answer. The actual answer is \$163 (you round to nearest dollar on deductions).
28.  $\$20,000 \times 0.025 = \$500$ ,  $\$500 \times 20\% = \$500 \times 0.20 = \$100$ ; The estimate is less than the actual answer. The actual answer is \$104 (you round to nearest dollar on deductions).
29. Answers will vary. Actual answers are: Male high school graduates; \$36,000; Females with associates degrees; \$31,000
30. Answers will vary. The actual answer is that men with bachelor's degrees make \$21,000 per year more than women with bachelor's degrees
31. graduate or professional degrees, less than high school
32. Answers will vary. The actual answer is that on average, men college graduates make \$30,000 more annually than men high school graduates.
33. category 2
35. response 2
34. 500;  $0.21 \times 2,309 \approx 485$
36. 139;  $0.06 \times 2309 \approx 139$
37. Answers will vary. The actual value is 27.8 billion dollars.
38. Answers will vary. The actual value is 46.1 billion dollars more.
39. Answers will vary. The actual value is 21 billion dollars.
40. The difference between the value of Google Play apps and App Store apps increased. The difference between the heights of the blue, yellow, and red columns in the graph increases from 2016 to 2018
41. Estimated answers may vary. The exact answer is  $2,165 \times 0.404 = 874.66$ , or \$874.66 billion.
42. Estimated answers may vary. The exact answer is  $2,165 \times 0.432 = 935.28$ , or \$935.28 billion.
43. Estimated answers may vary. The exact answer is  $2,165 \times 0.072 = 155.88$  or \$155.88 billion.
44. Estimated answers may vary. The exact answer is  $2,165 \times (0.404 + 0.432) = 2,165 \times 0.836 = 1,809.94$ , or \$1,809.94 billion.
45. Estimated answers may vary. The actual number of immigrants was  $705,361 \times 0.302 \approx 213,019$ .
46. Estimated answers may vary. The actual number of immigrants was  $705,361 \times 0.132 \approx 93,108$ .
47. Estimated answers may vary. The actual percentage is  $130,661 / 705,361 \approx 0.185$ , or 18.5%.
48. Estimated answers may vary.  $41,034 / 705,361 \approx 0.058$ , or 5.8%.
49. – 54. Answers will vary.

20 Chapter 1: Problem Solving

55. Answers may vary. The amount of lawn that needs to be fertilized is represented by the size of the lot, less the non-grassy areas such as the garden, driveway and house. If you divide the grassy area into rectangles, you get  $96 \cdot 169 - 96 \cdot 30 - 65 \cdot 28 - 18 \cdot 65 = 16,224 - 2,880 - 1,820 - 1,170 = 10,354$  square feet. They need  $10,354/5,000 \approx 2.07$ , or slightly over two bags of fertilizer.


$$96 \cdot 169 - 96 \cdot 30 - 65 \cdot 28 - 18 \cdot 65 = 16,224 - 2,880 - 1,820 - 1,170 = 10,354$$

56. Answers may vary. For our estimate we will not consider areas such as windows and doors that may not be painted. They need to cover exactly  $7.75(2 \cdot 18.5 + 2 \cdot 11) = 7.75 \cdot 59 = 457.25$  square feet twice for a total of 914.5 square feet. They will need to purchase  $914.5/200 \approx 4.57$ , or 5 gallons of paint (no partial gallons).

57. – 60. No solution provided.


**Chapter Review Exercises**

- Understand the problem; devise a plan; carry out your plan; check your answer.
- An example that shows a conjecture is false.
- 10; Let A, C, L, R, and T represent Amber, Chris, Lawrence, Remy, and Travis.



The pairs are AC, AL, AR, AT, CL, CR, CT, LR, LT, and RT.

4. Answers may vary. At a restaurant, you have 2 appetizers, 3 entrees, and 2 desserts. How many different meals can you choose if you select one appetizer, one entrée, and one dessert?



There are twelve different meals possible.

5. Answers may vary. Let  $S$  be the number of hours Simone worked as a stock person and  $I$  be the number of hours she worked as a ski instructor.

Guesses for $S$ and $I$	Good Points	Weak Points
9 and 11	Sum is 20.	Amount earned is less than \$141.20.
7 and 13	Sum is 20.	Amount earned is more than \$141.20.
8 and 12	All conditions satisfied. We have the solution.	

6. false; Counterexamples may vary.

$$\frac{1}{2} + \frac{3}{4} = \frac{2}{4} + \frac{3}{4} = \frac{5}{4}, \quad \frac{1+3}{2+4} = \frac{4}{6} = \frac{2}{3}, \quad \text{and} \quad \frac{5}{4} \neq \frac{2}{3}$$

7. No solution provided.

8. Answers may vary. Possible answers include: Inductive reasoning is the process of drawing a general conclusion by observing a pattern in specific instances. In deductive reasoning, we use accepted facts and general principles to arrive at a specific conclusion.

9. a) deductive  
b) inductive

11. 

		X
		X

10. a) 27; Add five to the previous number.  
b) 47; Add the previous two numbers.

12.  $5+43$ ,  $7+41$ ,  $11+37$ ,  $17+31$ , or  $19+29$

13. In this trick, you will always get twice the number you started with.

- a) Call the number  $n$ .  
b)  $8n$   
c)  $8n+12$   
d)  $\frac{8n+12}{4} = \frac{4(2n+3)}{4} = 2n+3$   
e)  $(2n+3)-3 = 2n+3-3 = 2n$

14. a) 46,000  
b) 28,000

15. a)  $210-60=150$   
b)  $6 \times 15 = 90$

16. Estimated time left to travel would be  $150/50 = 3$  hours, arriving at 7:00 PM.

17. a) Estimated answers may vary. The actual difference is 60 milligrams.  
b) a little more than twice as much.  
c) approximately four  
d) the gourmet coffee

### Chapter Test

1. Answers will vary.  
2. a) true; adding fractions with like denominators

b) false;  $\frac{3}{4+5} \neq \frac{3}{4} + \frac{3}{5}$

22 Chapter 1: Problem Solving

3. Answers may vary. Let  $M$  be the number of *Minecraft* games sold,  $T$  be the number of *Tetris* games sold, and  $G$  be the number of *Grand Theft Auto V* games sold.

Guesses for $M$ , $T$ , and $G$	Good Points	Weak Points
160, 150, and 100	<i>Tetris</i> sold 50 million more copies than <i>Grand Theft Auto V</i> and 10 million less than <i>Minecraft</i> .	Total number is less than 470.
210, 200, and 150	<i>Tetris</i> sold 50 million more copies than <i>Grand Theft Auto V</i> and 10 million less than <i>Minecraft</i> .	Total number is more than 470.
180, 170, and 120	All conditions satisfied. We have the solution.	

180 million *Minecraft* games were sold.

4. a) 4,320  
b) 2,280
5. a) 36,000  
b) 36,500
6. If two terms are similar but sounds slightly different, they usually do not mean exactly the same thing.
7. Answers may vary. Possible answers include: Inductive reasoning is the process of drawing a general conclusion by observing a pattern in specific instances. In deductive reasoning, we use accepted facts and general principles to arrive at a specific conclusion.
8. a) inductive  
b) deductive
9. Mathematical ideas can be understood verbally, graphically, and through examples.
10. Answers will vary. One estimate is  $\left(\frac{\$600 + \$200}{3}\right) \cdot 12 = (\$800) \cdot 4 = \$3,200$ . The true value is \$3,220.
11.  $1 + 1^2 = 2$ ,  $2 + 2^2 = 6$ ,  $6 + 3^2 = 15$ ,  $15 + 4^2 = 31$ ,  $31 + 5^2 = 56$ ,  $56 + 6^2 = 92$ , and  $92 + 7^2 = 141$
12. cde, cdf, cdg

13.

	X	X	
		X	X

14.  $7 + 53 = 60$ ,  $13 + 47 = 60$ ,  $19 + 41 = 60$ ,  $23 + 37 = 60$ , or  $29 + 31 = 60$
15. False; suppose the laptop costs \$1,000. After the 10% discount, the laptop would cost \$900. If that price is increased by 10%, the laptop would cost \$990, not \$1,000.
16. In this trick, you will always get twice the original number.
- a) Call the number  $n$ .
- b)  $4n$
- c)  $4n + 40$
- d)  $\frac{4n + 40}{2} = \frac{2(2n + 20)}{2} = 2n + 20$
- e)  $(2n + 20) - 20 = 2n + 20 - 20 = 2n$

## Chapter 2: Set Theory: Using Mathematics to Classify Objects

### Section 2.1: The Language of Sets

1.  $\{10, 11, 12, 13, 14, 15\}$
2.  $\{f, g, h, i, j\}$
3.  $\{17, 18, 19, 20, 21, 22, 23, 24, 25\}$
7.  $\{\text{Sunday, Monday, Tuesday, Wednesday, Thursday, Friday, Saturday}\}$
8.  $\{\text{New Hampshire, New Jersey, New Mexico, New York}\}$
9.  $\emptyset$
10.  $\{11, 13, 15, 17, 19, 21, 23, 25\}$
13. Answers may vary. Possible answers include  $\{x : x \text{ is a multiple of 3 between 3 and 12 inclusive}\}$ .
14.  $\{x : x \text{ is a color of the rainbow}\}$
15.  $\{28, 29, 30, 31\}$
17.  $\{\text{January, February, March, April, May, June, July, August, September, October, November, December}\}$
18.  $\{x : x \text{ is a sign of the Zodiac}\}$
19. Answers may vary. Possible answers include  $\{101, 102, 103, \dots\}$ .
20. Answers may vary. Possible answers include  $\{x : x \text{ is an even natural number}\}$ .
21. Answers may vary. Possible answers include  $\{x : x \text{ is an even natural number between 1 and 101}\}$ .
22. Answers may vary. Possible answers include  $\{3, 6, 9, 12, 15, \dots\}$ .
23. well defined
24. well defined
25. not well defined
26. not well defined
31.  $\notin$
32.  $\in$
33.  $\in$
34.  $\notin$
35.  $\notin$
36.  $\notin$
37.  $\in$
38.  $\in$
39.  $\notin$
49. 2 elements;  $\{1, 2\}, \{1, 2, 3\}$
4.  $\{-4, -3, -2, -1, 0, 1, 2, 3, 4\}$
5.  $\{4, 8, 12, 16, 20, 24, 28\}$
6.  $\{7, 9, 11, 13, 15, 17, 19\}$
11.  $\emptyset$
12.  $\{\text{Alaska, Hawaii}\}$
16.  $\{-1, -2, -3, \dots\}$
27. not well defined
28. well defined
29. well defined
30. not well defined
40.  $\notin$
41.  $\in$
42.  $\notin$ ;  $\{\text{Florida}\}$  is a subset, not an element.
43. 6
44. 11
45. 0
46. 48
47. 4
48. 5
50. 4 elements;  $\{1\}, \emptyset, 0, \{0\}$

24 Chapter 2: Set Theory

---

51. 1 element;  $\{\{\emptyset\}\}$
52. 4 elements;  $\{1\}, \{2\}, \{3\}, \{1, 2, 3\}$
53. finite
54. finite
55. infinite
56. finite
57. Answers may vary. Possible answers include 4.5.
58. Answers may vary. Possible answers include the King(Queen) of England.
59. Answers may vary. Possible answers include Sony.
60. Answers may vary. Possible answers include a frog.
61. Answers may vary. Possible answers include Angela Merkel.
62. Answers may vary. Possible answers include Kia.
63. Answers may vary. Possible answers include Sunday.
64. Answers may vary. Possible answers include California.
65.  $\{x : x \text{ is a humanities elective}\}$
66.  $\{x : x \text{ does not satisfy a world culture elective}\}$
67.  $\{\text{History012, History223, Geography115, Anthropology111}\}$
68.  $\{\text{History012, English010, English220, Psychology200}\}$
69.  $L = \{\text{AZ, FL, GA, LA, NJ, NM, TX, VA}\}$
70.  $G = \{\text{CA, MN, NY, PA}\}$
71.  $\{x : x \text{ is a state with the price of gasoline above } \$2.35\}$
72.  $\{x : x \text{ is a state with price of gasoline below } \$2.10\}$
73.  $M = \{\text{jogging, jumping rope}\}$
74.  $L = \{\text{calisthenics, leisure cycling, slow walking}\}$
75.  $\{x : x \text{ burns less than 140 calories per one-half hour}\}$
76.  $\{x : x \text{ burns at least 300 calories per one-half hour}\}$
77. Answers will vary.
78. When the set is too large or too complicated to list all the elements.
79.  $\emptyset$  is the empty set, it contains no elements.  $\{\emptyset\}$  is not empty, it contains 1 element,  $\emptyset$ .
80. a)  $n$  stands for the word *number*.  
b)  $A$  stands for the set A. Set names are always capitalized.  
c)  $n(A)$  is the number of elements in set A.
81. – 84. Answers will vary.
85. If the barber shaves himself, then he (the barber) does not shave himself. If the barber does not shave himself, then he (the barber) does shave himself. Conclusion: This is a paradox.
86. If the sentence is true, then the sentence is false. If the sentence is false, then the sentence is true. Conclusion: This is a paradox.
87. If  $S \in S$ , then  $S \notin S$ . If  $S \notin S$ , then  $S \in S$ . Conclusion: This is a paradox.

**Section 2.2: Comparing Sets**

1. These two sets are equal. They have the same elements arranged in a different order.

2. These two sets are not equal. The first set is the set of vowels. The second set contains “ $b$ ” along with other letters. Since “ $b$ ” is not a vowel, these two sets cannot be equal.
3. These two sets are not equal. The second set contains (infinitely many) elements that don’t appear in the first set.
4. These two sets are equal. They are both  $\{3, 4, 5, 6, 7, 8, 9, 10\}$ .
5. These two sets are equal. They are both  $\{1, 3, 5, \dots, 99\}$ .
6. These two sets are not equal. The first set contains the first 5 multiples of 3 that are counting numbers. The second set contains all multiples of 3 that are counting numbers.
7. These two sets are equal. Common sense dictates that nobody born before 1800 should be living.
8. These two sets are not equal. The null set contains no elements. The set,  $\{\emptyset\}$ , contains one element, namely the null set.
9. true; All the elements of the first set are understood to be elements of the second set and moreover the first set is not equal to the second set.
10. true; All the elements of the first set are also elements of the second set.
11. false; The letter “ $y$ ” is an element of the first set and not an element of the second set.
12. false; The set on the left and the set on the right are equal. They both represent the set  $\{r, u, t, h\}$ . The first set cannot be a proper subset of the second set.
13. true; The null set is a subset of all sets.
14. false; Although the null set is a subset of all sets, it is not a *proper* subset because it is equal to itself.
15. The first set is equivalent to the second set because they both have the same number of elements.
16. The first set is not equivalent to the second set. The first set has 6 elements while the second set is understood to have 11 elements.
17. The first set is equivalent to the second set because they both have that same number of elements, namely 4.
18. The first set is not equivalent to the second set. The first set has 7 elements while the second set has 6 elements.
19. The first set is not equivalent to the second set. The first set has 0 elements while the second set has 1 element.
20. The first set is equivalent to the second set. They both have 1 element.
21. The first set is equivalent to the second set. They both have 8 elements.
22. The first set is not equivalent to the second set. The first set has 26 elements while the second set has 24 elements.
23. The first set is not equivalent to the second set. The first set has 366 elements while the second set has 365 elements.
24. The first set is equivalent to the second set. The starting number of players for both teams is the same.
25.  $\{1, 2\}, \{1, 3\}, \{2, 3\}$
26.  $\{1, 2\}, \{1, 3\}, \{1, 4\}, \{2, 3\}, \{2, 4\}, \{3, 4\}$
27.  $\{1, 2, 3\}, \{1, 2, 4\}, \{1, 3, 4\}, \{2, 3, 4\}$
28.  $\{1, 2, 3\}, \{1, 2, 4\}, \{1, 2, 5\}, \{1, 3, 4\}, \{1, 3, 5\}, \{1, 4, 5\}, \{2, 3, 4\}, \{2, 3, 5\}, \{2, 4, 5\}, \{3, 4, 5\}$
29. There are  $2^5 = 32$  subsets and  $2^5 - 1 = 31$  proper subsets.
30. There are  $2^7 = 128$  subsets and  $2^7 - 1 = 127$  proper subsets.



26 Chapter 2: Set Theory

---

31.  $T; V = \{\text{Carmen, Frank, Ivana}\} = T$

32. Answers may vary. Note: the **boxed** values have the same cardinality as  $S$ . The set of students majoring in art =  $A$ . The set of students that are involved in drama =  $D$ .

$$n(U) = 4, n(L) = 6, \boxed{n(S) = 2}, n(V) = 3, \boxed{n(A) = 2}, n(T) = 3, \text{ and } \boxed{n(D) = 2}$$

33. The set of lowerclassmen =  $L$ ; Note: the **boxed** value indicates the set with the largest cardinality.

$$n(U) = 4, \boxed{n(L) = 6}, n(S) = 2, n(V) = 3, n(A) = 2, n(T) = 3, \text{ and } n(D) = 2$$

34. Answers may vary. Note: the **boxed** values are the sets with the smallest cardinality. The set of students that are science majors =  $S$ . The set of students that are art majors =  $A$ . The set of students that are involved in drama =  $D$ .

$$n(U) = 4, n(L) = 6, \boxed{n(S) = 2}, n(V) = 3, \boxed{n(A) = 2}, n(T) = 3, \text{ and } \boxed{n(D) = 2}$$

35.  $2^6 = 64$

43. 7

36.  $2^1 = 2$

44. 6

37.  $2^4 = 16$

45.  $\{5P, 10P, 25D\}$

38.  $2^4 = 16$

46.  $\{1S, 25S, 50D\}$

39.  $2^7 = 128$

47.  $\{5P, 10P, 25D\}$  or  $\{5P, 10P, 25S\}$

40.  $9; 2^9 = 512$

48.  $\{5P, 10S, 50D\}$

41.  $2^8 = 256$

49. 8

42.  $10; 2^{10} = 1024$

50. a) branch 2

b) branch 7

51. He didn't understand that the order of elements in a set does not matter.

52. He didn't understand that repetition of elements in a set does not matter.

53. a) 25 is not a power of 2.

b) He confused  $5^2$  with  $2^5$ .

c)  $2^5 = 32$

54. There are  $2^n$  ways to flip  $n$  coins and also to answer an  $n$  question true-false test.

55. Answers will vary.

56.  $2^{30} = 1,073,741,824$

57. Over 34 years;  $\frac{1,073,741,824}{365 \times 24 \times 60 \times 60} = \frac{1,073,741,824}{31,536,000} \approx 34.05$

58.  $\frac{2^{100} \text{ subsets}}{1,000,000,000 \text{ subsets/sec}} \approx 1.26765 \times 10^{21} \text{ seconds; } \frac{1.26765 \times 10^{21}}{365 \times 24 \times 60 \times 60} \approx 4.0197 \times 10^{13} \text{ years}$

59. The fifth line counts the number of subsets of sizes 0, 1, 2, 3, 4, and 5 of a five-element set.

60. The sixth line, which is 1 6 15 20 15 6 1, counts the number of subsets of sizes 0, 1, 2, 3, 4, 5, and 6 of a six-element set.

61. The sixth, seventh, eighth, and ninth lines are:

```

      1   6  15  20  15   6   1
    1   7  21  35  35  21   7   1
  1   8  28  56  70  56  28   8   1
1   9  36  84 126 126  84  36   9   1

```

So, Heidi Klum can choose the three contestants in 84 different ways.

62. The sixth, seventh, eighth, ninth, and tenth lines are:

```

      1   6  15  20  15   6   1
    1   7  21  35  35  21   7   1
  1   8  28  56  70  56  28   8   1
1   9  36  84 126 126  84  36   9   1
1  10  45 120 210 252 210 120  45  10   1

```

So, the four vocalists can be chosen in 210 different ways.

```

      1 → 1
    1 1 → 2
  1 2 1 → 4
1 3 3 1 → 8
1 4 6 4 1 → 16
1 5 10 10 5 1 → 32
1 6 15 20 15 6 1 → 64
1 7 21 35 35 21 7 1 → 128
1 8 28 56 70 56 28 8 1 → 256
1 9 36 84 126 126 84 36 9 1 → 512
1 10 45 120 210 252 210 120 45 10 1 → 1024

```

- 63.

The sum across the rows is always a power of 2, specifically  $2^n$ , where  $n$  is the number of the row that is being summed. Note: Recall we start counting these lines with 0, not 1.

64. Answers may vary. When we consider two numbers that are the same in a row of Pascal's triangle, one number is counting subsets of a certain size and the other number is counting the complements of those subsets.
65. 16; We are choosing 3, 4, or 5 senior partners from the five possible, so add the last three elements of the 5th row of Pascal's triangle. (Remember we begin numbering the rows with 0.)
66. 60; Using the 3rd element of the 5th row of Pascal's triangle, there are 10 ways to choose the senior partners. Using the 2nd element of the 4th row of Pascal's triangle, there are 6 ways to choose the associates. There will be  $6 \times 10 = 60$  ways to form the committee.
67. Corresponding property: If  $A \subseteq B$  and  $B \subseteq C$ , then  $A \subseteq C$ . If  $x \in A$ , then  $x \in B$ . Since  $x \in B$ , then  $x \in C$ . Therefore, if we have  $x \in A$ , we must also have  $x \in C$ . Note: We use capital letters for sets and lower case letters for elements.
68. Corresponding property: If  $A \subseteq B$  and  $B \subseteq A$ , then  $A = B$ . Since  $A \subseteq B$ , then each  $x \in A$  is also an element of  $B$ . Also, since  $B \subseteq A$  then each  $x \in B$  is also an element of  $A$ . Therefore, each element of each set belongs to the other set, so the two sets must be equal. Note: We use capital letters for sets and lower-case letters for elements.
69. Examples will vary. A three-element set has  $3! = 6$  correspondences, a four-element set has  $4! = 24$ , and so on. So, a set with  $n$  elements will have  $n!$  one-to-one correspondences.
70. Answers will vary.

### Section 2.3: Set Operations

1.  $A \cap B = \{1, 3, 5\}$
2.  $A \cup B = \{1, 2, 3, 4, 5, 6, 7, 9\}$

28 Chapter 2: Set Theory

3.  $B \cup C = \{1, 2, 3, 4, 5, 6, 7, 8\}$

6.  $A \cap \emptyset = \emptyset$

4.  $B \cap C = \{2, 4, 6\}$

7.  $A \cup U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\} = U$

5.  $A \cup \emptyset = \{1, 3, 5, 7, 9\} = A$

8.  $A \cap U = \{1, 3, 5, 7, 9\} = A$

9.  $A \cap (B \cup C) = A \cap \{1, 2, 3, 4, 5, 6, 7, 8\} = \{1, 3, 5, 7\}$

10.  $A' \cap (B \cup C') = A' \cap (B \cup \{1, 3, 5, 9, 10\}) = A' \cap \{1, 2, 3, 4, 5, 6, 9, 10\}$   
 $= \{2, 4, 6, 8, 10\} \cap \{1, 2, 3, 4, 5, 6, 9, 10\} = \{2, 4, 6, 10\}$

11.  $(A - B) \cap (A - C) = \{7, 9\} \cap \{1, 3, 5, 9\} = \{9\}$

12.  $A - (B \cup C) = A - \{1, 2, 3, 4, 5, 6, 7, 8\} = \{9\}$

13.  $M \cap E = \{\text{potato chip, bread, pizza}\}$

14.  $M - E = \{\text{flat-screen TV, hat, satellite radio, sofa, hybrid automobile, hammer}\}$

15.  $E - M = \{\text{apple, fish, banana}\}$

16.  $E' = \{\text{flat-screen TV, hat, satellite radio, sofa, hybrid automobile, hammer}\}$

17.  $M' \cap G' = \{\text{fish}\}$

18.  $G \cap (M' \cap E) = G \cap (\{\text{apple, fish, banana}\} \cap E) = G \cap \{\text{apple, fish, banana}\} = \{\text{apple, banana}\} = G$ ; Note:  
 Since all things that grow on a plant from our universal set are edible, the outcome of  $G$  should be readily understood.

19. 7



21. 5

20. 2

22. 1



23.  $A - (B \cup C)$

26.  $(A \cup B) - C$





24.  $A \cap (B - C)$

27.  $A \cup (B - C)$




25.  $(A \cap B) - C$


28.  $A \cup (B \cup C)$



29.  $(A \cup (B \cup C))'$



30.  $(A \cap (B \cap C))'$



31.  $B - A$

35.  $A \cap B \cap C$

32.  $(A \cup B) - (A \cap B)$

36.  $(A \cap B) \cup (A \cap C)$

33.  $(A \cup B)'$

37.  $(A \cup C) - B$

34.  $(A \cup B)' \cup (A \cap B)$

38.  $(A \cup B \cup C) - (A \cap B \cap C)$

39. equal; Using the diagrams from Example 2,  $(A \cup B)'$  consists of region  $r_4$ .  $A' \cap B$  also consists of region  $r_4$ . so  $(A \cup B)' = A' \cap B$ .

40. unequal; Using the diagrams from Example 2,  $(A' \cap B)'$  consists of regions  $r_1$ ,  $r_2$ , and  $r_3$ ,  $A \cap B'$  consists of region  $r_2$ . so  $(A' \cap B)' \neq A \cap B'$ .

41. 30

45. 20

42. 50

46. 11

43. 28

47. 27

44. 10

48. 6

49.  $P \cap C =$  the set of cars whose price is above \$20,000 and is compact  $= \{d, f, g\}$

50.  $A \cup G =$  the set of cars that have an antitheft package or have a good safety rating  $= \{a, b, c, g, h\}$ ; Note: This is an inclusive "or". The car can have both features.

51.  $W \cap G' =$  the set of cars that have a warranty of at least three years and don't have a good safety rating  $= \{c, d, f, g\}$

52.  $G - A =$  the set of cars that don't have an antitheft package but do have a good safety rating  $= \{b, h\}$

53.  $P \cap (G \cup W) =$  the set of cars that have a price above \$20,000, and a good safety rating or a warranty of at least three years  $= \{b, d, f, g, h\} = P$

54.  $G' \cap C' =$  the set of cars that don't have a good safety rating and are not compact  $= \{c, e\}$

55.  $P - (G \cup A) =$  the set of cars that have a price above \$20,000 and don't have a good safety rating nor have an antitheft package  $= \{d, f\}$

56.  $P' - (G \cup C) =$  the set of cars that don't have a price above \$20,000 and don't have a good safety rating and aren't compact  $= \{c, e\}$

57.  $P \cap (B \cup A) = P \cap \{m, mc, hc\} = \{m, mc, hc\}$

58.  $(P \cup C) \cap (B \cup A) = \{m, mc, bc, c, hc\} \cap \{m, mc, hc\} = \{m, mc, hc\}$