
Test Bank for Calculate with Confidence 8th Edition by Morris

CLICK HERE TO ACCESS COMPLETE Test Bank



Test Bank

Chapter 02: Decimals Morris: Calculate with Confidence, 8th Edition

COMPLETION

1.	Change the following to a decimal. Carry division three places as indicated. Do not round of $1/64 = $
	ANS: 0.015
	PTS: 1
2.	Change the following to a decimal. Carry division three places as indicated. Do not round of $5/18 = $
	ANS: 0.277
	PTS: 1
3.	Change the following decimal to a fraction. Reduce to lowest terms if indicated. 7.025 =
	ANS: 7 1/40
	PTS: 1
4.	Change the following decimal to a fraction. Reduce to lowest terms if indicated. $0.0001 = \underline{\hspace{1cm}}$
	ANS: 1/10,000
	PTS: 1
5.	Identify the decimal with the largest value in the following set. $0.6, 0.128 = \underline{\hspace{1cm}}$
	ANS: 0.6
	PTS: 1
6.	Identify the decimal with the largest value in the following set. 0.7, 0.67, 0.86:
	ANS: 0.86
	PTS: 1
7.	Round off the following decimal to the nearest tenth. 3.539 =

	ANS: 3.5
	PTS: 1
8.	Round off the following decimal to the nearest thousandth. $0.6253 = \underline{\hspace{1cm}}$
	ANS: 0.625
	PTS: 1
9.	Perform the indicated operation with decimals. $64.1 - 0.009 = $
	ANS: 64.091
	PTS: 1
10.	Perform the indicated operation with decimals. $0.123 + 0.4 = $
	ANS: 0.523
	PTS: 1
11.	Perform the indicated operation with decimals. $0.46 \times 0.17 = $
	ANS: 0.0782
	PTS: 1
12.	Divide the following decimal. Express answer to nearest hundredth. $0.1 \div 0.375 = $
	ANS: 0.27
	PTS: 1
13.	Change the following to a decimal. 1.25% =
	ANS: 0.0125
	PTS: 1
14.	Indicate the largest number in the following set. 0.75, 0.749:
	ANS: 0.75

	PTS: 1
15.	Indicate the largest number in the following set. 0.001, 1.25, 1.09:
	ANS: 1.25
	PTS: 1
16.	Perform the indicated operation with decimals. $0.98 + 0.76 = $
	ANS: 1.74
	PTS: 1
17.	Perform the indicated operation with decimals. $9.123 - 6.055 = $
	ANS: 3.068
	PTS: 1
18.	Perform the indicated operation with decimals. $60 \div 0.012 = $
	ANS: 5,000
	PTS: 1
19.	Perform the indicated operation with decimals. $66.66 \times 3.33 = $
	ANS: 221.9778
	PTS: 1
20.	Change the following decimal to a fraction. Reduce to lowest terms if indicated. $0.010 = $
	ANS: 1/100
	PTS: 1
21.	Change the following decimal to a fraction. Reduce to lowest terms if indicated. $0.006 = $
	ANS: 3/500
	PTS: 1

22.	Round off the following decimal to the nearest tenth. $0.52 = $
	ANS: 0.5
	PTS: 1
23.	Round off the following decimal to the nearest hundredth. 2.457 =
	ANS: 2.46
	PTS: 1
24.	Round off the following decimal to the nearest tenth. 28.66 =
	ANS: 28.7
	PTS: 1
25.	Round off the following decimal to the nearest tenth. 1.45 =
	ANS: 1.5
	PTS: 1
26.	Round off the following decimal to the nearest thousandth. $0.3333 = $
	ANS: 0.333
	PTS: 1
27.	A client weighed 75.4 kilograms (kg) in February. In March the client gained 1.6 kg. In April the client gained 2.2 kg. How much did the client weigh in April?
	ANS: 79.2 kg
	PTS: 1
28.	A client weighed 165.4 pounds (lb) before getting ill. After a lengthy recovery the client weighed 148.6 lb. How much weight did the client lose?
	ANS: 16.8 lb
	PTS: 1
29.	A medication vial holds 7 milliliters (mL) of medication. If 1.4 mL are withdrawn from the vial, how much medication is left in the vial?

	ANS: 5.6 mL
	PTS: 1
30.	A client is brought into the emergency department with a body temperature of 95.2° F. If the normal body temperature is 98.6° F, how far below normal was the client's temperature?6° F.
	ANS: 3.4
	PTS: 1
31.	A client received 25.2 milligrams (mg) of medication in tablet form. Each tablet contained 4.2 mg of medication. How many tablets (tabs) were given to the client?
	ANS: 6 tabs
	PTS: 1
32.	A client received 0.375 milligrams (mg) of a medication for two days, 0.125 mg for three days, and 0.0625 mg for four days. What is the total amount of medication taken?
	ANS: 1.375 mg
	PTS: 1
33.	The health care provider ordered 1.5 tablets of a medication to be given to a client four times a day for 21 days. How many tablets were prescribed?
	ANS: 126 tablets
	PTS: 1
34.	One dose of vaccine is 1.25 milliliters (mL). How much vaccine is needed to vaccinate 55 clients in a clinic? (Round answer to the nearest tenth.)
	ANS: 68.8 mL
	PTS: 1
35.	The health care provider has ordered a 2,200 calorie (cal) diet for a client. If the calories are spread evenly among three meals, how many calories will the client be allowed to have at each meal? (Round answer to the nearest whole calorie.)
	ANS: 733 cal
	PTS: 1
36.	A client's temperature was 101.2° F on Monday morning. By Monday afternoon, it was 99.4° F. By how many degrees had the client's temperature changed?

	ANS: 1.8 degrees
	PTS: 1
37.	A client weighed 65.75 kilograms (kg). The client's weight increased by 2.4 kg one month and decreased by 1.75 kg the next month. What is the client's current weight in kilograms?
	ANS: 66.4 kg
	PTS: 1
38.	There are 27 residents at an assisted-living facility. If there are four attendants on duty, how many residents is each attendant responsible for? (Round to the nearest whole number.)
	ANS: 7 residents
	PTS: 1
39.	The prescriber ordered 45 milligrams (mg) of a medication for a client. The nurse misread the order and administered 4.5 mg of medication to the client. How much more medication should the client be given to give the dose the prescriber ordered?
	ANS: 4.5 mg
	PTS: 1
40.	A client received a total of 14.5 milligrams (mg) of medication from five tablets. How many mg was in each tablet?
	ANS: 2.9 mg
	PTS: 1