
Test Bank for Organic Chemistry 4th Edition by Klein

CLICK HERE TO ACCESS COMPLETE Test Bank



Test Bank

Organic Chemistry, 4e (Klein)

Chapter 2 Molecular Representations

1) What is the molecular formula for the following compound?

- A) C2H6O
- B) C4H6O
- C) C4H10O
- D) C₂H₄O
- E) None of these

Answer: C

Diff: 1

Learning Objective: 2.1 Convert molecular representations from one drawing style to another, including Lewis structures, partially condensed structures, condensed structures, and molecular formulas

2) Which of the following compounds have a molecular formula of C₂H₆O?

CH ₃ OCH ₃	CH ₃ CH ₂ OCH ₃	CH ₃ CH ₂ OH	CH₃CHOHCH₃
ľ	II	TII	IV

- A) I
- B) II
- C) III
- D) IV
- E) Both I and III

Answer: E

Diff: 1

- A) CH3CHCH3CH2OH
- B) CH3CH2CH2OH
- C) (CH3)2CHCH2OH
- D) CH3CH2CH2OCH3
- E) CH3CH3CHCH2OH

Answer: C Diff: 1

Learning Objective: 2.1 Convert molecular representations from one drawing style to another, including Lewis structures, partially condensed structures, condensed structures, and molecular formulas

4) Which of the following is the correct condensed structure for the following compound?

- A) CH3CHOHCH2CHClCH3
- B) $CH_3CH(OH)CH_2CH_2CHCICH_3$
- C) (CH₃)₂CHOHCH₂CH₂Cl
- D) HOCH3CHCH2CH2CH3CHCl
- E) CH₃C₂H₄CH₃OHCl

Answer: B Diff: 1

- A) CH2=CH(CH2)3C(CH3)3
- B) CH₂=(CH₂)₄C(CH₃)₃
- C) (CH3)2CH(CH2)4CH3
- D) CH₂=C(CH₂)₃(CCH₃)₃
- E) (CH)3(CH2)3C(CH3)3

Answer: A

Diff: 2

Learning Objective: 2.1 Convert molecular representations from one drawing style to another, including Lewis structures, partially condensed structures, condensed structures, and molecular formulas

6) Which of the following is the correct condensed structure for the following compound?

- A) HC≡C(CH₂)₃C(CH₃)₃
- B) HC≡C(CH₂)₃C(CH₃CH₃CH₃)
- C) (CH₃)₃C₂(CH₂)₃CH₃
- D) CH3C≡C(CH2)3C(CH3)3
- E) CH₃C≡C((CH₂)C(CH₃))₃

Answer: D

Diff: 2

- A) CH3C(CH3)2(CH2)2(CH)BrC(CH3)2
- B) CH3CH3CH3C(CH2)2C(CH3)2CHBr
- C) (CH₃)₃C(CH₂)₃BrCHCH₃CH₃
- D) CH3CH3CH3C(CH2)2CHBrCHCH3CH3
- E) (CH₃)₃C(CH₂)₂CHBrCH(CH₃)₂

Answer: E Diff: 2

Learning Objective: 2.1 Convert molecular representations from one drawing style to another, including Lewis structures, partially condensed structures, condensed structures, and molecular formulas

8) What is the molecular formula for the following compound?




- A) C₂H₆O
- B) C₄H₆O
- C) C₄H₁₀O
- D) C₂H₄O
- E) C₂H₅O

Answer: C

Diff: 1

9) Which of the following compounds have a molecular formula of C₂H₆O?



- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: C

Diff: 1

Learning Objective: 2.1 Convert molecular representations from one drawing style to another, including Lewis structures, partially condensed structures, condensed structures, and molecular formulas

- 10) Which of the following is the correct molecular formula for (CH₃CH₂)₄C?
- A) C8H20
- B) C5H20
- C) C9H20
- D) C₆H₅
- E) C₃H₂₀

Answer: C

Diff: 1

11) Which of the following is the correct Lewis structure for CH₃(CH₂)₂NH₂?

- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: B Diff: 1

Learning Objective: 2.1 Convert molecular representations from one drawing style to another, including Lewis structures, partially condensed structures, condensed structures, and molecular formulas

12) Which of the following is the correct Lewis structure for CH₃(CH₂)₂OH?

- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: B Diff: 1

13) Which of the following is the correct Lewis structure for (CH₃)₂CHCH₂OH?

- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: D Diff: 1

Learning Objective: 2.1 Convert molecular representations from one drawing style to another, including Lewis structures, partially condensed structures, condensed structures, and molecular formulas

14) Which of the following is the correct Lewis structure for (CH₃)₃C(CH₂)₂NHCH₃?

- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: D

Diff: 2

15) Which of the following is the correct Lewis structure for CH₃C≡C(CH₂)₃C(CH₃)₃?

- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: D

Diff: 2

16) Which of the following is the correct Lewis structure for (CH₃)₃C(CH₂)₂OCH(CH₂CH₃)₂?

- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: D

Diff: 2

17) Identify the partially condensed structure for the molecule shown in the box below.

- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: A

Diff: 1

Learning Objective: 2.1 Convert molecular representations from one drawing style to another, including Lewis structures, partially condensed structures, condensed structures, and molecular formulas

18) Which of the following is the correct condensed structure for the following compound?

- A) CH3CHCH3CH2OH
- B) CH3CH2CH2OH
- C) (CH₃)₂CHCH₂OH
- D) CH₃CH₂CH₂OCH₃
- E) CH3CH3CHCH2OH

Answer: C

Diff: 1

- A) CH3CHOHCH2CHClCH3
- B) CH3CHOH(CH2)2CHClCH3
- C) (CH₃)₂CHOHCH₂CH₂Cl
- D) HOCH3CHCH2CH3CHCl
- E) CH₃C₂H₄CH₃OHCl

Answer: B
Diff: 1

Learning Objective: 2.1 Convert molecular representations from one drawing style to another, including Lewis structures, partially condensed structures, condensed structures, and molecular formulas

20) Which of the following is the correct condensed structure for the following compound?

- A) CH₂=CH(CH₂)₃C(CH₃)₃
- B) CH=(CH₂)₄C(CH₃)₃
- C) (CH3)2CH(CH2)4CH3
- D) CH₂=C(CH₂)₃(CCH₃)₃
- E) (CH)3(CH2)3C(CH3)3

Answer: A Diff: 2

- A) HC≡C(CH₂)₃C(CH₃)₃
- B) HCC(CH₂)₃C(CH₃CH₃CH₃)
- C) (CH₃)₃C₂(CH₂)₃CH₃
- D) CH3C≡C(CH2)3C(CH3)3
- E) CH3CC(CH2)C(CH3)3

Answer: D
Diff: 2

Learning Objective: 2.1 Convert molecular representations from one drawing style to another, including Lewis structures, partially condensed structures, condensed structures, and molecular formulas

22) Which of the following is the correct condensed structure for the following compound?

- A) CH₃C(CH₃)₂(CH₂)₂(CH)BrC(CH₃)₂
- B) CH3CH3CH3C(CH2)2C(CH3)2CHBr
- C) (CH₃)₃C(CH₂)₃BrCHCH₃CH₃
- D) CH3CH3CH3C(CH2)2CHBrCHCH3CH3
- E) (CH₃)₃C(CH₂)₂CHBrCH(CH₃)₂


Answer: E Diff: 2

- A) CH3CH3CH3CCH2CH2OCHCH2CH3CH2CH3
- B) (CH₃)₃(CH₂)₂OC(CH₂CH₃)₂
- C) (CH₃)₃CCH₂OCHCH₂CH₃
- D) (CH₃)₃C(CH₂)₂OCH(CH₂CH₃)₂
- E) (CH₃)₃(CCH₂)₂O(CHCH₂CH₃)₂

Answer: D
Diff: 2

Learning Objective: 2.1 Convert molecular representations from one drawing style to another, including Lewis structures, partially condensed structures, condensed structures, and molecular formulas

24) Which of the following is the correct condensed structure for the following compound?



- A) (CH₃)₂N(CH₂)₃CH(CH₃)₂
- B) $CH_3CH_2NCH_2CH(CH_3)_2$
- C) N(CH₃)₂CH(CH₂)₃(CH₃)₂
- D) CH3CH3NCH23CHCH3CH3
- E) (CH3)2(NCH2)3(CHCH3)2

Answer: A Diff: 2

25) Tamiflu $^{\circledR}$, the most effective antiviral drug used to treat avian influenza, has the following structure. Identify the functional groups in Tamiflu $^{\circledR}$.

A) I = ester; II = aromatic; III = carboxylic acid B) I = ether; II = aromatic; III = anhydride

C) I = ether; II = alkene; III = ether

D) I = alcohol; II = alkyne; III = carboxylic acid

E) I = ether; II = alkene; III = ester

Answer: E Diff: 2

Learning Objective: 2.3 Identify and draw the functional groups

26) Aspartame, an artificial sweetener used in Equal[®] and diet beverages, has the following structure. Identify the functional groups in Aspartame.

A) I = aromatic; II = amine; III = carboxylic acid

B) I = alkene; II = amide; III = alcohol C) I = aromatic; II = amine; III = ester

D) I = alkene; II = amine; III = anhydride

E) I = aromatic; II = amide; III = carboxylic acid

Answer: A Diff: 2

27) How many hydrogen atoms are connected to the indicated carbon atom?




- A) one
- B) two
- C) three
- D) four
- E) none
- Answer: A
- Diff: 1
- Learning Objective: 2.4 Identify formal charges on carbon
- 28) How many hydrogen atoms are connected to the indicated carbon atom?



- A) one
- B) two
- C) three
- D) four
- E) none
- Answer: A
- Diff: 1
- Learning Objective: 2.4 Identify formal charges on carbon

29) Which of the following structures have -1 as a formal charge on an oxygen atom?




- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: C

Diff: 2

Learning Objective: 2.5 Describe the relationship between the number of bonds, the number of lone pairs, and formal charge for oxygen and nitrogen atoms

30) Which of the following structures have -1 as a formal charge on the nitrogen atom?




- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: C

Diff: 2

Learning Objective: 2.5 Describe the relationship between the number of bonds, the number of lone pairs, and formal charge for oxygen and nitrogen atoms

31) How many lone pairs of electrons are found on the indicated atom?




- A) one
- B) two
- C) three
- D) four
- E) none

Answer: A

Diff: 1

Learning Objective: 2.5 Describe the relationship between the number of bonds, the number of lone pairs, and formal charge for oxygen and nitrogen atoms

32) Which of the following is the correct bond-line structure for (CH₃)₄C?



- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: C

Diff: 1

33) Which of the following is the correct bond-line structure for (CH₃)₂CHCH₂CH₃?




- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: B

Diff: 1

Learning Objective: 2.2 Demonstrate how to read and draw bond-line structures through converting other styles of molecular representation into bond-line structures and vice versa

34) Which of the following is the correct bond-line structure for (CH₃)₂CHCH₂C(CH₃)₃?



- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: D

Diff: 2

35) Which of the following is the correct bond-line structure for CH₃C≡C(CH₂)₂CH(CH₃)₂?

- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: E

Diff: 2

Learning Objective: 2.2 Demonstrate how to read and draw bond-line structures through converting other styles of molecular representation into bond-line structures and vice versa

36) Which of the following is the correct bond-line structure for CH₃CHOH(CH₂)₂CH(CH₂CH₃)₂?

- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: B

Diff: 2

37) Which of the following is the correct bond-line structure for CH₃CH₂O(CH₂)₂CH(CH₃)₂?

- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: A

Diff: 2

Learning Objective: 2.2 Demonstrate how to read and draw bond-line structures through converting other styles of molecular representation into bond-line structures and vice versa

38) Which of the following is the correct bond-line structure for (CH₃)₂N(CH₂)₃CH(CH₃)₂?

- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: B

Diff: 2

39) Which of the following is the correct bond-line structure for CH₃C≡C(CH₂)₃C(CH₃)₂CH₂OCH₃?

- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: D

Diff: 2

Learning Objective: 2.2 Demonstrate how to read and draw bond-line structures through converting other styles of molecular representation into bond-line structures and vice versa

40) Identify bond-line structures for constitutional isomers with a molecular formula of C₂H₄O.



- A) I and V
- B) II and IV
- C) I, III, and V
- D) II, III, and IV
- E) IV and V

Answer: C

Diff: 2

41) Identify bond-line structures for constitutional isomers with a molecular formula of C₃H₈O.

- A) I and II
- B) I and III
- C) II, IV, and V
- D) II and IV
- E) I and IV

Answer: B

Diff: 2

Learning Objective: 2.2 Demonstrate how to read and draw bond-line structures through converting other styles of molecular representation into bond-line structures and vice versa

42) Which of the following is the correct condensed structure for the following compound?

- A) CH3CH3CH3C(CH2)2CH(NH2)CH=CHCH3
- B) (CH₃)₃C(CH₂)₂CH(NH₂)CH=CHCH₃
- C) (CH₃)₃CCH₂CH(NH₂)CH=CHCH₃
- D) (CH3)3CCH2CHN(H)2(CH)2CH3
- E) (CH₃C)₃(CH₂)₂CHNH₂(CH)₂CH₃

Answer: B

Diff: 2

43) Identify bond-line structures for constitutional isomers with a molecular formula of $C4H_{10}O$.

- A) I and II
- B) II and III
- C) III and IV
- D) IV and V
- E) II and IV

Answer: E

Diff: 2

Learning Objective: 2.2 Demonstrate how to read and draw bond-line structures through converting other styles of molecular representation into bond-line structures and vice versa

44) Identify bond-line structures for constitutional isomers with a molecular formula of $C4H_{11}N$.

- A) I and II
- B) II and III
- C) III and IV
- D) IV and V
- E) II and IV

Answer: D

Diff: 2

45) For the following compound identify the indicated lone pairs as localized or delocalized.

A) I = both localized; II = both localized

B) I = both localized; II = one localized and one delocalized

C) I = one localized and one delocalized; II = both localized

D) I = one localized and one delocalized; II = one localized and one delocalized


E) I = both delocalized; II = both delocalized

Answer: D

Diff: 2

Learning Objective: 2.13 Distinguish between delocalized and localized lone pairs and describe how delocalized lone pairs participate in resonance and why localized lone pairs do not participate in resonance

46) For the following compound identify the indicated lone pairs as localized or delocalized.



A) I = both delocalized; II = localized

B) I = both localized; II = localized

C) I = both delocalized; II = delocalized

D) I = one localized and one delocalized; II = localized

E) I = one localized and one delocalized; II = delocalized

Answer: E

Diff: 2

Learning Objective: 2.13 Distinguish between delocalized and localized lone pairs and describe how delocalized lone pairs participate in resonance and why localized lone pairs do not participate in resonance


47) For the following compound, what is the hybridization and molecular geometry at the indicated atoms.

- A) $I = sp^2$, bent; $II = sp^2$, trigonal pyramidal
- B) $I = sp^2$, bent; $II = sp^2$, trigonal planar
- C) $I = sp^2$, linear; $II = sp^2$, trigonal pyramidal
- D) I = sp, linear; $II = sp^2$, trigonal planar
- E) $I = sp^2$, trigonal planar; $II = sp^2$, trigonal planar

Answer: B Diff: 3

Learning Objective: 2.13 Distinguish between delocalized and localized lone pairs and describe how delocalized lone pairs participate in resonance and why localized lone pairs do not participate in resonance

48) Which of the following compounds contain an alcohol functional group?



A) I

B) II

C) III


D) IV

E) V

Answer: C

Diff: 1

49) Which of the following compounds contain an alkene functional group?




- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: A

Diff: 1

Learning Objective: 2.3 Identify and draw the functional groups

50) Which of the following compounds contain an amine functional group?




- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: D

Diff: 1

51) Which of the following compounds contain a ketone functional group?




- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: A

Diff: 1

Learning Objective: 2.3 Identify and draw the functional groups

52) Which of the following compounds contain an aromatic ring?



- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: C

Diff: 1

53) Which of the following compounds contain an ester functional group?


- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: A

Diff: 1

Learning Objective: 2.3 Identify and draw the functional groups

54) Which of the following compounds contain an amide functional group?




- A) I
- B) II
- C) III
- D) IV
- E) V


Answer: B

Diff: 1

55) Which of the following compounds contain an anhydride functional group?




- A) I
- B) II
- C) III
- D) IV
- E) V
- Answer: B Diff: 1
- Learning Objective: 2.3 Identify and draw the functional groups
- 56) Which of the following compounds contain an alkyne functional group?



- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: A Diff: 1


57) Which of the following compounds contain a thiol functional group?



- A) I
- B) II
- C) III
- D) IV
- E) V
- Answer: B Diff: 1

Learning Objective: 2.3 Identify and draw the functional groups

58) Which of the following compounds contain an alkyl halide functional group?



- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: D

Diff: 1

59) What functional groups are present in the following compound?




- A) ketone and alkene
- B) ketone and alkyne
- C) aldehyde and alkene
- D) aldehyde and alkyne
- E) ester and alkene

Answer: C Diff: 2

Learning Objective: 2.3 Identify and draw the functional groups

60) Which of the following compounds have both ketone and ester functional groups?



- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: E

Diff: 2

61) Norethynodrel, a component of the first combined oral contraceptive, has the following structure. Identify the indicated functional groups in Norethynodrel.

A) I = aldehyde; II = alkyne; III = alcohol; IV = alkene

B) I = ketone; II = alkene; III = alcohol; IV = alkyne

C) I = ketone; II = aromatic; III = alcohol; IV = alkyne


D) I = anhydride; II = alkene; III = carboxylic acid; IV = alkene

E) I = ester; II = alkene; III = alcohol; IV = alkyne

Answer: B Diff: 2

Learning Objective: 2.3 Identify and draw the functional groups

62) Identify the indicated functional groups in the following compound.



A) I = alcohol; II = amine; III = thiol

B) I = ester; II = ketone; III = thiol

C) I = alcohol; II = amide; III = sulfide

D) I = ether; II = amide; III = thiol

E) I = alcohol; II = aldehyde; III = sulfide

Answer: C

Diff: 2

63) Tamiflu®, the most effective antiviral drug used to treat avian influenza, has the following structure. Identify the indicated functional groups in Tamiflu®.

A) I = ketone; II = amine; III = alkene

B) I = ester; II = amide; III = alkyne

C) I = amine; II = amide; III = alkene

D) I = amide; II = amine; III = alkene

E) I = amine; II = amine; III = aromatic

Answer: D Diff: 2

64) Aspartame, an artificial sweetener used in Equal[®] and diet beverages, has the following structure. Identify the indicated functional groups in Aspartame.

A) I = ester; II = amide; III = amine

B) I = ester; II = amine; III = amide

C) I = ether; II = amide; III = amine

D) I = ether; II = amine; III = amide

E) I = anhydride; II = ketone; III = amine

Answer: A Diff: 2

Learning Objective: 2.3 Identify and draw the functional groups

65) For the following compound, identify the hybridization and molecular geometry at the indicated atoms.

A) $I = sp^2$, bent; $II = sp^2$, trigonal pyramidal

B) $I = sp^2$, linear; $II = sp^2$, bent

C) $I = sp^2$, bent; $II = sp^2$, bent

D) I = sp, trigonal planar; II = sp, trigonal planar

E) I = sp, linear; II = sp, linear

Answer: C Diff: 3

Learning Objective: 2.13 Distinguish between delocalized and localized lone pairs and describe how delocalized lone pairs participate in resonance and why localized lone pairs do not participate in resonance

66) Caffeine has the following structure. Identify the hybridization and molecular geometry at the indicated atoms.


A) $I = sp^3$, trigonal pyramidal; $II = sp^2$, trigonal planar

B) $I = sp^3$, trigonal planar; $II = sp^2$, bent C) $I = sp^2$, trigonal pyramidal; II = sp, linear D) $I = sp^2$, trigonal planar; $II = sp^2$, bent E) $I = sp^3$, trigonal pyramidal; $II = sp^2$, bent

Answer: D Diff: 3

Learning Objective: 2.13 Distinguish between delocalized and localized lone pairs and describe how delocalized lone pairs participate in resonance and why localized lone pairs do not participate in resonance

67) How many hydrogen atoms are connected to the indicated carbon atom?



A) one

B) two

C) three

D) four

E) none

Answer: B


Diff: 1

Learning Objective: 2.4 Identify formal charges on carbon


68) How many hydrogen atoms are connected to the indicated carbon atom?



- A) one
- B) two
- C) three
- D) four
- E) none
- Answer: E
- Diff: 1
- Learning Objective: 2.4 Identify formal charges on carbon
- 69) How many hydrogen atoms are connected to the indicated carbon atom?



- A) one
- B) two
- C) three
- D) four
- E) none
- Answer: A
- Diff: 1
- Learning Objective: 2.4 Identify formal charges on carbon
- 70) How many hydrogen atoms are connected to the indicated carbon atom?




- A) one
- B) two
- C) three
- D) four
- E) none
- Answer: B
- Diff: 1
- Learning Objective: 2.4 Identify formal charges on carbon

71) How many hydrogen atoms are connected to the indicated carbon atom?



- A) one
- B) two
- C) three
- D) four
- E) none
- Answer: E
- Diff: 1
- Learning Objective: 2.4 Identify formal charges on carbon
- 72) How many hydrogen atoms are connected to the indicated carbon atom?



- A) one
- B) two
- C) three
- D) four
- E) none
- Answer: A
- Diff: 1
- Learning Objective: 2.4 Identify formal charges on carbon
- 73) How many lone pairs of electrons are found on the indicated atom?



- A) one
- B) two
- C) three
- D) four
- E) none
- Answer: E
- Diff: 1
- Learning Objective: 2.4 Identify formal charges on carbon

- 74) What is the formal charge on a carbon atom with singles bonds to three other carbon atoms and no lone pairs?
- A) -2
- B) -1
- C) 0
- D) + 1
- E) + 2

Answer: D

Diff: 1

Learning Objective: 2.4 Identify formal charges on carbon


- 75) What is the formal charge on a carbon atom with single bonds to three other carbon atoms and one lone pair?
- A) -2
- B) -1
- C) 0
- D) +1
- E) + 2

Answer: B

Diff: 1

Learning Objective: 2.4 Identify formal charges on carbon

76) How many lone pairs of electrons are found on the indicated carbon atom?



- A) one
- B) two
- C) three
- D) four
- E) none

Answer: A


Diff: 1

Learning Objective: 2.4 Identify formal charges on carbon

77) How many lone pairs of electrons are found on the indicated carbon atom?

9

- A) one
- B) two
- C) three
- D) four
- E) none
- Answer: A
- Diff: 1
- Learning Objective: 2.4 Identify formal charges on carbon
- 78) How many lone pairs of electrons are found on the indicated carbon atom?



- A) one
- B) two
- C) three
- D) four
- E) none
- Answer: A
- Diff: 1
- Learning Objective: 2.4 Identify formal charges on carbon
- 79) What is the formal charge on the oxygen atom in the following compound?



- A) +1
- B) +2
- C) -1
- D) -2
- E) 0
- Answer: A

Diff: 1

80) What is the formal charge on the nitrogen atom in the following compound?




- A) -1
- B)-2
- C) +1
- D) +2
- E) 0

Answer: C

Diff: 1

Learning Objective: 2.5 Describe the relationship between the number of bonds, the number of lone pairs, and formal charge for oxygen and nitrogen atoms

81) What is the formal charge on the nitrogen atom in the following compound?




- A) +1
- B) +2
- C) -1
- D) -2
- E) 0

Answer: A

Diff: 1

Learning Objective: 2.5 Describe the relationship between the number of bonds, the number of lone pairs, and formal charge for oxygen and nitrogen atoms

82) What is the formal charge on the indicated oxygen atom in the following compound?



- A) +1
- B) +2
- C) -1
- D) -2
- E) 0

Answer: E

Diff: 1

83) What is the formal charge on the nitrogen atom in the following compound?




- A) +1
- B) +2
- C) -1
- D) -2
- E) 0

Answer: E Diff: 1

Learning Objective: 2.5 Describe the relationship between the number of bonds, the number of lone pairs, and formal charge for oxygen and nitrogen atoms

84) Which of the following structures have +1 as a formal charge on an oxygen atom?



- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: B

Diff: 2

85) Which of the following structures have +1 as a formal charge on the nitrogen atom?

- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: E

Diff: 2

Learning Objective: 2.5 Describe the relationship between the number of bonds, the number of lone pairs, and formal charge for oxygen and nitrogen atoms


86) Determine the formal charge on each atom as indicated for the structure below.

- A) I = +1; II = 0; III = -1
- B) I = -1; II = +1; III = 0
- C) I = 0; II = -1; III = +1
- D) I = -1; II = 0; III = +1
- E) I = +1; II = 0; III = +1

Answer: A

Diff: 2


87) Diazomethane has the molecular formula CH₂N₂. Determine the formal charge on each atom as indicated for the structure below.





- A) I = -1; II = +1; III = 0
- B) I = +1; II = 0; III = -1
- C) I = 0; II = -1; III = +1
- D) I = 0; II = +1; III = -1
- E) I = 0; II = +1; III = 0


Answer: D Diff: 2


88) Consider the structure in the box, and then identify the bond-line representation, with appropriate formal charges if needed, from the options provided.















- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: E

Diff: 2

Learning Objective: 2.5 Describe the relationship between the number of bonds, the number of lone pairs, and formal charge for oxygen and nitrogen atoms

89) How many lone pairs of electrons are on the oxygen atom?



- A) one
- B) two
- C) three
- D) four
- E) none

Answer: C

Diff: 1

90) How many lone pairs of electrons are on the nitrogen atom?

 \nearrow N $^{\ominus}$

- A) one
- B) two
- C) three
- D) four
- E) none

Answer: B

Diff: 1

Learning Objective: 2.5 Describe the relationship between the number of bonds, the number of lone pairs, and formal charge for oxygen and nitrogen atoms

91) How many lone pairs of electrons are on the oxygen atom?



- A) one
- B) two
- C) three
- D) four
- E) none

Answer: B

Diff: 1

92) How many lone pairs of electrons are on the nitrogen atom?



- A) one
- B) two
- C) three
- D) four
- E) none

Answer: A

Diff: 1

Learning Objective: 2.5 Describe the relationship between the number of bonds, the number of lone pairs, and formal charge for oxygen and nitrogen atoms

93) How many lone pairs of electrons are on the nitrogen atom?



- A) one
- B) two
- C) three
- D) four
- E) none

Answer: E

Diff: 1

94) How many lone pairs of electrons are on the indicated oxygen atom?




- A) one
- B) two
- C) three
- D) four
- E) none

Answer: B

Diff: 1

Learning Objective: 2.5 Describe the relationship between the number of bonds, the number of lone pairs, and formal charge for oxygen and nitrogen atoms

95) How many lone pairs of electrons are on the indicated oxygen atom?



- A) one
- B) two
- C) three
- D) four
- E) none

Answer: A

Diff: 1

96) How many total lone pairs of electrons are in the following compound?

- A) one
- B) two
- C) three
- D) four
- E) none
- Answer: C

Diff: 1

Learning Objective: 2.5 Describe the relationship between the number of bonds, the number of lone pairs, and formal charge for oxygen and nitrogen atoms

97) Identify the structure that shows the correct placement of all lone pairs for the compound illustrated in the box below.


$$H_3N$$
 O O OH

- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: A

Diff: 2

98) Identify the structure that shows the correct placement of all lone pairs for the compound illustrated in the box below.




- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: B

Diff: 2

Learning Objective: 2.5 Describe the relationship between the number of bonds, the number of lone pairs, and formal charge for oxygen and nitrogen atoms

99) The representation of the indicated bond in the following compound is _____ of the paper.



- A) in the plane
- B) out of the plane
- C) behind the plane
- D) None of these

Answer: B

Diff: 1

Learning Objective: 2.6 Describe how wedges and dashes are used to indicate threedimensional molecular structure 100) The representation of the indicated bond in the following compound is ______ of the paper.


- A) in the plane
- B) out of the plane
- C) behind the plane
- D) None of these

Answer: C

Diff: 1

Learning Objective: 2.6 Describe how wedges and dashes are used to indicate threedimensional molecular structure

101) The representation of the indicated bond in the following compound is _____ of the paper.



- A) in the plane
- B) out of the plane
- C) behind the plane
- D) None of these

Answer: C

Diff: 1

Learning Objective: 2.6 Describe how wedges and dashes are used to indicate three-dimensional molecular structure

102) Which of the following pairs are resonance structures of each other?


- A) I
- B) II
- C) III
- D) IV
- E) II and IV

Answer: D

Diff: 1

Learning Objective: 2.7 Define "resonance", describing the relationship between resonance and molecular orbital theory

103) Which of the following pairs are resonance structures of each other?



- A) I
- B) II
- C) III
- D) IV
- E) II and IV


Answer: C

Diff: 1

Learning Objective: 2.7 Define "resonance", describing the relationship between resonance and molecular orbital theory

104) The spreading of electrons over two or more atoms in a compound is called A) isomerism B) delocalization C) stereoisomerism D) localization E) None of these Answer: B Diff: 1 Learning Objective: 2.7 Define "resonance", describing the relationship between resonance and molecular orbital theory
105) Delocalization of electrons over two or more atoms a molecule. A) destabilizes
B) delocalizes C) localizes
D) stabilizes
E) None of these
Answer: D
Diff: 1 Learning Objective: 2.7 Define "resonance", describing the relationship between resonance and
molecular orbital theory
106) Resonance structures have connectivity of atoms and distribution of
electrons.
A) different, the same
B) the same, the same
C) different, different D) the same, different
E) None of these
Answer: A
Diff: 2
Learning Objective: 2.7 Define "resonance", describing the relationship between resonance and molecular orbital theory
107) Which statement best describes a resonance hybrid?
A) The process of dealing with the inadequacy of bond-line structures.
B) A structure showing an allyl carbocation.
C) A representation of a molecule showing all the bonds and lone pairs.D) Molecules with the same molecular formula, but different atom connectivity.
E) A representation of a molecule that can alternatively be represented by drawing two or more
resonance structures.
Answer: E
Diff: 2
Learning Objective: 2.7 Define "resonance", describing the relationship between resonance and molecular orbital theory

108) Which of the following violates the rules for curved arrows?




- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: A Diff: 1

Learning Objective: 2.8 Demonstrate the used of curved arrows in drawing resonance structures, stating the two rules to be applied when drawing curved arrows

109) Which of the following violates the rules for curved arrows?




- A) I
- B) I and II
- C) I and III
- D) II and III
- E) III and IV

Answer: C

Diff: 1

Learning Objective: 2.8 Demonstrate the used of curved arrows in drawing resonance structures, stating the two rules to be applied when drawing curved arrows

110) Why is the single curved arrow shown insufficient to draw a resonance structure?



- A) The resulting structure would have a positive on the most electronegative atom.
- B) The resulting structure would have an octet rule violation.
- C) The resulting structure would have a negative on the most electronegative atom.
- D) The resulting structure would have a negative on the least electronegative atom.
- E) The resulting structure would have an atom with less than an octet.

Answer: B

Diff: 2

Learning Objective: 2.8 Demonstrate the used of curved arrows in drawing resonance structures, stating the two rules to be applied when drawing curved arrows

111) Identify the resulting resonance structure(s) indicated by the curved arrow.









Ш



A) I

B) II

C) III


D) IV

E) I and III

Answer: A

Diff: 2

112) Identify the resulting resonance structure indicated by the curved arrows.



- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: B

Diff: 2

113) Identify the resulting resonance structure indicated by the curved arrows.

- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: C

Diff: 2


114) Identify the resulting resonance structure indicated by the curved arrows.


- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: D

Diff: 2

115) Identify the proper curved arrow to convert the first resonance structure into the second resonance structure.






- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: E

Diff: 2


116) Identify from the options given the proper curved arrow to convert the first resonance structure into the second resonance structure.



- A) I
- B) II
- C) III
- D) IV
- E) V
- Answer: A

Diff: 2


117) Identify from the options given the proper curved arrows to convert the first resonance structure into the second resonance structure.




- A) I
- B) II
- C) III
- D) IV
- E) V


Answer: B


Diff: 2
















- A) I
- B) II
- C) III
- D) IV
- E) V
- Answer: D

Diff: 2





- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: C

Diff: 1


- A) I and II
- B) II and III
- C) III and IV
- D) I and III
- E) II and IV


Answer: B


Diff: 2


Learning Objective: 2.10 Identify resonance structures by naming the five different structural patterns in molecules


III














- A) I and II
- B) II and III
- C) III and IV
- D) I and III
- E) II and IV


Answer: C


Diff: 2














- A) I
- B) II
- C) III
- D) IV
- E) V


Answer: A


Diff: 2

- A) I and II
- B) II and III
- C) III and IV
- D) I, II and III
- E) II, III and IV

Answer: D

Diff: 3







- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: B

Diff: 1







- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: B

Diff: 1





- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: A

Diff: 1

Learning Objective: 2.10 Identify resonance structures by naming the five different structural patterns in molecules

127) For the compound shown in the box below identify two corresponding correct resonance structures.



$$\vdots \ddot{\mathsf{N}} - \mathsf{N} \equiv \mathsf{N} : \qquad \vdots \qquad \vdots \qquad \vdots \qquad \vdots \qquad \vdots \\ \mathsf{H} - \mathsf{N} \equiv \mathsf{N} = \mathsf{N} \vdots \qquad \vdots \qquad \vdots \\ \mathsf{N} = \mathsf{N} = \mathsf{N} \vdots \qquad \vdots \\ \mathsf{N} = \mathsf{N} \vdots \qquad \vdots \\ \mathsf{N} = \mathsf{N} = \mathsf{N} \vdots \qquad \vdots \\ \mathsf{N} = \mathsf{$$

- A) I and II
- B) II and III
- C) III and IV
- D) I and III
- E) II and IV

Answer: D

Diff: 3


- A) I and II
- B) II and III
- C) III and IV
- D) I and III
- E) II and IV


Answer: C


Diff: 3


Learning Objective: 2.10 Identify resonance structures by naming the five different structural patterns in molecules

129) For the structure shown in the box below identify two corresponding correct resonance structures.









$$C_{\leq N}^{\odot}$$

- A) I and II
- B) II and III
- C) III and IV
- D) I and III
- E) II and IV

Answer: B

Diff: 3

130) Identify the most significant resonance structure(s).

- A) I
- B) II
- C) III
- D) I and III
- E) II and III

Answer: C

Diff: 1

Learning Objective: 2.11 Distinguish between significant and insignificant resonance structures, describing how the significance of resonance is determined

131) Identify the most significant resonance structure(s).

- A) I
- B) II
- C) III
- D) I and II
- E) II and III

Answer: A

Diff: 1

Learning Objective: 2.11 Distinguish between significant and insignificant resonance structures, describing how the significance of resonance is determined

132) Identify the most significant resonance structure(s).

- A) I
- B) II
- C) III
- D) I and II
- E) II and III

Answer: C

Diff: 2

Learning Objective: 2.11 Distinguish between significant and insignificant resonance structures, describing how the significance of resonance is determined

133) Identify the most significant resonance structure(s).

$$\bigoplus_{\mathbb{P}} \bigoplus_{\mathbb{N}} \bigoplus$$

- A) I
- B) II
- C) III
- D) I and II
- E) III and IV

Answer: A

Diff: 3

134) Identify the most significant resonance structure(s).

- A) I
- B) II
- C) III
- D) IV
- E) All structures are of equal significance

Answer: C

Diff: 2

Learning Objective: 2.11 Distinguish between significant and insignificant resonance structures, describing how the significance of resonance is determined

135) Identify the most significant resonance structure(s).

- A) I
- B) II
- C) III
- D) IV
- E) All structures are of equal significance

Answer: B

Diff: 2

136) Identify the most significant resonance structure(s).

- A) I
- B) II
- C) III
- D) IV
- E) II and IV

Answer: D

Diff: 3

Learning Objective: 2.11 Distinguish between significant and insignificant resonance structures, describing how the significance of resonance is determined

137) Identify the most significant resonance structure.

- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: E

Diff: 2

Learning Objective: 2.11 Distinguish between significant and insignificant resonance structures, describing how the significance of resonance is determined

138) What is the relationship between the following structures?

$$H-O-N=O$$
 $H-O=N-O$

- A) constitutional isomers
- B) resonance structures
- C) conformers
- D) identical compounds
- E) conjugate acid and conjugate base

Answer: B

Diff: 1

139) What is the relationship between the following structures?





- A) constitutional isomers
- B) resonance structures
- C) conformers
- D) identical compounds
- E) stereoisomers


Answer: A

Diff: 1

Learning Objective: 2.11 Distinguish between significant and insignificant resonance structures, describing how the significance of resonance is determined

140) What is the relationship between the following structures?







- A) constitutional isomers
- B) resonance structures
- C) conformers
- D) identical compounds
- E) different compounds

Answer: B

Diff: 1

141) What is the relationship between the following structures?







- A) constitutional isomers
- B) resonance structures
- C) conformers
- D) identical compounds
- E) different compounds

Answer: B Diff: 1

Learning Objective: 2.11 Distinguish between significant and insignificant resonance structures, describing how the significance of resonance is determined

142) Identify the resonance hybrid for the following compound.





δ-



Ш



δ+ δ+


- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: A

Diff: 2

Learning Objective: 2.12 Draw a resonance hybrid using partial bonds and partial charges, reflecting the combination of individual resonance structures

143) Identify the resonance hybrid for CH₂=CHCH=CHCH₂+.




- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: E

Diff: 2

Learning Objective: 2.12 Draw a resonance hybrid using partial bonds and partial charges, reflecting the combination of individual resonance structures

144) Identify the resonance hybrid for the following compound.




- A) I
- B) II
- C) III
- D) IV
- E) V

Answer: D

Diff: 2

Learning Objective: 2.12 Draw a resonance hybrid using partial bonds and partial charges, reflecting the combination of individual resonance structures

145) The lone pair on the nitrogen atom in the following compound is _____.




- A) localized
- B) delocalized
- C) conjugated
- D) resonance stabilized
- E) unhybridized

Answer: A
Diff: 1

Learning Objective: 2.13 Distinguish between delocalized and localized lone pairs and describe how delocalized lone pairs participate in resonance and why localized lone pairs do not participate in resonance

146) The lone pairs on the oxygen in the following compound are best described _____.



- A) both localized
- B) both delocalized
- C) one localized and one delocalized
- D) unhybridized
- E) allylic to each other

Answer: C Diff: 1

147) The lone pair on the nitrogen atom in the following compound is _____.



- A) localized
- B) delocalized
- C) conjugated
- D) resonance stabilized
- E) unhybridized

Answer: A
Diff: 1

Learning Objective: 2.13 Distinguish between delocalized and localized lone pairs and describe how delocalized lone pairs participate in resonance and why localized lone pairs do not participate in resonance

148) The lone pairs on the oxygen atom in the following compound are best described as



- A) both localized
- B) both delocalized
- C) one localized and one delocalized
- D) unhybridized
- E) allylic to each other

Answer: C Diff: 1

149) The lone pairs on the nitrogen atoms in the following compound are best described as



A) all three pairs localized

B) all three pairs delocalized

C) two localized pairs and one delocalized pair

D) one localized pair and two delocalized pairs


E) unhybridized

Answer: A

Diff: 1

Learning Objective: 2.13 Distinguish between delocalized and localized lone pairs and describe how delocalized lone pairs participate in resonance and why localized lone pairs do not participate in resonance

150) For the following compound, identify the indicated lone pairs as localized or delocalized.



A) I = localized; II = delocalized; III = one localized and one delocalized

B) I = delocalized; II = localized; III = one localized and one delocalized

C) I = localized; II = delocalized; III = both delocalized

D) I = delocalized; II = localized; III = both localized

E) I = delocalized; II = delocalized; III = one localized and one delocalized

Answer: B

Diff: 2

151) For the following compound, identify the indicated lone pairs as localized or delocalized.

A) I = both delocalized; II = two localized and one delocalized

B) I = both localized; II = two localized and one delocalized

C) I = both localized; II = one localized and two delocalized

D) I = one localized and one delocalized; II = one localized and two delocalized

E) I = one localized and one delocalized; II = two localized and one delocalized

Answer: B

Diff: 2

Learning Objective: 2.13 Distinguish between delocalized and localized lone pairs and describe how delocalized lone pairs participate in resonance and why localized lone pairs do not participate in resonance

152) For the following compound, identify the indicated lone pairs as localized or delocalized.

A) I = both delocalized; II = localized

B) I = both localized; II = localized

C) I = both delocalized; II = delocalized

D) I = one localized and one delocalized; II = localized

E) I = one localized and one delocalized; II = delocalized

Answer: E

Diff: 2

153) For the following compound what is the hybridization state and molecular geometry at the indicated atoms?

A) $I = sp^3$, tetrahedral; $II = sp^2$, trigonal pyramidal

B) $I = sp^3$, bent; $II = sp^2$, trigonal planar

C) $I = sp^3$, bent; $II = sp^2$, trigonal pyramidal

D) $I = sp^3$, tetrahedral; $II = sp^2$, trigonal planar

E) $I = sp^2$, trigonal pyramidal; II = sp, trigonal planar

Answer: B Diff: 3

Learning Objective: 2.13 Distinguish between delocalized and localized lone pairs and describe how delocalized lone pairs participate in resonance and why localized lone pairs do not participate in resonance

154) Caffeine has the following structure. Identify the hybridization state and molecular geometry at the indicated atoms.

A) $I = sp^3$, trigonal pyramidal; $II = sp^3$, trigonal pyramidal

B) $I = sp^3$, trigonal planar; $II = sp^3$, trigonal planar

C) $I = sp^2$, trigonal pyramidal; $II = sp^2$, trigonal pyramidal

D) $I = sp^2$, trigonal planar; $II = sp^2$, trigonal planar

E) $I = sp^3$, trigonal pyramidal; $II = sp^2$, trigonal planar

Answer: D

Diff: 3

155) Enalapril, is a drug used in the treatment of heart disease. What is the hybridization state at the indicated atoms in Enalapril?

$$\begin{array}{c|c} & & & \\ & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ &$$

A) $I = sp^2$, trigonal planar; $II = sp^3$, trigonal pyramidal

B) $I = sp^3$, trigonal pyramidal; $II = sp^3$, trigonal pyramidal

C) $I = sp^2$, trigonal pyramidal; $II = sp^2$, trigonal pyramidal

D) $I = sp^2$, trigonal planar; $II = sp^2$, trigonal planar

E) $I = sp^3$, trigonal pyramidal; $II = sp^2$, trigonal planar

Answer: A

Diff: 3

Learning Objective: 2.13 Distinguish between delocalized and localized lone pairs and describe how delocalized lone pairs participate in resonance and why localized lone pairs do not participate in resonance

© (2021) John Wiley & Sons, Inc. All rights reserved. Instructors who are authorized users of this course are permitted to download these materials and use them in connection with the course. Except as permitted herein or by law, no part of these materials should be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise.