
Test Bank for Chemistry Molecular Nature of Matter and Change 9th Edition by Silberberg

CLICK HERE TO ACCESS COMPLETE Test Bank



Test Bank

ANSWERS ARE LOCATED IN THE SECOND PART OF THIS DOCUMENT

TRUE	E/FALS	SE - Write 'T' if the statement is true and 'F' if the statement is false.	
1)	The ri	ipening of fruit, once picked, is an example of physical change.	
		1))
	o	true	
	0	false	
Questio	on Detai	ils	
Accessi	ibility : k	Keyboard Navigation	
Bloom'	s : 2. Un	derstand	
Difficu	lty : Easy	y	
Topic:	Study of	f Chemistry	
Gradab	le : autoi	matic	
Subtopi	ic : Prope	erties of Matter	
2)	An in	portant aim in much chemical work is to use macroscopic measurements in	order to
,		rstanding of the microscopic world.	
		2)	·
	0	true	
	0	false	

Question Details

Accessibility: Keyboard Navigation

Topic: Study of Chemistry Bloom's: 1. Remember Difficulty: Medium Gradable: automatic

Subtopic : Scientific Method

3)	The potential energy of a car moving on a level road does not depend on its speed.	
	3)	

o true

• false

Edition by Suberberg Chui
Question Details Accessibility: Keyboard Navigation Bloom's: 2. Understand Difficulty: Easy Topic: Study of Chemistry Gradable: automatic Subtopic: Classification and States of Matter
4) When a wooden match burns in air, chemical potential energy is converted to kinetic energy.
4)
truefalse
Question Details Accessibility: Keyboard Navigation Bloom's: 2. Understand Difficulty: Easy Topic: Study of Chemistry Gradable: automatic Subtopic: Classification and States of Matter
5) When applying the scientific method, it is important to avoid any form of hypothesis. 5)
truefalse
Question Details Accessibility: Keyboard Navigation Difficulty: Easy Topic: Study of Chemistry Bloom's: 1. Remember Gradable: automatic Subtopic: Scientific Method
6) When applying the scientific method, a model or theory should be based on experimenta data.

Version 1 2

6) _____

(o)	true		
(o)	false		

Question Details

Accessibility: Keyboard Navigation

Difficulty: Easy

Topic : Study of Chemistry Bloom's : 1. Remember Gradable : automatic

Subtopic: Scientific Method

7)	The numerical	value of any	temperature	expressed in	Celsius	is always	different	from	the
numeri	cal value of the	same temper	ature in Fah	renheit.					

7) _____

- o true
- false

Question Details

Accessibility: Keyboard Navigation

Topic: Study of Chemistry Bloom's: 1. Remember Difficulty: Medium Gradable: automatic

Subtopic: Properties of Matter

8) The numerical value of any temperature expressed in Celsius is always different from the numerical value of the same temperature in kelvin.

8) _____

- o true
- false

Question Details

Accessibility: Keyboard Navigation

Difficulty: Easy

Topic : Study of Chemistry Bloom's : 1. Remember Gradable : automatic

Subtopic : Properties of Matter

9)	The nu	umber 6.0448, rounded to 3 decimal places, becomes 6.045.	
		, ,	9)
	\circ		
	0	true	
	o	false	
Questio	n Details	s	
		eyboard Navigation	
	: 2. Und		
	ty : Easy		
_	-	Chemistry	
	e : autom		
Subtopi	c : Scient	tific Notation and Significant Figures	
10)	The nu	umber 6.0448, rounded to 2 decimal places, becomes 6.05.	
			10)
			,
	o	true	
	o	false	
	n Details		
	-	eyboard Navigation	
	: 2. Und		
	ty: Easy		
_	-	Chemistry	
	e : autom		
Subtopi	c : Scient	tific Notation and Significant Figures	
11)		eight of a coin measured as 1.96235 g on one balance is definitely more	accurate
than a	weight	measurement of 1.95 g on another balance.	
			11)
	o	true	
	o	false	
Overtion	n Dotoile		
	n Details	s eyboard Navigation	
	3 : 2. Und	·	
		Chemistry	
_	ty: Medi		
	e : autom		

Version 1 4

Subtopic : Scientific Notation and Significant Figures

MULTIPLE CHOICE	Choose the one alternative that best	completes the statement or
answers the question.		

12)	Which one of the following is a	"substance"	in the sense of	f the word as	used in your
textboo	ok?				

12)	
1 / 1	

- A) Air
- B) Tap water
- C) Sea water
- D) Water
- E) Toothpaste

Question Details

Accessibility: Keyboard Navigation

Bloom's : 2. Understand

Difficulty: Easy

Topic : Study of Chemistry Gradable : automatic

Subtopic: Classification and States of Matter

13) Sele	ct the h	ect ctat	ement
IJ) Sele	ct me i	iest stat	emen.

13) _____

- A) Physical changes may be reversed by changing the temperature.
- B) Physical changes alter the composition of the substances involved.
- C) Physical properties are not valid characteristics for identifying a substance.
- D) Physical properties are mostly extensive in nature.
- E) Physical changes are usually accompanied by chemical changes.

Question D	Details
------------	----------------

Accessibility: Keyboard Navigation

Difficulty: Easy

Topic : Study of Chemistry Bloom's : 1. Remember Gradable : automatic

Subtopic: Properties of Matter

14)	Select f	he hest	statement.
14)	Select t	ne best	statement.

14) _____

- A) Chemical changes provide the only valid basis for identification of a substance.
- B) Chemical changes are easily reversed by altering the temperature of the system.
- C) Chemical changes always produce substances different from the starting materials.
- D) Chemical changes are associated primarily with extensive properties.
- E) Chemical changes are accompanied by changes in the total mass of the substances involved.

Question Details

Accessibility: Keyboard Navigation

Difficulty: Easy

Topic : Study of Chemistry Bloom's : 1. Remember Gradable : automatic

Subtopic: Properties of Matter

15) Which of the following is a chemical change?

15) _____

- A) Boiling of water
- B) Melting wax
- C) Broiling a steak on a grill
- D) Condensing water vapor into rainfall
- E) Carving a piece of wood

Question D	Details
------------	----------------

Accessibility: Keyboard Navigation

Bloom's : 2. Understand

Difficulty: Easy

Topic : Study of Chemistry Gradable : automatic

Subtopic: Properties of Matter

16) _____

- A) molecules in the gas phase are in constant motion.
- B) molecules in the gas phase have more potential energy than in solids.
- C) molecules in the gas phase have more kinetic energy than in solids.
- D) gaseous molecules have less mass.
- E) molecules in the gas phase have more space between them than in solids.

Question Details

Accessibility: Keyboard Navigation

Bloom's: 2. Understand Topic: Study of Chemistry Difficulty: Medium Gradable: automatic

Subtopic: Classification and States of Matter

17) During the swing of a frictionless pendulum, what energy form(s) remain constant?

17) _____

- A) Kinetic energy only
- B) Potential energy only
- C) Both kinetic energy and potential energy
- D) Kinetic plus potential energy
- E) None of these choices are correct.

	O	uestion	Details
--	---	---------	----------------

Accessibility: Keyboard Navigation

Bloom's : 2. Understand Topic : Study of Chemistry

Difficulty: Hard Gradable: automatic

Subtopic: Classification and States of Matter

18)	The most significant		نحم مامسم ممنا		1 . 1	
10)	The most significant	continuution to	modern sch	ence made o	v aichemists	was

18) _____

- A) their fundamental work in the transmutation of the elements.
- B) their widespread acceptance of observation and experimentation.
- C) their systematic method of naming substances.
- D) their understanding of the nature of chemical reactions.
- E) their discovery of phlogiston.

Question Details

Accessibility: Keyboard Navigation

Topic : Study of Chemistry Bloom's : 1. Remember Difficulty : Medium Gradable : automatic

Subtopic: Scientific Method

19) Select the best statement about chemistry before 1800.

10			
19	١		

- A) Alchemy focused on objective experimentation rather than mystical explanations of processes.
 - B) The phlogiston theory laid a valuable theoretical basis for modern chemistry.
- C) Lavoisier's quantitative work on the role of oxygen in combustion was the beginning of modern chemistry.
 - D) The interpretation of data by alchemists was not biased by their overall view of life.
 - E) Alchemists failed because they did not develop any practical chemical methods.

	O	uestion	Details
--	---	---------	----------------

Accessibility: Keyboard Navigation

Topic : Study of Chemistry Bloom's : 1. Remember Difficulty : Medium Gradable : automatic

Subtopic: Scientific Method

20)	Which of the	following	activities i	is not a 1	part of good	d science?

20) _____

- A) Proposing a theory
- B) Developing a hypothesis
- C) Making quantitative observations
- D) Designing experiments
- E) Indulging in speculation

Question Details

Accessibility: Keyboard Navigation

Difficulty: Easy

Topic : Study of Chemistry Bloom's : 1. Remember Gradable : automatic

Subtopic : Scientific Method

21) A scientist made careful measurements of the pressure and temperature of many different gases. Based on these measurements, he concluded that "the pressure of a fixed amount of gas, measured at constant volume, is directly proportional to its absolute temperature." This statement is best described as a

21) _____

A)	theory.

- B) hypothesis.
- C) law.
- D) experiment.
- E) definition.

Question Details

Accessibility: Keyboard Navigation

Bloom's : 2. Understand Topic : Study of Chemistry Difficulty : Medium Gradable : automatic

Subtopic : Scientific Method

22) A dictionary has the following definition for a word: "A tentative explanation that accounts for a set of facts." Which of the following words best fits that definition?

- A) Theory
- B) Hypothesis
- C) Law
- D) Experiment
- E) Definition

Question Details

Accessibility: Keyboard Navigation

Difficulty: Easy

Topic : Study of Chemistry Bloom's : 1. Remember Gradable : automatic

Subtopic : Scientific Method

23) A detailed explanation of natural phenomena that is generally accepted and has been extensively tested is called a

23)		
Z. 1 I		

- A) theory.
- B) hypothesis.
- C) law.
- D) fact.
- E) postulate.

Question Details

Accessibility: Keyboard Navigation

Difficulty: Easy

Topic : Study of Chemistry Bloom's : 1. Remember Gradable : automatic

Subtopic: Scientific Method

24) The distance between carbon atoms in ethylene is 134 picometers. Which of the following expresses that distance in meters?

24) _____

- A) 1.34×10^{-13} m
- B) 1.34×10^{-12} m
- C) 1.34×10^{-10} m
- D) 1.34×10^{-7} m
- E) 1.34×10^{-6} m

Question Details

Accessibility: Keyboard Navigation

Difficulty: Easy

Topic: Study of Chemistry

Bloom's : 3. Apply Gradable : automatic

Subtopic: Measurement (SI Units)

25) The average distance from Earth to the Sun is 150 megameters. What is that distance in meters?

25) _____

- A) $1.5 \times 108 \text{ m}$
- B) $1.5 \times 106 \text{ m}$
- C) $1.5 \times 105 \text{ m}$
- D) $1.5 \times 103 \text{ m}$
- E) $1.5 \times 10 6$ m

Question Details

Accessibility: Keyboard Navigation

Difficulty: Easy

Topic : Study of Chemistry

Bloom's : 3. Apply Gradable : automatic

Subtopic: Measurement (SI Units)

26) The mass of a sample is 550 milligrams. Which of the following expresses that mass in kilograms?

26) _____

- A) $5.5 \times 108 \text{ kg}$
- B) $5.5 \times 105 \text{ kg}$
- C) $5.5 \times 10-4 \text{ kg}$
- D) $5.5 \times 10 6 \text{ kg}$
- E) $5.5 \times 10 1 \text{ kg}$

Question Details

Accessibility: Keyboard Navigation

Difficulty: Easy

Topic : Study of Chemistry

Bloom's : 3. Apply Gradable : automatic

Subtopic: Measurement (SI Units)

27) A dose of medication was prescribed to be 35 microliters. Which of the following expresses that volume in centiliters?

27) _____

A)	3.5	×	105	cL

B)
$$3.5 \times 104 \text{ cL}$$

D)
$$3.5 \times 10-4$$
 cL

E)
$$3.5 \times 10-3$$
 cL

Question Details

Accessibility: Keyboard Navigation

Difficulty: Easy

Topic: Study of Chemistry

Bloom's : 3. Apply Gradable : automatic

Subtopic: Measurement (SI Units)

28) Which of the following represents the largest volume?

28) _____

- A) $10,000 \mu L$
- B) 1000 pL
- C) 100 mL
- D) 10 nL
- E) 10 cm3

Question Details

Accessibility: Keyboard Navigation

Topic : Study of Chemistry

Difficulty: Medium Bloom's: 3. Apply Gradable: automatic

Subtopic : Measurement (SI Units)

29) You prepare 1000. mL of tea and transfer it to a 1.00-quart pitcher for storage. Which of the following statements is true?

29) _____

- A) The pitcher will be filled to 100% of its capacity with no tea spilled.
- B) The pitcher will be filled to about 95% of its capacity.
- C) The pitcher will be filled to about 50% of its capacity.
- D) The pitcher will be completely filled and a small amount of tea will overflow.
- E) The pitcher will be completely filled and most of the tea will overflow.

Ouestion Details

Accessibility: Keyboard Navigation

Topic : Study of Chemistry

Difficulty: Medium Bloom's: 3. Apply Gradable: automatic

Subtopic : Dimensional Analysis

30) In an average year, the American chemical industry produces more than 9.5 million metric tons of sodium carbonate. Over half of this is used in the manufacture of glass while another third is used in the production of detergents and other chemicals. How many pounds of sodium carbonate are produced annually?

30) _____

- A) $2.1 \times 1010 \text{ lb}$
- B) $4.3 \times 109 \text{ lb}$
- C) $1.1 \times 107 \text{ lb}$
- D) $2.2 \times 106 \text{ lb}$
- E) $2.1 \times 104 \text{ lb}$

Question Details

Accessibility: Keyboard Navigation

Topic : Study of Chemistry

Difficulty: Medium Bloom's: 3. Apply Gradable: automatic

Subtopic : Dimensional Analysis

31) A large pizza has a diameter of 15 inches. Express this diameter in centimeters.

31)	
\mathcal{I}_{I}	

- A) 38 cm
- B) 24 cm
- C) 18 cm
- D) 9.3 cm
- E) 5.9 cm

Question Details

Accessibility: Keyboard Navigation

Difficulty: Easy

Topic: Study of Chemistry

Bloom's : 3. Apply Gradable : automatic

Subtopic : Dimensional Analysis

32) The average distance between the Earth and the Moon is 240,000 miles. Express this distance in kilometers.

32) _____

- A) $6.1 \times 10^5 \text{ km}$
- B) $5.3 \times 10^5 \text{ km}$
- C) $3.9 \times 10^5 \text{ km}$
- D) $1.5 \times 10^5 \text{ km}$
- E) $9.4 \times 10^4 \text{ km}$

Question Details

Accessibility: Keyboard Navigation

Difficulty: Easy

Topic : Study of Chemistry

Bloom's : 3. Apply Gradable : automatic

Subtopic: Dimensional Analysis

33) The area of a 15-inch pizza is 176.7 in². Express this area in square centimeters.

33) _____

	-	4		`			2
A)		1	41)	C1	m	- ا

- B) 448.8 cm²
- C) 96.8 cm^2
- D) 69.57 cm²
- E) 27.39 cm²

Question Details

Accessibility: Keyboard Navigation

Topic : Study of Chemistry

Difficulty: Medium Bloom's: 3. Apply Gradable: automatic

Subtopic : Dimensional Analysis

34) The speed needed to escape the pull of Earth's gravity is 11.3 km/s. What is this speed in mi/h?

34) _____

- A) 65,500 mi/h
- B) 25,300 mi/h
- C) 18,200 mi/h
- D) 1,090 mi/h
- E) $5.02 \times 10-3 \text{ mi/h}$

Question Details

Accessibility: Keyboard Navigation

Topic : Study of Chemistry

Difficulty: Medium Bloom's: 3. Apply Gradable: automatic

Subtopic : Dimensional Analysis

35) The density of mercury, the only metal to exist as a liquid at room temperature, is 13.6 g/cm³. What is that density in pounds per cubic inch?

35) _____

- A) 849 lb/in³
- B) 491 lb/in³
- C) 376 lb/in³
- D) 0.491 lb/in³
- E) $1.83 \times 10 3 \text{ lb/in}^3$

Question Details

Accessibility: Keyboard Navigation

Topic : Study of Chemistry

Difficulty: Medium Bloom's: 3. Apply Gradable: automatic

Subtopic: Dimensional Analysis

36) Given that 1 inch = 2.54 cm, 1 cm³ is equal to

36) _____

- A) 16.4 in^3 .
- B) 6.45 in^3 .
- C) 0.394 in^3 .
- D) 0.155 in^3 .
- E) 0.0610 in^3 .

Question Details

Accessibility: Keyboard Navigation

Topic: Study of Chemistry

Difficulty : Medium Bloom's : 3. Apply Gradable : automatic

Subtopic: Dimensional Analysis

37) At a pressure of one billionth (10^{-9}) of atmospheric pressure, there are about 2.7×10^{10} molecules in one cubic centimeter of a gas. How many molecules is this per cubic meter?

37) _____

A)	2	7	v	1	$\mathbf{\Omega}^{1}$	6
A	I Z.	. /	х	- 1	u	

B)
$$2.7 \times 10^{14}$$

C)
$$2.7 \times 10^{12}$$

D)
$$2.7 \times 10^8$$

E)
$$2.7 \times 10^4$$

Question Details

Accessibility: Keyboard Navigation

Topic: Study of Chemistry

Difficulty: Medium Bloom's: 3. Apply Gradable: automatic

Subtopic: Dimensional Analysis

38) If the price of gold at the morning fixing in London was \$5310 per lb, what would a kilogram of gold have cost in £ (pounds)? (Assume an exchange rate of \$1.00 = £0.545)

38)	

- A) £1310
- B) £3510
- C) £6370
- D) £10400
- E) £17100

Question Details

Accessibility: Keyboard Navigation

Topic : Study of Chemistry

Difficulty: Medium Bloom's: 3. Apply Gradable: automatic

Subtopic : Dimensional Analysis

39) Which of the following is not an SI base unit?

39) _____

	A) Meter B) Ampere C) Second D) Gram E) Kelvin	
Access Difficu Topic : Bloom Gradal	on Details dibility: Keyboard Navigation alty: Easy Study of Chemistry s: 1. Remember alte: automatic dic: Measurement (SI Units)	
10)	The symbol for the SI base unit of mass is	40)
	A) mg. B) g. C) kg. D) metric ton. E) lb.	
Access Difficu Topic : Bloom Gradal	on Details ibility: Keyboard Navigation ilty: Easy Study of Chemistry 's: 1. Remember ile: automatic iic: Measurement (SI Units)	
i 1)	Which of the following abbreviations of the given SI base unit is incorrect?	41)

A) second: s
B) kilogram: kg
C) kelvin: K
D) mole: m
E) ampere: A

Question Details

Accessibility: Keyboard Navigation

Difficulty: Easy

Topic : Study of Chemistry Bloom's : 1. Remember Gradable : automatic

Subtopic: Measurement (SI Units)

42) Which of the following abbreviations of the given SI base unit is incorrect?

42) _____

A) second: s
B) kilogram: kg
C) meter: m
D) mole: mol
E) kelvin: k

Question Details

Accessibility: Keyboard Navigation

Difficulty: Easy

Topic : Study of Chemistry Bloom's : 1. Remember Gradable : automatic

Subtopic : Measurement (SI Units)

43) The SI prefix mega- (M) means

43) _____

	A) 10^{-6} .	
	B) 10^{-3} .	
	C) 10^3 .	
	D) 10^6 .	
	E) 10^9 .	
Questi	ion Details	
	sibility: Keyboard Navigation	
	ulty: Easy	
	: Study of Chemistry a's : 1. Remember	
	ble : automatic	
Subtop	pic : Measurement (SI Units)	
44)	The SI unit of speed (velocity) is	44)
	A) km/h.	
	B) km/s.	
	C) m/h.	
	D) m/s.	
	E) None of these choices are correct.	
Questi	ion Details	
-	sibility: Keyboard Navigation	
	ulty: Easy	
	: Study of Chemistry a's : 1. Remember	
	ble : automatic	
	pic : Measurement (SI Units)	
45)	The joule is the SI unit of energy and is equal to 1 kg m ² s ⁻² . The erg is a	nother energy
unit,	equal to 1 g cm ² s ⁻² . Use unit conversion methods to work out how many en	= -

Version 1 21

45) _____

- A) 10⁻¹ ergs
- B) 10 ergs
- C) 10^2 ergs
- D) 10⁵ ergs
- E) 10^7 ergs

Question Details

Accessibility: Keyboard Navigation

Topic: Study of Chemistry

Difficulty: Medium Bloom's: 3. Apply Gradable: automatic

Subtopic: Measurement (SI Units)

46) Which of the following correctly shows how to convert a density of 20.1 g cm⁻³ to units of kg m⁻³?

46) _____

$$A) \frac{20.1 \text{ g}}{1 \text{ cm}^3} \times \frac{1000 \text{ kg}}{1 \text{ g}} \times \frac{1 \text{ cm}^3}{0.01 \text{ m}^3}$$

$$B) \frac{20.1 \text{ g}}{1 \text{ cm}^3} \times \frac{1 \text{ kg}}{1000 \text{ g}} \times \frac{1 \text{ cm}^3}{0.01 \text{ m}^3}$$

$$C) \frac{20.1 \text{ g}}{1 \text{ cm}^3} \times \frac{1 \text{ kg}}{1000 \text{ g}} \times \frac{0.01 \text{ cm}^3}{1 \text{ m}^3}$$

$$D) \frac{20.1 \text{ g}}{1 \text{ cm}^3} \times \frac{1 \text{ kg}}{1000 \text{ g}} \times \frac{(0.01 \text{ cm})^3}{(1 \text{ m})^3}$$

$$E) \frac{20.1 \text{ g}}{1 \text{ cm}^3} \times \frac{1 \text{ kg}}{1000 \text{ g}} \times \frac{(0.01 \text{ cm})^3}{(0.01 \text{ m})^3}$$

	Οu	estion	Details
--	----	--------	----------------

Accessibility: Keyboard Navigation

Topic : Study of Chemistry Difficulty : Medium Bloom's : 3. Apply

Gradable: automatic

Subtopic: Dimensional Analysis

47) If the density of a certain spherical atomic nucleus is 1.0×10^{14} g cm⁻³ and its mass is 2.0 $\times 10^{-23}$ g, what is its radius in cm?

47) _____

- A) 3.6×10^{-13} cm
- B) 2.0×10^{-37} cm
- C) 4.8×10^{-38} cm
- D) 2.2×10^{-19} cm
- E) None of these choices are correct.

Ouestion Details

Accessibility : Keyboard Navigation

Topic : Study of Chemistry

Difficulty: Hard Bloom's: 3. Apply Gradable: automatic

Subtopic : Dimensional Analysis

48) Which of the following is an extensive property of oxygen?

48) _____

- A) Boiling point
- B) Temperature
- C) Average kinetic energy of molecules
- D) Density
- E) Mass

Question	Details
----------	----------------

Accessibility: Keyboard Navigation

Bloom's: 2. Understand

Difficulty: Easy

Topic : Study of Chemistry Gradable : automatic

Subtopic: Properties of Matter

49) A flask has a mass of 78.23 g when empty and 593.63 g when filled with water. When the same flask is filled with concentrated sulfuric acid, H₂SO₄, its mass is 1026.57 g. What is the density of concentrated sulfuric acid? (Assume water has a density of 1.00 g/cm³ at the temperature of the measurement.)

49) _____

- A) 1.992 g/cm³
- B) 1.840 g/cm^3
- C) 1.729 g/cm³
- D) 1.598 g/cm³
- E) 0.543 g/cm^3

Question Details

Accessibility: Keyboard Navigation

Topic : Study of Chemistry Difficulty : Medium

Bloom's : 3. Apply Gradable : automatic

Subtopic: Properties of Matter

50) Talc is a mineral that has low conductivity for heat and electricity and that is not attacked by acid. It is used as talcum powder and face powder. A sample of talc weighs 35.97 g in air and 13.65 g in mineral oil ($d = 1.75 \text{ g/cm}^3$). What is the density of talc?

50) _____

A)	4.61	g/cm ³

- B) 2.82 g/cm^3
- C) 2.63 g/cm^3
- D) 2.44 g/cm^3
- E) 1.61 g/cm^3

Question Details

Accessibility: Keyboard Navigation

Topic: Study of Chemistry

Difficulty: Hard Bloom's: 3. Apply Gradable: automatic

Subtopic: Properties of Matter

51) Acetone, which is used as a solvent and as a reactant in the manufacture of Plexiglas*, boils at 56.1°C. What is the boiling point in degrees Fahrenheit?

51)	
$\mathcal{I}II$	

- A) 159°F
- B) 133°F
- C) 101°F
- D) 69.0°F
- E) 43.4°F

Ouestion Details

Accessibility: Keyboard Navigation

Topic : Study of Chemistry

Difficulty: Medium Bloom's: 3. Apply Gradable: automatic

Subtopic : Properties of Matter

52) Isopropyl alcohol, commonly known as rubbing alcohol, boils at 82.4°C. What is the boiling point in kelvins?

52) _____

A)	387	.6	K

B) 355.6 K

C) 323.6 K

D) 190.8 K

E) -190.8 K

Question Details

Accessibility: Keyboard Navigation

Difficulty: Easy

Topic: Study of Chemistry

Bloom's : 3. Apply Gradable : automatic

Subtopic: Properties of Matter

53) Acetic acid boils at 244.2°F. What is its boiling point in degrees Celsius?

53) _____

- A) 382.0°C
- B) 167.7°C
- C) 153.4°C
- D) 117.9°C
- E) 103.7°C

Question Details

Accessibility: Keyboard Navigation

Topic: Study of Chemistry Difficulty: Medium Bloom's: 3. Apply

Bloom's : 3. Apply Gradable : automatic

Subtopic : Properties of Matter

54) Which one of the following numbers contains a digit or digits which is/are not significant?

54)

A) 970.0

B) 502

C) 0.300

D) 0.0043

E) 20.01

Question Details

Accessibility: Keyboard Navigation

Bloom's: 2. Understand

Difficulty: Easy

Topic : Study of Chemistry Gradable : automatic

Subtopic: Scientific Notation and Significant Figures

55) Select the answer that expresses the result of this calculation with the correct number of significant figures.

$$\frac{13.602 \times 1.90 \times 3.06}{4.2 \times 1.4097} =$$

55) _____

- A) 13.3568
- B) 13.357
- C) 13.36
- D) 13.4
- E) 13

Question Details

Accessibility: Keyboard Navigation

Difficulty: Easy

Topic: Study of Chemistry

Bloom's : 3. Apply Gradable : automatic

Subtopic: Scientific Notation and Significant Figures

56) Select the answer that expresses the result of this calculation with the correct number of significant figures and with correct units.

$$16.18 \text{ cm} \times 9.6114 \text{ g} \div 1.4783 \text{ cm}^2 =$$

56) _____

- A) 105.2 g/cm³
- B) 105.2 g/cm²
- C) 105.2 g/cm
- D) 72.13 g/cm²
- E) 72.13 g/cm

Question Details

Accessibility: Keyboard Navigation

Topic : Study of Chemistry

Difficulty: Medium Bloom's: 3. Apply Gradable: automatic

Subtopic: Scientific Notation and Significant Figures

57) Which measurement is expressed to 4 significant figures?

57) _____

- A) 0.423 kg
- B) 24.049 cm
- C) 1300 K
- D) 82,306 m
- E) 62.40 g

Question Details

Accessibility: Keyboard Navigation

Bloom's: 2. Understand

Difficulty: Easy

Topic : Study of Chemistry Gradable : automatic

Subtopic : Scientific Notation and Significant Figures

58	Expre	ss 96,342 m	using 2	Sign	nificar	nt figures	c
JU.	, Expic	33 7U,J+4 III	using 2	Sigi	mma	n nguici	•

58) _____

- A) 9.60×10^4 m
- B) 9.6×10^4 m
- C) 9.60×10^{-4} m
- D) 9.6×10^{-4} m
- E) 96000. m

Question Details

Accessibility: Keyboard Navigation

Difficulty: Easy

Topic: Study of Chemistry

Bloom's : 3. Apply Gradable : automatic

Subtopic : Scientific Notation and Significant Figures

59) Select the answer with the correct number of decimal places for the following sum:

$$13.914 \text{ cm} + 243.1 \text{ cm} + 12.00460 \text{ cm} =$$

59) _____

- A) 269.01860 cm
- B) 269.0186 cm
- C) 269.019 cm
- D) 269.02 cm
- E) 269.0 cm

Question Details

Accessibility: Keyboard Navigation

Topic : Study of Chemistry

Difficulty: Medium Bloom's: 3. Apply Gradable: automatic

Subtopic: Scientific Notation and Significant Figures

Version 1

29

60)	The appropriate number of significant figures in the result of 15.234×15.20	8 is
		60)
	A) 2	
	A) 2.	
	B) 3.	
	C) 4.	
	D) 5.	
	E) 6.	
Quest	cion Details	
Acces	sibility: Keyboard Navigation	
	n's : 2. Understand	
	ulty: Easy	
-	: Study of Chemistry	
	ble : automatic	
Subto	pic : Scientific Notation and Significant Figures	
61)	The appropriate number of significant figures in the result of 15.234 – 15.20	8 is
- /		61)
		01)
	A > 1	
	A) 1.	
	B) 2.	
	C) 3.	

Question Details

D) 4.E) 5.

Accessibility: Keyboard Navigation

Bloom's : 2. Understand Topic : Study of Chemistry Difficulty : Medium

Gradable : automatic

Subtopic : Scientific Notation and Significant Figures

62)	The result of	(3.8621×1.5630)) - 5.98 is pro	perly written as
-------------	---------------	--------------------------	-----------------	------------------

62)	
041	

- A) 0.06.
- B) 0.056.
- C) 0.0565.
- D) 0.05646.
- E) 0.056462.

Ouestion Details

Accessibility: Keyboard Navigation

Topic: Study of Chemistry

Difficulty: Medium Bloom's: 3. Apply Gradable: automatic

Subtopic: Scientific Notation and Significant Figures

63) As chief chemist at Superior Analytical Products (SAP) you must design an experiment to determine the density of an unknown liquid to three (3) significant figures. The density is of the order of 1 g/cm³. You have approximately 7 mL of the liquid and only graduated cylinders and balances are available for your use. Which of the following combinations of equipment will allow you to meet but not exceed your goal?

63) _____

- A) Graduated cylinder with ±0.1 mL uncertainty; balance with ±0.1 g uncertainty
- B) Graduated cylinder with ±0.01 mL uncertainty; balance with ±0.1 g uncertainty
- C) Graduated cylinder with ±0.01 mL uncertainty; balance with ±0.01 g uncertainty
- D) Graduated cylinder with ±0.001 mL uncertainty; balance with ±0.001 g uncertainty
- E) Graduated cylinder with ±0.1 mL uncertainty; balance with ±0.001 g uncertainty

Chemistry Molecular Nature of Matter and Change 9th

•	0
Edition by Silberberg CH01	

Question Details

Accessibility: Keyboard Navigation

_	Study of Chemistry	
	ılty : Medium	
	's : 3. Apply	
	ble : automatic sic : Scientific Notation and Significant Figures	
Биогор	ic . Scientific Notation and Significant Figures	
	A student makes several measurements of the density of an unknown nen reports the average value of these measurements. The number of sign her result should be a measure of its	-
		64)
	A) accuracy.	
	B) precision.	
	C) systematic error.	
	D) determinate error.	
	E) human error.	
Access Bloom Topic: Difficu Gradab	con Details dibility: Keyboard Navigation 's: 2. Understand study of Chemistry alty: Medium ble: automatic sic: Scientific Notation and Significant Figures	
65) chlori	The difference between a student's experimental measurement of the de and the known density of this compound reflects the of	•
	A) accuracy	
	B) precision	
	C) random error	
	D) systematic error	
	E) indeterminate error	

Accessibility: Keyboard Navigation

Topic: Study of Chemistry Bloom's: 1. Remember Difficulty: Medium Gradable: automatic

Subtopic : Scientific Notation and Significant Figures

66) Bud N. Chemist must determine the density of a mineral sample. His four trials yield densities of 4.77 g/cm³, 4.67 g/cm³, 4.69 g/cm³, and 4.81 g/cm³. Independent studies found the correct density to be 4.75 g/cm³. Which of the following statements represents the best analysis of the data?

\		
66)		
()())		

- A) Bud's results have much greater accuracy than precision.
- B) Bud's results have much greater precision than accuracy.
- C) Bud's results have high accuracy and high precision.
- D) Bud's results have low accuracy and low precision.
- E) Bud's equipment is faulty.

Question Details

Accessibility: Keyboard Navigation

Bloom's: 2. Understand Topic: Study of Chemistry Difficulty: Medium Gradable: automatic

Subtopic : Scientific Notation and Significant Figures

As part of an experiment to determine the density of a new plastic developed in her laboratory, Sara Ann Dippity measures the volume of a solid sample. Her four trials yield volumes of 12.37 cm³, 12.41 cm³, 12.39 cm³, and 12.38 cm³. Measurements of other scientists in the lab give an average volume of 12.49 cm³. Which of the following statements represents the best analysis of the data?

67)	
\mathbf{O}_{I}	,	

- A) Sara's results have low precision and high accuracy.
- B) Sara's results have high precision and high accuracy.
- C) Sara's results have greater precision than accuracy.
- D) Sara's results have greater accuracy than precision.
- E) Sara has been using a faulty instrument to measure the volume.

Question Details

Accessibility: Keyboard Navigation

Bloom's: 2. Understand Topic: Study of Chemistry Difficulty: Medium Gradable: automatic

Subtopic : Scientific Notation and Significant Figures

68) Which of the following correctly expresses 52,030.2 m in scientific notation?

68) _____

- A) 5.20302×10^4 m
- B) 5.20302×10^5 m
- C) 5.203×10^4 m
- D) 5.20×10^4 m
- E) 5.2×10^4 m

Question Details

Accessibility: Keyboard Navigation

Bloom's: 2. Understand

Difficulty : Easy

Topic : Study of Chemistry Gradable : automatic

Subtopic : Scientific Notation and Significant Figures

69) Which of the following correctly expresses 0.000007913 g in scientific notation?

69) _____

- A) 7.913×10^6 g
- B) 7.913×10^5 g
- C) 7.913×10^{-5} g
- D) 7.913×10^{-6} g
- E) 7.913×10^{-9} g

Question Details

Accessibility: Keyboard Navigation

Bloom's : 2. Understand

Difficulty: Easy

Topic : Study of Chemistry Gradable : automatic

Subtopic : Scientific Notation and Significant Figures

70) Which of the following is a physical change?

70) _____

- A) Milk turning sour
- B) Battery cables corroding
- C) Sugar turning brown when heated
- D) Liquid water being cooled and forming ice
- E) An egg being hard-boiled

Question Details

Accessibility: Keyboard Navigation

Bloom's : 2. Understand

Difficulty: Easy

Topic : Study of Chemistry Gradable : automatic

Subtopic : Properties of Matter

71) Which of the following processes and concepts is not a part of the "scientific method"?

71) _____

- A) Experiment
- B) Observation
- C) Model
- D) Speculation
- E) Law

Question Details

Accessibility: Keyboard Navigation

Topic : Study of Chemistry Bloom's : 1. Remember Difficulty : Medium Gradable : automatic

Subtopic: Scientific Method

Test name: CH01

- 1) FALSE
- 2) TRUE
- 3) TRUE
- 4) TRUE
- 5) FALSE
- 6) TRUE
- 7) FALSE
- 8) TRUE
- 9) TRUE
- 10) FALSE
- 11) FALSE
- 12) D
- 13) A
- 14) C
- 15) C
- 16) E
- 17) D
- 18) B
- 19) C
- 20) E
- 21) C
- 22) B
- 23) A
- 24) C
- 25) A

- 26) C
- 27) E
- 28) C
- 29) D
- 30) A
- 31) A
- 32) C
- 33) A
- 34) B
- 35) D
- 36) E
- 37) A
- 38) C
- 39) D
- 40) C
- 41) D
- 42) E
- 43) D
- 44) D
- 45) E
- 46) E
- 47) A
- 48) E
- 49) B
- 50) B
- 51) B
- 52) B
- 53) D
- 54) D
- 55) E

- 56) C
- 57) E
- 58) B
- 59) E
- 60) D
- 61) B
- 62) A
- 63) C
- 64) B
- 65) A
- 66) A
- 67) C
- 68) A
- 69) D
- 70) D
- 71) D