


# Test Bank for Principles of Biology 4th Edition by Brooker

[CLICK HERE TO ACCESS COMPLETE Test Bank](#)



# Test Bank

# Principles of Biology Edition 4 by Brooker

CORRECT ANSWERS ARE LOCATED IN THE 2ND HALF OF THIS DOC.

**TRUE/FALSE - Write 'T' if the statement is true and 'F' if the statement is false.**

- 1) One gram of hydrogen, which has an atomic mass of 1, would have fewer atoms than 1 gram of carbon that has an atomic mass of 12.  
☐ true  
☐ false
- 2) Isotopes are different forms of the same element.  
☐ true  
☐ false
- 3) Sulfur 35 ( $^{35}\text{S}$ ) is an isotope of  $^{35}\text{S}$ . These elements differ in their number of neutrons.  
☐ true  
☐ false
- 4) Helium is an inert gas that rarely reacts with other elements because it has the maximum number of valence electrons in its outer shell.  
☐ true  
☐ false
- 5) If lithium has an atomic number of 3 then it will have 1 valence electron.  
☐ true  
☐ false
- 6) The electronegativity of an atom is a measure of its ability to attract electrons to its outer shell from another atom.  
☐ true  
☐ false
- 7) Table salt forms from sodium and chloride via hydrogen bonding.  
☐ true  
☐ false
- 8) Molecules are generally rigid structures and rarely change shape.  
☐ true  
☐ false

# Principles of Biology Edition 4 by Brooker

- 9) The hydroxyl ( $\text{OH}^-$ ) concentration of a solution with a pH of 8 would be  $10^{-6}$  molar.
- ☐ true
- ☐ false
- 10) Most enzymes or bioactive molecules work effectively within a broad range of pH.
- ☐ true
- ☐ false
- 11) When table salt dissolves in water, the salt is called the solute.
- ☐ true
- ☐ false

**CHECK ALL THE APPLY. Choose all options that best completes the statement or answers the question.**

- 12) With an atomic mass of 16 and an atomic number of 8, it follows that oxygen\_\_\_\_\_.
- (Check all that apply.)

- A) has eight electrons
- B) has 16 neutrons
- C) can readily form bonds with 2 other atoms
- D) weighs 16 grams

TBEXAM.COM

- 13) Chemical reactions often occur by breaking apart compounds or combining substances to create new compounds. Select the following that are seen in most chemical reactions.
- A) Protons are exchanged between substances.
- B) Catalysts are often needed to help in speeding up the reactions.
- C) Heat can be used to speed up interaction of molecules to help in the chemical reaction conversion process.
- D) Chemical reactions usually occurs in watery conditions.
- E) The reactions only occur in one direction and rarely reach equilibrium.

**MULTIPLE CHOICE - Choose the one alternative that best completes the statement or answers the question.**

- 14) The atomic number of an atom is
- A) the number of protons in the atom.
- B) the number of neutrons in the atom.
- C) the number of protons plus the number of electrons in the atom.
- D) the number of protons plus the number of neutrons in the atom.
- E) None of these choices are correct.

## Principles of Biology Edition 4 by Brooker

- 15) The smallest functional unit and associated structures of a living organism are
- A) atoms and their protons, neutrons, and electrons.
  - B) molecules and their atoms, bonds, and electrons.
  - C) proteins and amino acids.
  - D) cells with nucleus, mitochondria, and ER.
  - E) water made of hydrogen and oxygen.
- 16) The nucleus of an atom is composed of
- A) protons.
  - B) neutrons.
  - C) electrons.
  - D) protons and neutrons.
  - E) protons and electrons.
- 17) The first, innermost energy shell of an atom
- A) can have a maximum of 8 electrons.
  - B) can have a maximum of 2 electrons.
  - C) is called the 2p orbital.
  - D) is called the 1s orbital and can have a maximum of 8 electrons.
  - E) is called the 2p orbital and can have a maximum of 2 electrons.
- TBEXAM.COM
- 18) Tritiated hydrogen ( $^3\text{H}$ ) differs from hydrogen ( $^1\text{H}$ ) in that
- A)  $^3\text{H}$  has 2 more protons than  $^1\text{H}$ .
  - B)  $^3\text{H}$  has 2 more electrons than  $^1\text{H}$ .
  - C)  $^3\text{H}$  has 2 more neutrons than  $^1\text{H}$ .
  - D)  $^3\text{H}$  has the same number of neutrons as  $^1\text{H}$ .
  - E)  $^3\text{H}$  has a different electron configuration than  $^1\text{H}$ .
- 19) Isotopes are different forms of the same element that
- A) differ in their number of neutrons.
  - B) differ in their number of protons.
  - C) are all produced artificially.
  - D) cannot form covalent bonds.
  - E) cannot form ions.

# Principles of Biology Edition 4 by Brooker

- 20) The most abundant element in living organisms is
- A) calcium.
  - B) iron.
  - C) iodine.
  - D) hydrogen.
  - E) sodium.
- 21) Nitrogen has 7 electrons and can form a maximum of \_\_\_\_\_ bonds with other elements.
- A) 1
  - B) 2
  - C) 3
  - D) 4
  - E) 5
- 22) Molecules
- A) are derived from the ionic bonding of two or more atoms.
  - B) have the same physical properties as the atoms from which they were derived.
  - C) are not important in biological processes.
  - D) can form from the covalent bonding of two or more atoms.
  - E) cannot have a charge.
- TBEXAM.COM
- 23) Carbon has 4 electrons and hydrogen has 1 electron in its outermost electron shell. A carbon atom can form covalent bonds with how many hydrogen atoms?
- A) 0
  - B) 1
  - C) 2
  - D) 3
  - E) 4
- 24) When one atom loses an electron to another atom, it results in the formation of
- A) a polar covalent bond and a new molecule.
  - B) cations and anions that can form ionic bonds.
  - C) a covalent bond between the two.
  - D) many hydrogen bonds.
  - E) a nonpolar covalent bond that is difficult to break.

## Principles of Biology Edition 4 by Brooker

- 25) The strongest chemical bonds are
- A) hydrogen bonds.
  - B) Van der Waal forces.
  - C) hydrophobic interactions.
  - D) ionic bonds.
  - E) covalent bonds.
- 26) The weakest chemical bonds are
- A) hydrogen bonds.
  - B) van der Waals forces.
  - C) hydrophobic interactions.
  - D) ionic bonds.
  - E) covalent bonds.
- 27) What type of bonding is likely to occur between two water molecules or strands of DNA?
- A) Covalent
  - B) Ionic
  - C) Hydrogen
  - D) Both hydrogen and covalent
  - E) Both hydrogen and ionic
- TBEXAM.COM
- 28) Carbon and hydrogen have similar electronegativities and combine together to form hydrocarbon molecules. What type of bonds form between these atoms?
- A) Hydrogen
  - B) Ionic
  - C) Polar covalent
  - D) Nonpolar covalent
  - E) Electrostatic
- 29) What type of bonds form from the unequal sharing of electrons?
- A) Hydrogen
  - B) Ionic
  - C) Polar covalent
  - D) Nonpolar covalent
  - E) Electrostatic

## Principles of Biology Edition 4 by Brooker

- 30) In water,  $\text{MgCl}_2$  dissociates into  $\text{Mg}^{2+}$  and  $\text{Cl}^-$ . Based on this information what type of bond is involved in the formation of  $\text{MgCl}_2$ ?
- A) Hydrogen
  - B) Ionic
  - C) Polar covalent
  - D) Nonpolar covalent
  - E) Electrostatic
- 31) When one oxygen atom shares two pairs of electrons with another oxygen atom,  $\text{O}_2$  is formed via a(n)
- A) single covalent bond.
  - B) double covalent bond.
  - C) triple covalent bond.
  - D) ionic bond.
  - E) hydrogen bond.
- 32) The LEAST hydrophilic substance is
- A) salt.
  - B) an ion.
  - C) oil.
  - D) an amphipathic molecule.
  - E) a gas.
- 33) For water to vaporize
- A) energy must be supplied.
  - B) energy must be released.
  - C) hydrogen bonds are broken.
  - D) both energy must be supplied and hydrogen bonds broken.
  - E) both energy must be released and hydrogen bonds broken.
- 34) The molarity of a solution is
- A) a measure of solute concentration.
  - B) the weight of a solid substance.
  - C) often expressed as grams per unit volume.
  - D) reflects a measure of the amount of oil dissolved in water.
  - E) a scientific term for determining the solubility of a substance in water.



# Principles of Biology Edition 4 by Brooker

- 35) Based on the properties of water, what would happen if one were to add a solute to water?
- A) The freezing point of water would decrease.
  - B) The freezing point of water would increase.
  - C) The boiling point of water would increase.
  - D) Both the freezing point of water would decrease and the boiling point of water would increase.
  - E) Nothing would change with respect to the freezing point or boiling point of water.
- 36) Water
- A) is nonpolar.
  - B) has a low heat of vaporization.
  - C) has cohesive properties.
  - D) evaporates and increases body temperature.
  - E) is a relatively poor solvent.
- 37) If orange juice has a pH of 4 then it can be described as
- A) having a  $H^+$  concentration is 4.
  - B) an acidic solution.
  - C) an alkaline solution.
  - D) an acidic solution with a  $H^+$  concentration of 4.
  - E) None of these choices are correct.
- 38) A significant role played by pH buffers is to
- A) prevent fluctuations in the acidity of solutions.
  - B) increase the strength of acids and bases.
  - C) prevent fluctuations in the salinity of solutions.
  - D) limit major shifts in the amount of  $H^+$  and  $OH^-$  in solution.
  - E) keep pH low.
- 39) An example of one of the ways a pH buffer helps to maintain homeostasis is to \_\_\_\_\_.
- A) increase the  $H^+$  concentration if pH decreases
  - B) reduce the  $H^+$  concentration if pH decreases
  - C) reduce the  $H^+$  concentration if pH increases
  - D) increase the  $OH^-$  concentration if pH increases
  - E) reduce the  $OH^-$  concentration if pH decreases



# Principles of Biology Edition 4 by Brooker

- 40) The addition of a strong acid like HCl to an aqueous solution would result in
- A) the release of  $H^+$  into the solution.
  - B) an increase in pH.
  - C) a decrease in pH.
  - D) both the release of  $H^+$  and an increase in pH.
  - E) both the release of  $H^+$  and a decrease in pH.
- 41) You notice that the majority of the electrons in NaCl spend their time around the chlorine. You also notice that the electrons in  $H_2$  are evenly distributed among the two atoms. Which two types of bonds are represented in these molecules?
- A) Covalent bonds in NaCl; ionic bonds in  $H_2$ .
  - B) Covalent bonds in NaCl; covalent bonds in  $H_2$ .
  - C) Ionic bonds in NaCl; ionic bonds in  $H_2$ .
  - D) Ionic bonds in NaCl; covalent bonds in  $H_2$ .
- 42) A bottle of sodium (Na) in solution and a bottle of chlorine (Cl) in solution are mixed together and the water evaporated. What type of bond will be created between the atoms, and what will be the product?
- A) Covalent bonds; sodium chlorine
  - B) Ionic bonds; table salt
  - C) Hydrogen bonds; sodium hydroxide
  - D) Carbon bonds; carboxyl groups
- 43) You've been asked to stabilize a compound whose general state is altered by excess electrons. The element you would add to the compound to most effectively stabilize the compound would be \_\_\_\_\_. Why?
- A) carbon; Because it is capable of neutralizing electrons.
  - B) nitrogen; Because it have five electrons on its outer shell.
  - C) fluorine; Because it is has seven electrons in its outer shell.
  - D) oxygen; Because it can easily bind with the compound.

## Principles of Biology Edition 4 by Brooker

- 44) Five unknown compounds are added to water. Four of the compounds go into solution while one does not. What property does water possess that allows these four compounds to dissolve? Why might the fifth compound not dissolve?
- A) The positive and negative charge in water will dissolve many substances; the substance is not structurally similar to water.
  - B) The negative charge of water dissolves many substances; the substance is too structurally similar to water.
  - C) The positive charge of water dissolves many substances; the substance is too structurally similar to water.
  - D) The nonpolar quality of water dissolves many substances; the substance is not structurally similar to water.
- 45) 1 mole = 1000 millimoles (mmol); 1 millimole = 1000 micromoles ( $\mu\text{mol}$ ). If a solution contains 38231  $\mu\text{mol}$ , what is that amount in mmol?
- A) 382.31 mmol
  - B) 38.231 mmol
  - C) 3.8231 mmol
  - D) 3823.1 mmol
- 46) If 1000 millimoles make up a mole, how many grams of magnesium (Mg), which has an atomic mass of 24.305, will make a solution that contains 150  $\mu\text{mol}$  of Mg?
- A) 3.6mg.
  - B) 2.4mg.
  - C) 0.24mg.
  - D) 36mg.
- 47) Using the periodic table as a tool, identify the atomic characteristic that would most quickly and efficiently identify any single element.
- A) number of shells
  - B) number of neutrons
  - C) number of protons and electrons
  - D) number of neutrons and electrons
- 48) In the periodic table, the value that refers to the number of protons and neutrons is
- A) atomic mass.
  - B) molecular molarity.
  - C) atomic molarity.
  - D) molecular number.

## Principles of Biology Edition 4 by Brooker

- 49) You have been asked to synthesize a new isotope for cadmium. Which part of the original atom would you need to manipulate in order to create an isotope?
- A) Neutrons
  - B) Protons
  - C) Protons and neutrons
  - D) Electrons
- 50) The single element you would choose to remove from living organisms in order to remove the highest percentage of atoms would be\_\_\_\_\_.
- A) oxygen
  - B) nitrogen
  - C) hydrogen
  - D) carbon
- 51) Water has fewer hydrogen atoms than lemon juice and a pH of around 7. Predict what will happen to the pH level of water when lemon juice is added.
- A) The pH will become higher.
  - B) The pH will become lower.
  - C) The pH will remain the same.
  - D) There is not enough information to decide.
- TBEXAM.COM
- 52) Select the statement that is true when comparing solutions with a pH of 6 and a pH of 8.
- A) The solution with a pH of 8 has a 100 times higher concentration of hydrogen ions than a solution with a pH of 6.
  - B) The solutions with a pH of 8 has a 2 times lower concentration of hydrogen ions than a solution with a pH of 6.
  - C) The solution with a pH of 6 has a 100 times higher concentration of hydrogen ions than a solution with a pH of 8.
  - D) The solution with a pH of 6 has a 100 times lower concentration of hydrogen ions than a solution with a pH of 8.
  - E) The solution with a pH of 6 has a 2 times higher concentration of hydrogen ions than a solution with a pH of 8.
- 53) During photosynthesis the reactants, carbon dioxide and water, can become glucose and oxygen. Glucose and oxygen can also be reactants to form water and carbon dioxide. If the two reactions are working at a constant rate this would form a
- A) chemical equilibrium.
  - B) constant polarity.
  - C) universal balance.
  - D) homeostasis.

## Principles of Biology Edition 4 by Brooker

- 54) How do the detergents found in dish soap help clean cooking oils off of dirty dishes?
- A) Detergents change the chemical structure of oils to make them hydrophilic.
  - B) The hydrophilic portion of a detergent molecule interacts with the oil to increase solubility.
  - C) Oil dissolves in the hydrophobic center of a sphere formed by many detergent molecules.
  - D) Both water and oil dissolve in the detergent because it has both hydrophilic and hydrophobic regions.

TBEXAM.COM

# Principles of Biology Edition 4 by Brooker

## Answer Key

Test name: Chapter 02

- 1) FALSE

TBEXAM.COM

# Principles of Biology Edition 4 by Brooker

## Clarify Question

- ☐ What is the key concept addressed by the question? The question asks about the number of atoms in different masses.
- ☐ The question asks about the number of atoms in different masses.
- ☐ The question asks about the number of atoms in different masses.
- ☐ You are being asked to apply your knowledge of atomic mass.
- ☐ What do you know about atomic mass to calculate the number of atoms? What other information is related to the question? Hydrogen has an atomic mass of 1 gram/mole while carbon has an atomic mass of 12 grams/mole. Each mole has the same number of atoms. So we can compare the numbers of moles in each sample to see if they have the same numbers of atoms.
- ☐ Hydrogen has an atomic mass of 1 gram/mole while carbon has an atomic mass of 12 grams/mole. Each mole has the same number of atoms. So we can compare the numbers of moles in each sample to see if they have the same numbers of atoms.
- ☐ Hydrogen has an atomic mass of 1 gram/mole while carbon has an atomic mass of 12 grams/mole. Each mole has the same number of atoms. So we can compare the numbers of moles in each sample to see if they have the same numbers of atoms.
- ☐ Given what you now know, what information is most likely to produce the correct answer? Since we have 1 gram of each sample simply divide the 1 gram by the atomic mass to see how many moles of each are in the sample. For hydrogen this is  $1 \text{ gram} / 1 \text{ gram/mole} = 1 \text{ mole}$ . For carbon this is  $1 \text{ gram} / 12 \text{ grams/mole} = 1/12 \text{ mole}$ . So the hydrogen sample will contain 12 times as many atoms as the carbon sample.
- ☐ Since we have 1 gram of each sample simply divide the 1 gram by the atomic mass to see how many moles of each are in the sample. For hydrogen this is  $1 \text{ gram} / 1 \text{ gram/mole} = 1 \text{ mole}$ . For carbon this is  $1 \text{ gram} / 12 \text{ grams/mole} = 1/12 \text{ mole}$ . So the hydrogen sample will contain 12 times as many atoms as the carbon sample.
- ☐ Since we have 1 gram of each sample simply divide the 1 gram by the atomic mass to see how many moles of each are in the sample. For hydrogen this is  $1 \text{ gram} / 1 \text{ gram/mole} = 1 \text{ mole}$ . For carbon this is  $1 \text{ gram} / 12 \text{ grams/mole} = 1/12 \text{ mole}$ . So the hydrogen sample will contain 12 times as many atoms as the carbon sample.
- ☐ Did your problem-solving process lead you to the correct answer? If not, where did the process break down or lead you astray? How can you revise your approach to produce a more desirable result? This question asked you to apply the definition of atomic mass and moles to calculate the relative numbers of atoms in a sample. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that 1 gram of each sample meant the samples had the same number of atoms? Did you think that with an atomic mass of 12, the carbon samples would have more atoms per gram instead of fewer?

## Principles of Biology Edition 4 by Brooker

- ☐ This question asked you to apply the definition of atomic mass and moles to calculate the relative numbers of atoms in a sample. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that 1 gram of each sample meant the samples had the same number of atoms? Did you think that with an atomic mass of 12, the carbon samples would have more atoms per gram instead of fewer?
- ☐ This question asked you to apply the definition of atomic mass and moles to calculate the relative numbers of atoms in a sample. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that 1 gram of each sample meant the samples had the same number of atoms? Did you think that with an atomic mass of 12, the carbon samples would have more atoms per gram instead of fewer?

- 2) TRUE
- 3) TRUE
- 4) TRUE
- 5) TRUE
- 6) TRUE
- 7) FALSE
- 8) FALSE
- 9) TRUE

TBEXAM.COM



# Principles of Biology Edition 4 by Brooker

## Clarify Question

- ☐ What is the key concept addressed by the question? The question asks about pH.
- ☐ The question asks about pH.
- ☐ The question asks about pH.
- ☐ You are being asked to apply your knowledge of pH to calculate %media:formula15.mml% concentration.
- ☐ What do you know about pH? What other information is related to the question? pH is equal to  $-\log[\text{%media:formula16.mml%}]$ . So a sample with a pH of 8 would have a %media:formula16.mml% concentration of %media:formula18.mml% molar. Pure water is pH 7, and the concentration of both %media:formula16.mml% and %media:formula15.mml% are equal at concentration of %media:formula19.mml% molar. As the %media:formula16.mml% concentration decreases the %media:formula15.mml% concentration will increase proportionally.
- ☐ pH is equal to  $-\log[\text{%media:formula16.mml%}]$ . So a sample with a pH of 8 would have a %media:formula16.mml% concentration of %media:formula18.mml% molar. Pure water is pH 7, and the concentration of both %media:formula16.mml% and %media:formula15.mml% are equal at concentration of %media:formula19.mml% molar. As the %media:formula16.mml% concentration decreases the %media:formula15.mml% concentration will increase proportionally.
- ☐ pH is equal to  $-\log[\text{%media:formula16.mml%}]$ . So a sample with a pH of 8 would have a %media:formula16.mml% concentration of %media:formula18.mml% molar. Pure water is pH 7, and the concentration of both %media:formula16.mml% and %media:formula15.mml% are equal at concentration of %media:formula19.mml% molar. As the %media:formula16.mml% concentration decreases the %media:formula15.mml% concentration will increase proportionally.
- ☐ Given what you now know, what information is most likely to produce the correct answer? The %media:formula16.mml% concentration of %media:formula16.mml% has decreased 10-fold from %media:formula19.mml% molar in pure water to %media:formula18.mml% molar. In response the %media:formula15.mml% concentration will increase 10-fold from %media:formula19.mml% molar in pure water to %media:formula20.mml% molar.
- ☐ The %media:formula16.mml% concentration of %media:formula16.mml% has decreased 10-fold from %media:formula19.mml% molar in pure water to %media:formula18.mml% molar. In response the %media:formula15.mml% concentration will increase 10-fold from %media:formula19.mml% molar in pure water to %media:formula20.mml% molar.

## Principles of Biology Edition 4 by Brooker

- ☐ The  $10^{-6}$  M concentration of  $10^{-6}$  M has decreased 10-fold from  $10^{-9}$  Molar in pure water to  $10^{-8}$  Molar. In response the  $10^{-5}$  M concentration will increase 10-fold from  $10^{-9}$  Molar in pure water to  $10^{-8}$  Molar.
- ☐ Did your problem-solving process lead you to the correct answer? If not, where did the process break down or lead you astray? How can you revise your approach to produce a more desirable result? This question asked you to apply your understanding of pH to calculate the  $10^{-5}$  M concentration. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did think that as pH increases the  $10^{-6}$  M concentration increases? Did you think that as the  $10^{-6}$  M concentration increases the  $10^{-5}$  M concentration also increases? Did you realize that  $10^{-9}$  Molar is less than  $10^{-8}$  Molar?
- ☐ This question asked you to apply your understanding of pH to calculate the  $10^{-5}$  M concentration. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did think that as pH increases the  $10^{-6}$  M concentration increases? Did you think that as the  $10^{-6}$  M concentration increases the  $10^{-5}$  M concentration also increases? Did you realize that  $10^{-9}$  Molar is less than  $10^{-8}$  Molar?
- ☐ This question asked you to apply your understanding of pH to calculate the  $10^{-5}$  M concentration. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did think that as pH increases the  $10^{-6}$  M concentration increases? Did you think that as the  $10^{-6}$  M concentration increases the  $10^{-5}$  M concentration also increases? Did you realize that  $10^{-9}$  Molar is less than  $10^{-8}$  Molar?

- 10) FALSE
- 11) TRUE
- 12) [A, C]
- 13) [B, C, D]
- 14) A
- 15) A
- 16) D
- 17) B
- 18) C
- 19) A
- 20) D

# Principles of Biology Edition 4 by Brooker

21) C

22) D

23) E

## Clarify Question

- ☐ What is the key concept addressed by the question? The question asks about covalent bonds with carbon.
- ☐ The question asks about covalent bonds with carbon.
- ☐ The question asks about covalent bonds with carbon.
- ☐ You are being asked to apply your knowledge of covalent bonds to predict how many can form.
- ☐ What do you know about covalent bonds? What other information is related to the question? Covalent bonds form by sharing a pair of electrons between two atoms.
- ☐ Covalent bonds form by sharing a pair of electrons between two atoms.
- ☐ Covalent bonds form by sharing a pair of electrons between two atoms.
- ☐ Given what you now know, what information is most likely to produce the correct answer? Carbon has four unpaired electrons, and each of these can pair with an electron from a hydrogen atom. So carbon can form covalent bonds with four hydrogen atoms.
- ☐ Carbon has four unpaired electrons, and each of these can pair with an electron from a hydrogen atom. So carbon can form covalent bonds with four hydrogen atoms.
- ☐ Carbon has four unpaired electrons, and each of these can pair with an electron from a hydrogen atom. So carbon can form covalent bonds with four hydrogen atoms.
- ☐ Did your problem-solving process lead you to the correct answer? If not, where did the process break down or lead you astray? How can you revise your approach to produce a more desirable result? This question asked you to apply your understanding of covalent bonds. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that the carbon atoms would pair with each other and not form covalent bonds with hydrogen? Did you think that each hydrogen could form more than one bond with carbon?
- ☐ This question asked you to apply your understanding of covalent bonds. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that the carbon atoms would pair with each other and not form covalent bonds with hydrogen? Did you think that each hydrogen could form more than one bond with carbon?
- ☐ This question asked you to apply your understanding of covalent bonds. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that the carbon atoms would pair with each other and not form covalent bonds with hydrogen? Did you think that each hydrogen could form more than one bond with carbon?

24) B

## Principles of Biology Edition 4 by Brooker

- 25) E
- 26) B
- 27) C
- 28) D
- 29) C
- 30) B
- 31) B
- 32) C
- 33) D
- 34) A
- 35) D

TBEXAM.COM

# Principles of Biology Edition 4 by Brooker

## Clarify Question

- ☐ What is the key concept addressed by the question? The question asks about the effect of a solute on the freezing and boiling points of water.
- ☐ The question asks about the effect of a solute on the freezing and boiling points of water.
- ☐ The question asks about the effect of a solute on the freezing and boiling points of water.
- ☐ You are being asked to apply your knowledge to predict the effect of a solute on the freezing and boiling points of water.
- ☐ Solute—substance dissolved in a liquid
- ☐ What do you know about the effect of a solute on the freezing and boiling points of water? What other information is related to the question? Adding a solute, such as a salt, to water causes the water molecules to orient themselves around the salt molecules which makes it harder to move them into a vapor. Salt also disrupts the hydrogen bonds in water preventing them from forming ice crystals.
- ☐ Adding a solute, such as a salt, to water causes the water molecules to orient themselves around the salt molecules which makes it harder to move them into a vapor. Salt also disrupts the hydrogen bonds in water preventing them from forming ice crystals.
- ☐ Adding a solute, such as a salt, to water causes the water molecules to orient themselves around the salt molecules which makes it harder to move them into a vapor. Salt also disrupts the hydrogen bonds in water preventing them from forming ice crystals.
- ☐ Given what you now know, what information is most likely to produce the correct answer? Adding salt to water makes it more difficult for water molecules to go into a vapor state. So more heat needs to be added to cause water to boil, raising the boiling point. Adding salt to water interferes with the formation of hydrogen bonds between water molecules which makes it harder for ice crystals to form. As a result the temperature needed for freezing is lowered.
- ☐ Adding salt to water makes it more difficult for water molecules to go into a vapor state. So more heat needs to be added to cause water to boil, raising the boiling point. Adding salt to water interferes with the formation of hydrogen bonds between water molecules which makes it harder for ice crystals to form. As a result the temperature needed for freezing is lowered.
- ☐ Adding salt to water makes it more difficult for water molecules to go into a vapor state. So more heat needs to be added to cause water to boil, raising the boiling point. Adding salt to water interferes with the formation of hydrogen bonds between water molecules which makes it harder for ice crystals to form. As a result the temperature needed for freezing is lowered.

## Principles of Biology Edition 4 by Brooker

- ☐ Did your problem-solving process lead you to the correct answer? If not, where did the process break down or lead you astray? How can you revise your approach to produce a more desirable result? This question asked you to apply your understanding of the properties of water to predict the effect on the boiling and freezing points of water. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you know that salt would cause water molecules to bind to the salt? Did you realize that salt would interfere with the formation of ice crystals?
- ☐ This question asked you to apply your understanding of the properties of water to predict the effect on the boiling and freezing points of water. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you know that salt would cause water molecules to bind to the salt? Did you realize that salt would interfere with the formation of ice crystals?
- ☐ This question asked you to apply your understanding of the properties of water to predict the effect on the boiling and freezing points of water. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you know that salt would cause water molecules to bind to the salt? Did you realize that salt would interfere with the formation of ice crystals?

36) C

37) B

38) D

39) B

TBEXAM.COM

# Principles of Biology Edition 4 by Brooker

## Clarify Question

- ☐ What is the key concept addressed by the question? The question asks about buffers.
- ☐ The question asks about buffers.
- ☐ The question asks about buffers.
- ☐ You are being asked to apply your knowledge of buffers to predict how one would respond to a change in pH.
- ☐ pH buffer—pair of substances that minimizes pH fluctuations
- ☐ What do you know about buffers? What other information is related to the question? Buffers keep pH relatively constant by increasing either the  $\text{H}_2\text{PO}_4^-$  or  $\text{HPO}_4^{2-}$  concentration. pH is inversely related to the acidity, so the higher the  $\text{H}_2\text{PO}_4^-$  concentration, the lower the pH. If pH decreases then either the  $\text{H}_2\text{PO}_4^-$  concentration can be reduced or the  $\text{HPO}_4^{2-}$  concentration increased. If pH increases then either the  $\text{H}^+$  concentration can be increased or the  $\text{HPO}_4^{2-}$  concentration reduced.
- ☐ Buffers keep pH relatively constant by increasing either the  $\text{H}_2\text{PO}_4^-$  or  $\text{HPO}_4^{2-}$  concentration. pH is inversely related to the acidity, so the higher the  $\text{H}_2\text{PO}_4^-$  concentration, the lower the pH. If pH decreases then either the  $\text{H}_2\text{PO}_4^-$  concentration can be reduced or the  $\text{HPO}_4^{2-}$  concentration increased. If pH increases then either the  $\text{H}^+$  concentration can be increased or the  $\text{HPO}_4^{2-}$  concentration reduced.
- ☐ Buffers keep pH relatively constant by increasing either the  $\text{H}_2\text{PO}_4^-$  or  $\text{HPO}_4^{2-}$  concentration. pH is inversely related to the acidity, so the higher the  $\text{H}_2\text{PO}_4^-$  concentration, the lower the pH. If pH decreases then either the  $\text{H}_2\text{PO}_4^-$  concentration can be reduced or the  $\text{HPO}_4^{2-}$  concentration increased. If pH increases then either the  $\text{H}^+$  concentration can be increased or the  $\text{HPO}_4^{2-}$  concentration reduced.
- ☐ Given what you now know, what information is most likely to produce the correct answer? Of the answers the only one that is consistent is that if the pH decreases then the amount of  $\text{H}_2\text{PO}_4^-$  ions should be reduced.
- ☐ Of the answers the only one that is consistent is that if the pH decreases then the amount of  $\text{H}_2\text{PO}_4^-$  ions should be reduced.
- ☐ Of the answers the only one that is consistent is that if the pH decreases then the amount of  $\text{H}_2\text{PO}_4^-$  ions should be reduced.
- ☐ Did your problem-solving process lead you to the correct answer? If not, where did the process break down or lead you astray? How can you revise your approach to produce a more desirable result? This question asked you to apply your understanding of buffers to explain what would happen if the pH changed. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you recall that as pH goes down the  $\text{H}_2\text{PO}_4^-$  ion concentration goes up? Did you realize that the buffer would be countering the direction the pH was changing?



## Principles of Biology Edition 4 by Brooker

- ☐ This question asked you to apply your understanding of buffers to explain what would happen if the pH changed. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you recall that as pH goes down the  $10^{-10}$  M  $H^+$  ion concentration goes up? Did you realize that the buffer would be countering the direction the pH was changing?
- ☐ This question asked you to apply your understanding of buffers to explain what would happen if the pH changed. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you recall that as pH goes down the  $10^{-10}$  M  $H^+$  ion concentration goes up? Did you realize that the buffer would be countering the direction the pH was changing?

40) E

41) D

TBEXAM.COM

# Principles of Biology Edition 4 by Brooker

## Clarify Question

- ☐ What is the key concept addressed by the question? The question asks about different types of bonds.
- ☐ The question asks about different types of bonds.
- ☐ The question asks about different types of bonds.
- ☐ You are being asked to apply your knowledge of covalent and ionic bonds to a specific example.
- ☐ What do you know about covalent and ionic bonds? What other information is related to the question? In covalent bonds two atoms share a pair of electrons. In an ionic bond one atom has a positive charge and has lost an electron, the other atom has a negative charge and has gained an electron.
- ☐ In covalent bonds two atoms share a pair of electrons. In an ionic bond one atom has a positive charge and has lost an electron, the other atom has a negative charge and has gained an electron.
- ☐ In covalent bonds two atoms share a pair of electrons. In an ionic bond one atom has a positive charge and has lost an electron, the other atom has a negative charge and has gained an electron.
- ☐ Given what you now know, what information is most likely to produce the correct answer? Because electrons spend more time around Cl than Na, the Cl has a negative charge and the Na has a positive charge. These two ions then form an ionic bond. The two hydrogen atoms have the same pull on electrons and share them to form a covalent bond.
- ☐ Because electrons spend more time around Cl than Na, the Cl has a negative charge and the Na has a positive charge. These two ions then form an ionic bond. The two hydrogen atoms have the same pull on electrons and share them to form a covalent bond.
- ☐ Because electrons spend more time around Cl than Na, the Cl has a negative charge and the Na has a positive charge. These two ions then form an ionic bond. The two hydrogen atoms have the same pull on electrons and share them to form a covalent bond.
- ☐ Did your problem-solving process lead you to the correct answer? If not, where did the process break down or lead you astray? How can you revise your approach to produce a more desirable result? This question asked you to apply to your understanding of different types of bonds to a specific example. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that electrons were equally shared in an ionic bond? Did you think that if one atom had more pull on electrons than another atom this would form a covalent bond?
- ☐ This question asked you to apply to your understanding of different types of bonds to a specific example. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that electrons were equally shared in an ionic bond? Did you think that if one atom had more pull on electrons than another atom this would form a covalent bond?

## Principles of Biology Edition 4 by Brooker

- ☐ This question asked you to apply to your understanding of different types of bonds to a specific example. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that electrons were equally shared in an ionic bond? Did you think that if one atom had more pull on electrons than another atom this would form a covalent bond?

42) B

TBEXAM.COM

# Principles of Biology Edition 4 by Brooker

## Clarify Question

- ☐ What is the key concept addressed by the question? The question asks about NaCl.
- ☐ The question asks about NaCl.
- ☐ The question asks about NaCl.
- ☐ You are being asked to apply your knowledge of different bonds to predict what bonds NaCl would form.
- ☐ What do you know about NaCl? What other information is related to the question? In solution Na would be positively charged and Cl would be negatively charged. As the water is removed the Na and Cl ions will be attracted to each other forming ionic bonds.
- ☐ In solution Na would be positively charged and Cl would be negatively charged. As the water is removed the Na and Cl ions will be attracted to each other forming ionic bonds.
- ☐ In solution Na would be positively charged and Cl would be negatively charged. As the water is removed the Na and Cl ions will be attracted to each other forming ionic bonds.
- ☐ Given what you now know, what information is most likely to produce the correct answer?  $\text{Na}^+$  and  $\text{Cl}^-$  form ionic bonds with each other. The common name for these NaCl crystals is table salt.
- ☐  $\text{Na}^+$  and  $\text{Cl}^-$  form ionic bonds with each other. The common name for these NaCl crystals is table salt.
- ☐  $\text{Na}^+$  and  $\text{Cl}^-$  form ionic bonds with each other. The common name for these NaCl crystals is table salt.
- ☐ Did your problem-solving process lead you to the correct answer? If not, where did the process break down or lead you astray? How can you revise your approach to produce a more desirable result? This question asked you to apply your understanding of chemical bonds to a specific example. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that Na or Cl would form hydrogen or covalent bonds with each other? Did you realize that NaCl is table salt?
- ☐ This question asked you to apply your understanding of chemical bonds to a specific example. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that Na or Cl would form hydrogen or covalent bonds with each other? Did you realize that NaCl is table salt?
- ☐ This question asked you to apply your understanding of chemical bonds to a specific example. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that Na or Cl would form hydrogen or covalent bonds with each other? Did you realize that NaCl is table salt?

43) C

# Principles of Biology Edition 4 by Brooker

## Clarify Question

- ☐ What is the key concept addressed by the question? The question asks about stable outer shells of electrons.
- ☐ The question asks about stable outer shells of electrons.
- ☐ The question asks about stable outer shells of electrons.
- ☐ You are being asked to apply your knowledge of stable outer shells to a specific example.
- ☐ What do you know about outer shells of electrons? What other information is related to the question? An atom is most stable with a full outer shell of electrons. If you have a molecule with excess electrons then adding atoms that can accept these electrons would help to stabilize the molecule. An atom with 7 electrons in the outer shell would become more stable by gaining one electron and having a full outer shell.
- ☐ An atom is most stable with a full outer shell of electrons. If you have a molecule with excess electrons then adding atoms that can accept these electrons would help to stabilize the molecule. An atom with 7 electrons in the outer shell would become more stable by gaining one electron and having a full outer shell.
- ☐ An atom is most stable with a full outer shell of electrons. If you have a molecule with excess electrons then adding atoms that can accept these electrons would help to stabilize the molecule. An atom with 7 electrons in the outer shell would become more stable by gaining one electron and having a full outer shell.
- ☐ Given what you now know, what information is most likely to produce the correct answer? Among the choices fluorine has 7 valence electrons in its outer shell. By gaining one one electron it becomes more stable.
- ☐ Among the choices fluorine has 7 valence electrons in its outer shell. By gaining one one electron it becomes more stable.
- ☐ Among the choices fluorine has 7 valence electrons in its outer shell. By gaining one one electron it becomes more stable.
- ☐ Did your problem-solving process lead you to the correct answer? If not, where did the process break down or lead you astray? How can you revise your approach to produce a more desirable result? This question asked you to apply your knowledge of stable outer shells to a specific example. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that an atom like carbon could neutralize an electron? Did you realize that an atom that could gain an electron would stabilize the molecule?
- ☐ This question asked you to apply your knowledge of stable outer shells to a specific example. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that an atom like carbon could neutralize an electron? Did you realize that an atom that could gain an electron would stabilize the molecule?

## Principles of Biology Edition 4 by Brooker

- ☐ This question asked you to apply your knowledge of stable outer shells to a specific example. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that an atom like carbon could neutralize an electron? Did you realize that an atom that could gain an electron would stabilize the molecule?

44) A

TBEXAM.COM

# Principles of Biology Edition 4 by Brooker

## Clarify Question

- ☐ What is the key concept addressed by the question? The question asks about solubility in water.
- ☐ The question asks about solubility in water.
- ☐ The question asks about solubility in water.
- ☐ You are being asked to apply your knowledge of solubility in water to specific examples.
- ☐ What do you know about solubility in water? What other information is related to the question? Water is a polar molecule with partial positive and negative charges, this allows many charged and polar molecules to dissolve in water. Water can also form hydrogen bonds, so other molecules with structures similar to water can form hydrogen bonds with water and dissolve more easily.
- ☐ Water is a polar molecule with partial positive and negative charges, this allows many charged and polar molecules to dissolve in water. Water can also form hydrogen bonds, so other molecules with structures similar to water can form hydrogen bonds with water and dissolve more easily.
- ☐ Water is a polar molecule with partial positive and negative charges, this allows many charged and polar molecules to dissolve in water. Water can also form hydrogen bonds, so other molecules with structures similar to water can form hydrogen bonds with water and dissolve more easily.
- ☐ Given what you now know, what information is most likely to produce the correct answer? The partial charges on water allow many substances to dissolve in water. If something does not dissolve in water, it is probably nonpolar and uncharged.
- ☐ The partial charges on water allow many substances to dissolve in water. If something does not dissolve in water, it is probably nonpolar and uncharged.
- ☐ The partial charges on water allow many substances to dissolve in water. If something does not dissolve in water, it is probably nonpolar and uncharged.
- ☐ Did your problem-solving process lead you to the correct answer? If not, where did the process break down or lead you astray? How can you revise your approach to produce a more desirable result? This question asked you to apply your knowledge of solubility in water to specific examples. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that water was nonpolar? Did you think that water only has positive or negative charges? Did you think that molecules with structures different from water dissolve well in water?
- ☐ This question asked you to apply your knowledge of solubility in water to specific examples. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that water was nonpolar? Did you think that water only has positive or negative charges? Did you think that molecules with structures different from water dissolve well in water?



## Principles of Biology Edition 4 by Brooker

- ☐ This question asked you to apply your knowledge of solubility in water to specific examples. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that water was nonpolar? Did you think that water only has positive or negative charges? Did you think that molecules with structures different from water dissolve well in water?

45) B

### Clarify Question

- ☐ What is the key concept addressed by the question? The question asks about conversion from micromole to millimole.
- ☐ The question asks about conversion from micromole to millimole.
- ☐ The question asks about conversion from micromole to millimole.
- ☐ You are being asked to apply your knowledge of metric conversions.
- ☐ What do you know about metric conversions? What other information is related to the question? Micro- is 1/1000th of milli, so to convert from micromoles to millimoles simply divide by 1000.
- ☐ Micro- is 1/1000th of milli, so to convert from micromoles to millimoles simply divide by 1000.
- ☐ Micro- is 1/1000th of milli, so to convert from micromoles to millimoles simply divide by 1000.
- ☐ Given what you now know, what information is most likely to produce the correct answer?  $38231 \text{ micromoles} \div 1000 = 38.231 \text{ millimoles}$ .
- ☐  $38231 \text{ micromoles} \div 1000 = 38.231 \text{ millimoles}$ .
- ☐  $38231 \text{ micromoles} \div 1000 = 38.231 \text{ millimoles}$ .
- ☐ Did your problem-solving process lead you to the correct answer? If not, where did the process break down or lead you astray? How can you revise your approach to produce a more desirable result? This question asked you to apply metric conversions. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you recall that micro is 1/1000th of milli, so you need to divide by 1000?
- ☐ This question asked you to apply metric conversions. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you recall that micro is 1/1000th of milli, so you need to divide by 1000?
- ☐ This question asked you to apply metric conversions. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you recall that micro is 1/1000th of milli, so you need to divide by 1000?

46) A

# Principles of Biology Edition 4 by Brooker

## Clarify Question

- ☐ What is the key concept addressed by the question? The question asks about molecular weights.
- ☐ The question asks about molecular weights.
- ☐ The question asks about molecular weights.
- ☐ You are being asked to apply your knowledge of molecular weight to convert from grams to moles.
- ☐  $\mu\text{mol}$  – micromole, 1/1,000,000th of a mole
- ☐ What do you know about molecular weight? What other information is related to the question? Molecular weight has units of grams/mole. Using metric conversions this can be rewritten as mg/mmol. Metric units change by 1000-fold. So there are 1000 micrograms in 1 milligram, and 1000 milligrams in 1 gram.
- ☐ Molecular weight has units of grams/mole. Using metric conversions this can be rewritten as mg/mmol. Metric units change by 1000-fold. So there are 1000 micrograms in 1 milligram, and 1000 milligrams in 1 gram.
- ☐ Molecular weight has units of grams/mole. Using metric conversions this can be rewritten as mg/mmol. Metric units change by 1000-fold. So there are 1000 micrograms in 1 milligram, and 1000 milligrams in 1 gram.
- ☐ Given what you now know, what information is most likely to produce the correct answer?  $150 \mu\text{mol} = 0.15 \text{ mmol}$ . The atomic mass of Mg is about  $24 \text{ g/mol} = 24 \text{ mg/mmol}$ .  $0.15 \text{ mmol} \times 24 \text{ mg/mmol} = 3.6 \text{ mg}$ .
- ☐  $150 \mu\text{mol} = 0.15 \text{ mmol}$ . The atomic mass of Mg is about  $24 \text{ g/mol} = 24 \text{ mg/mmol}$ .
- ☐  $0.15 \text{ mmol} \times 24 \text{ mg/mmol} = 3.6 \text{ mg}$ .
- ☐  $150 \mu\text{mol} = 0.15 \text{ mmol}$ . The atomic mass of Mg is about  $24 \text{ g/mol} = 24 \text{ mg/mmol}$ .
- ☐  $0.15 \text{ mmol} \times 24 \text{ mg/mmol} = 3.6 \text{ mg}$ .
- ☐ Did your problem-solving process lead you to the correct answer? If not, where did the process break down or lead you astray? How can you revise your approach to produce a more desirable result? This question asked you to apply metric conversions. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that  $1 \mu\text{mol}$  was 1/10th of a millimole? Could you use the molecular weight to convert from mg to mmol?
- ☐ This question asked you to apply metric conversions. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that  $1 \mu\text{mol}$  was 1/10th of a millimole? Could you use the molecular weight to convert from mg to mmol?
- ☐ This question asked you to apply metric conversions. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that  $1 \mu\text{mol}$  was 1/10th of a millimole? Could you use the molecular weight to convert from mg to mmol?

## Principles of Biology Edition 4 by Brooker

- 47) C
- 48) A
- 49) A
- 50) C

TBEXAM.COM

# Principles of Biology Edition 4 by Brooker

## Clarify Question

- ☐ What is the key concept addressed by the question? The question asks about the most common atom in biological molecules.
- ☐ The question asks about the most common atom in biological molecules.
- ☐ The question asks about the most common atom in biological molecules.
- ☐ You are being asked to apply your knowledge of biological molecules to predict the most common atom.
- ☐ Living organisms—biological life, not including minerals
- ☐ What do you know about the most common element in biological molecules? What other information is related to the question? The backbone of biological molecules is carbon. Oxygen and nitrogen are common atoms attached to this backbone.
- ☐ The backbone of biological molecules is carbon. Oxygen and nitrogen are common atoms attached to this backbone.
- ☐ The backbone of biological molecules is carbon. Oxygen and nitrogen are common atoms attached to this backbone.
- ☐ Given what you now know, what information is most likely to produce the correct answer? The most abundant atom is hydrogen, it is attached to carbon, oxygen and nitrogen in biological molecules.
- ☐ The most abundant atom is hydrogen, it is attached to carbon, oxygen and nitrogen in biological molecules.
- ☐ The most abundant atom is hydrogen, it is attached to carbon, oxygen and nitrogen in biological molecules.
- ☐ Did your problem-solving process lead you to the correct answer? If not, where did the process break down or lead you astray? How can you revise your approach to produce a more desirable result? This question asked you to apply your understanding of biological molecules to identify the most common element. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that carbon was more common than hydrogen because it is the backbone of organic molecules? Did you think that oxygen or nitrogen were more abundant because their mass is larger?
- ☐ This question asked you to apply your understanding of biological molecules to identify the most common element. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that carbon was more common than hydrogen because it is the backbone of organic molecules? Did you think that oxygen or nitrogen were more abundant because their mass is larger?
- ☐ This question asked you to apply your understanding of biological molecules to identify the most common element. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that carbon was more common than hydrogen because it is the backbone of organic molecules? Did you think that oxygen or nitrogen were more abundant because their mass is larger?

# Principles of Biology Edition 4 by Brooker

51) B

## Clarify Question

- ☐ What is the key concept addressed by the question? The question asks about how adding an acid to water will affect pH.
- ☐ The question asks about how adding an acid to water will affect pH.
- ☐ The question asks about how adding an acid to water will affect pH.
- ☐ You are being asked to apply your knowledge of acids on pH.
- ☐ What do you know about pH? What other information is related to the question? pH is inversely related to acid concentration. If lemon juice has more hydrogen ions than water, it would have a lower pH.
- ☐ pH is inversely related to acid concentration. If lemon juice has more hydrogen ions than water, it would have a lower pH.
- ☐ pH is inversely related to acid concentration. If lemon juice has more hydrogen ions than water, it would have a lower pH.
- ☐ Given what you now know, what information is most likely to produce the correct answer? Adding lemon juice to water would add more hydrogen ions and would lower the pH.
- ☐ Adding lemon juice to water would add more hydrogen ions and would lower the pH.
- ☐ Adding lemon juice to water would add more hydrogen ions and would lower the pH.
- ☐ Did your problem-solving process lead you to the correct answer? If not, where did the process break down or lead you astray? How can you revise your approach to produce a more desirable result? This question asked you to apply your understanding of pH. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that increasing hydrogen ions in water would increase pH? Did you think that lower hydrogen ions meant a lower pH?
- ☐ This question asked you to apply your understanding of pH. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that increasing hydrogen ions in water would increase pH? Did you think that lower hydrogen ions meant a lower pH?
- ☐ This question asked you to apply your understanding of pH. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that increasing hydrogen ions in water would increase pH? Did you think that lower hydrogen ions meant a lower pH?

52) C

# Principles of Biology Edition 4 by Brooker

## Clarify Question

- ☐ What is the key concept addressed by the question? The question asks about pH.
- ☐ The question asks about pH.
- ☐ The question asks about pH.
- ☐ You are being asked to apply your knowledge of pH to a specific example.
- ☐ What do you know about pH? What other information is related to the question? pH is the  $-\log[\text{H}^+]$ . So a decrease in pH of 1 is equal to a 10-fold increase in hydrogen ion concentration.
- ☐ pH is the  $-\log[\text{H}^+]$ . So a decrease in pH of 1 is equal to a 10-fold increase in hydrogen ion concentration.
- ☐ pH is the  $-\log[\text{H}^+]$ . So a decrease in pH of 1 is equal to a 10-fold increase in hydrogen ion concentration.
- ☐ Given what you now know, what information is most likely to produce the correct answer? A solution with a pH of 6 is more acidic than a solution with a pH of 8. Because the difference is 2 pH units, this is  $10 \times 10 = 10^2 = 100$ -fold more hydrogen ions in the pH 6 solution.
- ☐ A solution with a pH of 6 is more acidic than a solution with a pH of 8. Because the difference is 2 pH units, this is  $10 \times 10 = 10^2 = 100$ -fold more hydrogen ions in the pH 6 solution.
- ☐ A solution with a pH of 6 is more acidic than a solution with a pH of 8. Because the difference is 2 pH units, this is  $10 \times 10 = 10^2 = 100$ -fold more hydrogen ions in the pH 6 solution.
- ☐ Did your problem-solving process lead you to the correct answer? If not, where did the process break down or lead you astray? How can you revise your approach to produce a more desirable result? This question asked you to apply your understanding of pH to a specific example. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that a lower pH corresponded to a lower hydrogen ion concentration? Did you think that each change in pH was not a 10-fold change in hydrogen ion concentration?
- ☐ This question asked you to apply your understanding of pH to a specific example. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that a lower pH corresponded to a lower hydrogen ion concentration? Did you think that each change in pH was not a 10-fold change in hydrogen ion concentration?
- ☐ This question asked you to apply your understanding of pH to a specific example. If you got the correct answer, great job! If you got an incorrect answer, where did the process break down? Did you think that a lower pH corresponded to a lower hydrogen ion concentration? Did you think that each change in pH was not a 10-fold change in hydrogen ion concentration?

## Principles of Biology Edition 4 by Brooker

53) A

54) C

Detergents are amphipathic. When placed in water, detergents form micelles (spheres) with the hydrophilic region on the outside and the hydrophobic region on the inside. Oils can dissolve in the hydrophobic interior of micelles.

TBEXAM.COM