
Test Bank for Essentials of General Organic and Biochemistry 3rd Edition by Guinn

CLICK HERE TO ACCESS COMPLETE Test Bank



Test Bank

Name:	Class:	Date:
Chapter 2 Atomic Structure and Rad	lioisotopes	
What is a micronutrient? a. an element required at only certa	in times during your life	
b. an essential element needed in q	• •	
c. an essential element needed in q	- ·	
d. a nonessential element, useful in		
e. nutrients needed in large quantiti	•	
ANSWER: c	C.S	
2. What is a common symptom of iodir	ne deficiency?	
a. weak bones and teeth	ic deficiency.	
b. enlarged thyroid		
c. anemia		
d. slow wound healing		
e. All of these are common sympto	me	
ANSWER: b	ms.	
ANSWER. U		
3 is an important component of fatigue and shortness of breath results.	hemoglobin. Without this protein, tis	ssues become starved of oxygen, and
a. Iodine		
b. Fluorine		
c. Zinc		
d. Iron		
e. Oxygen		
ANSWER: d		
4 is most commonly ingested al	ong with salt.	
a. Iodine		
b. Fluorine		
c. Zinc		
d. Iron		
e. Oxygen		
ANSWER: a		
5. Adding to drinking water is a decrease dental cavities.	common practice in many cities, mea	ant to strengthen tooth enamel and
a. iodine		
b. fluorine		
c. zinc		
d. iron		
e. oxygen		
ANSWER: b		


Name:______Class:_____

Chapter 2 Atomic Structure and Radioisotopes


- 6. _____ is an important component of the immune system as well as required by many enzymes.
 - a. Iodine
 - b. Fluorine
 - c. Zinc
 - d. Iron
 - e. Oxygen

ANSWER: c


7. Which diagram of an atom BEST represents the scale of the nucleus and electrons?




nucleus electrons




nucleus electrons h.



nucleus electrons C.



nucleus electrons nucleus electrons d.




e.

a.

- a. a. b.b.
- c. c.
- d. d.
- e. e.

ANSWER: a

8. According to the current model of the atom, the part of the diagram labeled A is made up of



- - a. protons.
 - b. neutrons.
 - c. electrons.
 - d. protons and neutrons.


Name:	Class:	Date:

Chapter 2 Atomic Structure and Radioisotopes

e. protons, neutrons, and electrons.

ANSWER: c

9. According to the current model of the atom, the part of the diagram labeled B is made up of



- a. protons.
- b. neutrons.
- c. electrons.
- d. protons and neutrons.
- e. protons, neutrons, and electrons.

ANSWER: d

- 10. Which statement about the model of the atom is TRUE?
 - a. The nucleus is much less dense than the surrounding electrons.
 - b. Electrons orbit the nucleus like planets around the Sun.
 - c. This is the first model of the atom.
 - d. The atom is mostly empty space.
 - e. The model of the atom was developed by looking directly at an atom.

ANSWER: d

- 11. Which statement about the model of the atom is TRUE?
 - a. Protons and neutrons are evenly distributed throughout the atom.
 - b. Electrons can be directly observed.
 - c. Electrons are now known to orbit the nucleus like a planet orbits the Sun.
 - d. The path of a single electron can now be followed exactly.
 - e. We can determine the probability of finding an electron in a region of space.

ANSWER: e

- 12. The nucleus is composed of _____.
 - a. protons
 - b. neutrons
 - c. electrons
 - d. protons and neutrons

Name:	Class:	Date:
Chapter 2 Atomic Structure and Radioi	sotopes	
e. protons, neutrons, and electrons		
ANSWER: d		
13 have a negative charge.		
a. Protons		
b. Neutrons		
c. Electrons		
d. Protons and neutrons		
e. Protons, neutrons, and electrons		
ANSWER: c		
14 have a positive charge.		
a. Protons		
b. Neutrons		
c. Electrons		
d. Protons and neutrons		
e. Protons, neutrons, and electrons		
ANSWER: a		
45		
15 are neutral.		
a. Protons		
b. Neutrons		
c. Electrons		
d. Protons and neutrons		
e. Protons, neutrons, and electrons		
ANSWER: b		
16 are the subatomic particles that	have the smallest mass.	
a. Protons		
b. Neutrons		
c. Electrons		
d. Protons and neutrons		
e. Protons, neutrons, and electrons		
ANSWER: c		
17 have a mass of approximately 1	amu.	
a. Protons		
b. Neutrons		
c. Electrons		
d. Protons and neutrons		

Date:___

Name:	Class:
Chapter 2 Atomic Structure and Ra	<u>dioisotopes</u>
ANSWER: d	
 18. The identity of an element is determant. a. protons b. neutrons c. electrons d. protons and neutrons e. protons, neutrons, and electrons ANSWER: a	
19. Which pair correctly matches an el a. 9.012 – Be b. 12.01 – C c. 39.94 – Ar d. 9 – F e. 133 – Cs ANSWER: d	ement to its atomic number?
20. Which pair does NOT correctly material a. C – carbon b. O – oxygen c. H – helium d. N – nitrogen e. Cl – chlorine ANSWER: c	atch an element symbol to its full name?
21. Isotopes are elements with the sam a. electrons but different numbers b. protons but different numbers of c. electrons but different numbers d. protons but different numbers of e. neutrons but different numbers of	of protons. f electrons. of neutrons. f neutrons.
22. Which of the following is NOT trua. They all have six electrons.b. They all have the same mass nu	

d. They are isotopes.

c. They all have the same atomic number.

Name:	Class:	Date:
-------	--------	-------

Chapter 2 Atomic Structure and Radioisotopes

ANSWER: b

- 23. Radioactive isotopes are
 - a. very stable isotopes.
 - b. highly chemically reactive.
 - c. unstable isotopes.
 - d. charged species.
 - e. unusually nonreactive.

ANSWER: c

24. Select the choice in which atomic number, mass number, number of neutrons, and number of protons listed is correct for phosphorous-32.

	Atomic number	Mass number	Number of neutrons	Number of protons
a.	15	32	32	15
b.	15	32	17	15
c.	17	15	15	17
d.	17	32	32	17
e.	16	32	16	16

- a. choice a
- b. choice b
- c. choice c
- d. choice d
- e. choice e

ANSWER: b

- 25. Which of the following elements exists as an isotope with a mass number of 35 and an atomic number of 17?
 - a. chlorine
 - b. bromine
 - c. argon
 - d. tellurium
 - e. sulfur-35

ANSWER: a

- 26. Which of the following is NOT the same for different isotopes of the same element?
 - a. atomic number
 - b. number of protons
 - c. number of electrons

Name:	Class:	Date:
-------	--------	-------

Chapter 2 Atomic Structure and Radioisotopes

- d. charge
- e. mass number

ANSWER: e

27. Which isotope of zirconium is the lightest?

	Isotope	Natural abundance
A	90 Zr	52%
В	⁹¹ Zr	11%
С	⁹² Zr	17%
D	⁹⁴ Zr	17%
Е	⁹⁶ Zr	3%

- a. choice A
- b. choice B
- c. choice C
- d. choice D
- e. choice E

ANSWER: a

28. Which isotope of zirconium is the LEAST abundant?

	Isotope	Natural abundance
A	⁹⁰ Zr	52%
В	⁹¹ Zr	11%
С	⁹² Zr	17%
D	⁹⁴ Zr	17%
Е	⁹⁶ Zr	3%

- a. choice A
- b. choice B
- c. choice C
- d. choice D
- e. choice E

ANSWER: e

29. Which isotope of Zirconium has the fewest number of neutrons?

	Isotope	Natural abundance
A	90 Zr	52%
В	⁹¹ Zr	11%

Chapter 2 Atomic Structure and Radioisotopes

C	⁹² Zr	17%
D	⁹⁴ Zr	17%
Е	⁹⁶ Zr	3%

- a. choice A
- b. choice B
- c. choice C
- d. choice D
- e. choice E

ANSWER: a

30. The average atomic mass of zirconium is

	Isotope	Natural abundance
A	90 Zr	52%
В	⁹¹ Zr	11%
С	⁹² Zr	17%
D	⁹⁴ Zr	17%
Е	⁹⁶ Zr	3%

- a. less than 90 because the atomic mass only depends on the number of protons in the atom.
- b. 90 because ⁹⁰Zn has the highest natural abundance.
- c. greater than 90 but less than 96 because the atomic mass takes into account the abundance of all naturally occurring isotopes.
- d. 96 because the atomic mass is the mass of the highest naturally occurring isotope.
- e. greater than 96 because the atomic mass is the sum of masses of the naturally occurring isotopes.

ANSWER: c

- 31. Which of the following statements about isotopes is FALSE?
 - a. Isotopes are atoms with the same number of protons but different numbers of neutrons.
 - b. Most elements naturally have more than one isotope.
 - c. Isotopes are atoms with the same atomic number but different mass numbers.
 - d. An isotope with more neutrons will have a greater mass than an isotope with fewer neutrons.
 - e. Isotopes are present in equal quantities.

ANSWER: e

32. An atom of carbon containing seven neutrons can be written as

13C 12C carbon-13 carbon-12 C-12 C-14
 I II III IV V VI

a. All of the choices are correct for writing carbon.

Name:	Class:	Date:
Chapter 2 Atomic Structure and Ra	dioisotopes	
b. II, IV, or V.		
c. I, III.		
d. I, II.		
e. III, IV.		
ANSWER: c		
33. What is the mass number of an ato	m of oxygen with seven neutrons?	
a. 1		
b. 7		
c. 8		
d. 15		
e. 15.9994		
ANSWER: d		
34. According to the periodic table, what a. transition metals	nat types of elements are in group 7A?	
b. noble gases		
c. alkaline earth metals		
d. alkali metals		
e. halogens		
ANSWER: e		
35. According to the periodic table, what a. transition metals	nat types of elements are in group 8A?	
b. noble gases		
c. alkaline earth metals		
d. alkali metals		
e. halogens		
ANSWER: b		
36. According to the periodic table, what a. transition metals	nat types of elements are in group 1A?	
b. noble gases		
c. alkaline earth metals		
d. alkali metals		
e. halogens		
ANSWER: d		
37. According to the periodic table, wh	nat types of elements are in group 2A?	
a. transition metals		
b. noble gases		

Name:	Class:	Date:
Chapter 2 Atomic Structure and	Radioisotopes	
c. alkaline earth metals		
d. alkali metals		
e. halogens		
ANSWER: c		
38. The elements numbered 21 thro	ough 30 are examples of	
a. transition metals		
b. noble gases		
c. alkali earth metals		
d. alkali metals		
e. halogens		
ANSWER: a		
39. The periods are the of the	e periodic table.	
a. transition metals		
b. halogens		
c. rows		
d. columns		
e. numbers		
ANSWER: c		
40. The groups are the of the	periodic table.	
a. transition metals		
b. halogens		
c. rows		
d. columns		
e. numbers		
ANSWER: d		
	, the atomic number of potassium (K) is	·
a. 4		
b. 19		
c. 39.10 d. K		
e. 2 ANSWER: b		
ANSWER. U		
	the atomic mass of potassium (K) is	·
a. 4		
b. 19 c. 39.10		
C 19 IU		

Name:			Class:	Date:
Chapter 2 Ato	mic Structu	re and Radioisoto	<u>oes</u>	
d. K				
e. 2				
ANSWER: c				
43. According t	to the periodi	ic table, which elem	nent is in period 4, group 6	5A?
a. Cr				
b. La				
c. Ga				
d. Se				
e. Al				
ANSWER: d				
44. According to a. nitrogen	_	ic table, which elem	nent is found in period 2, §	group 5A?
b. vanadiur				
c. strontiun	n			
d. boron				
e. cadmiun	1			
ANSWER: a				
45. According t	to the periodi	ic table, which of th	e following sets of terms	accurately describes chlorine?
Metal I	Halogen A	Alkaline earth eleme	ent Atomic number 35	
a. I only				
b. II only				
c. I and II				
d. II and IV	7			
e. III and I'	V			
ANSWER: b				
46. According t	to the periodi	ic table, which of th	e following sets of terms	accurately describes potassium?
Nonmetal	Halogen II	Alkali metal	Group 2A IV	
I a. I only	11	III	1 V	
b. III only				
c. I and II				
d. II and IV	I			
e. III and I'				
ANSWER: b				

Name:	Class:	Date:
Chapter 2 Atomic Structure and Radi	<u>ioisotopes</u>	
47. An element is a solid at room temper electricity and temperature, and it is also a. oxygen b. lithium c. helium d. antimony e. iron	rature and a shiny, metallic gray. Ho	<u> </u>
ANSWER: d		
48. Which of the following terms is NO a. malleable b. a good conductor of heat c. a good conductor of electricity d. shiny e. a gas at room temperature	T a characteristic of a metal?	
ANSWER: e		
49. The number of protons is equal to that a. number of neutrons b. number of electrons c. mass number d. average atomic mass e. group number	e in a neutral atom.	
ANSWER: b		
50. What is the atomic number of eleme $^{56}_{25}X$ a. 25 b. 56 c. 81 d. 31 e. None of the above values is the at		
ANSWER: a		
51. What is the mass number of element $_{25}^{56}X$	X?	
a. 25 b. 56 c. 81		

Name:	Class:	Date:
Chapter 2 Atomic Structure and Ra	<u>idioisotopes</u>	
d. 31		
e. None of the above values is the	mass number.	
ANSWER: b		
52. How many electrons are in a neutr	ral atom of element X?	
⁵⁶ ₂₅ X		
a. 25		
b. 56		
c. 81		
d. 31		
e. None of the above values is the	number of electrons.	
ANSWER: a		
53. What is the identity of element X?		
⁵⁶ ₂₅ X		
a. xenon		
b. manganese		
c. gold		
d. copper		
e. iron		
ANSWER: b		
54 make up the majority of co	mpounds found in living organisms.	
a. Building-block elements		
b. Macronutrients		
c. Micronutrients		
d. Metals		
e. Metalloids		
ANSWER: a		
55. Most of the micronutrients are		
a. transition metals.		
b. metalloids.		
c. nonmetals.		
d. alkali earth metals.		
e. noble gases.		
ANSWER: a		

Chapter 2 Atomic Structure and Radioisotopes


- 56. Micro- and macronutrients are
 - a. equally distributed throughout the body.
 - b. all metals and metalloids.
 - c. obtained through the diet.
 - d. only found in the first three periods of the periodic table.
 - e. all required in quantities of more than 100 mg per day.

ANSWER: c

- 57. Which of the following is NOT a building block element?
 - a. C
 - b. H
 - c. O
 - d. N
 - e. These are all building block elements.

ANSWER: e

58. Which atom has the largest diameter?



- a. H
- b. He
- c. H and He
- d. Li
- e. All of the above have the same diameter.


ANSWER: d

- 59. _____ determine the physical and chemical characteristics of an atom.
 - a. Protons
 - b. Neutrons
 - c. Electrons
 - d. Protons and neutrons
 - e. Protons, neutrons, and electrons

ANSWER: c

Chapter 2 Atomic Structure and Radioisotopes


60. Which electron energy level is closest to the nucleus of the atom?



- a. n = 1
- b. n = 2
- c. n = 3
- d. n = 4
- e. All electrons are equally close to the nucleus.

ANSWER: a

61. Which electron energy level is lowest in energy?



- a. n = 1
- b. n = 2
- c. n = 3
- d. n = 4
- e. All electrons are equal in energy.

ANSWER: a

- 62. According to the periodic table, how many energy levels do the elements in the third row have?
 - a. 1
 - b. 2
 - c. 3
 - d. 4

Chapter 2 Atomic Structure and Radioisotopes

e. It depends on the specific element.

ANSWER: c


- 63. According to the periodic table, how many valence electrons do the elements in the third row have?
 - a. 3
 - b. 4
 - c. 5
 - d. 8
 - e. It depends on the specific element.

ANSWER: e

- 64. According to the periodic table, how many valence electrons do the elements in group 7A have?
 - a. 5
 - b. 6
 - c. 7
 - d. 8
 - e. It depends on the specific element.

ANSWER: c

65. Which element is depicted in this drawing of a neutral atom?




- a. beryllium
- b. magnesium
- c. oxygen
- d. neon
- e. calcium

ANSWER: b

66. Which energy level is the valence energy level?


Chapter 2 Atomic Structure and Radioisotopes



- a. energy level A
- b. energy level B
- c. energy level C
- d. energy levels A and B
- e. energy levels B and C

ANSWER: c

67. How many electrons are in the valence energy level?



- a. 12
- b. 10
- c. 8

Name:	Class:	Date:
-------	--------	-------

Chapter 2 Atomic Structure and Radioisotopes

d. 4

e. 2

ANSWER: e

68. The element chlorine has three electron energy levels. How many electrons are in each level?

	n = 1	n=2	n=3
a.	2	8	8
b.	2	8	18
c.	7	8	2
d.	2	8	7
e.	8	8	1

- a. choice a
- b. choice b
- c. choice c
- d. choice d
- e. choice e

ANSWER: d

- 69. Electron energy levels closest to the nucleus are occupied before electron energy levels farther from the nucleus because the electron energy levels closest to the nucleus are
 - a. pulled toward the nucleus by gravity.
 - b. protected by the outer shell.
 - c. attracted to the nucleus for reasons unknown.
 - d. more stable than electrons farther from the nucleus.
 - e. Actually, electrons farther from the nucleus are filled first.

ANSWER: d

- 70. The size of atoms generally increases as the number of
 - a. electron energy levels increases.
 - b. electrons in the valence energy level increases.
 - c. neutrons in atoms increases.
 - d. protons increases.
 - e. All atoms are the same size.

ANSWER: a

- 71. Which element would you expect to be the largest?
 - a. fluorine
 - b. chlorine
 - c. argon
 - d. calcium

Name:	Class:	Date:
Chapter 2 Atomic Structure and Radi	oisotopes	
e. hydrogen ANSWER: d		
72. Radioactive decay is the process by a a radioisotopes become more stable b. radioisotopes emit radiation. c. radioisotopes emit high-energy pad an element of one type can change e. All of the above are correct about ANSWER: e	e. articles and/or electromagnetic radiation e to an element of another type.	on.
73. The process in which a nucleus spon a. fusion.b. fission.c. a chain reaction.d. reaction.e. radioactive decay.	taneously breaks down by emitting ra	adiation is known as
ANSWER: e		
 74. The symbol ⁴/₂α is used to represent a a. proton. b. alpha particle. c. gamma ray. d. beta particle. e. neutron. 	(n)	
ANSWER: b		
75. How is an alpha particle different from a. It's not different at all. b. It has a different number of proton c. It has a different number of neutron d. It has a different number of electron e. It has both a different number of electron e. It has both a different number of electron e. It has both a different number of electron ele	ns. ons.	otons.
76. The radioisotope undergoing decay i a. reactant.	s often called the	

b. product.

c. parent nuclide.

d. decayer.

Chapter 2 Atomic Structure and Radioisotopes

e. daughter nuclide.

ANSWER: c

77. A nuclear equation is balanced when the _____ is equal on both sides of the equation.

- a. identity of the atoms
- b. charges on the atoms
- c. identity of the radioactive particles
- d. sum of the atomic numbers
- e. sum of the atomic and mass numbers

ANSWER: e

78. What type of radiation is emitted when U-235 undergoes radioactive decay?

$$^{235}_{92}\text{U} \rightarrow ^{231}_{90}\text{Th} + ?$$

- a. alpha particle
- b. beta particle
- c. positron
- d. gamma ray
- e. x-ray

ANSWER: a

79. Which of the following indicates that an alpha particle has been released during radioactive decay of an atom?

- a. The identity of the atom does not change.
- b. The mass number of the atom decreases by 4.
- c. The atomic number of the atom increases by 1
- d. The atomic number of the atom decreases by 1.
- e. The atomic number of the atom decreases by 4.

ANSWER: b

80. In which of the following reactions is the missing particle an alpha particle?

a.
$${}^{137\text{m}}_{56}\text{Ba} \rightarrow {}^{137}_{56}\text{Ba} + ?$$

b.
$${}^{13}_{7}\text{N} \rightarrow {}^{13}_{6}\text{C} + ?$$

c.
$${}^{141}_{58}\text{Ce} \rightarrow {}^{141}_{59}\text{Pr} + ?$$

d.
$$^{232}_{90}$$
Th $\rightarrow ^{228}_{88}$ Ra +?

e. All of these are examples of alpha decay.

ANSWER: d

81. The product from the alpha decay of radon-222 is

a. polonium-218.

Chapter 2 Atomic Structure and Radioisotopes

- b. radium-226.
- c. polonium-226.
- d. radium-218.
- e. lead-220.

ANSWER: a

- 82. How is a beta particle different from an electron?
 - a. They are the same.
 - b. A beta particle has higher energy than a regular electron
 - c. A regular electron has higher energy than a beta particle.
 - d. A beta particle is positively charged.
 - e. A beta particle is positively charged and higher in energy than a regular electron.

ANSWER: b

83. Which nuclear reaction releases a beta particle?

a.
$${}^{137\text{m}}_{56}\text{Ba} \rightarrow {}^{137}_{56}\text{Ba} + ?$$

b.
$${}^{13}_{7}N \rightarrow {}^{13}_{6}C + ?$$

c.
$${}^{141}_{58}\text{Ce} \rightarrow {}^{141}_{59}\text{Pr} + ?$$

d.
$$^{235}_{92}U \rightarrow ^{231}_{90}Th + ?$$

e. All of these are examples of beta decay.

ANSWER: c

- 84. In a balanced nuclear reaction, which statement is consistent with the release of a beta particle?
 - a. The identity of the atom does not change.
 - b. All radioactive decay releases a beta particle.
 - c. The mass number decreases by 4.
 - d. The atomic number increases by 1.
 - e. The atomic number decreases by 1.

ANSWER: d

85. What is the identity of the missing daughter nuclide in the following nuclear reaction?

$$^{12}_{5}B \rightarrow ? + ^{0}_{1}\beta$$

- a. beryllium-11
- b. beryllium-12
- c. beryllium-13
- d. carbon-12
- e. carbon-13

ANSWER: d

Name:	Class:	Date:
Chapter 2 Atomic Structure and Radio	<u>isotopes</u>	
86. The time that it takes a macroscopic saknown as the	ample of a radioisotope to decay t	to one-half its original activity is
e. decay rate.		
ANSWER: c		
87. Radioisotopes used in medicine typical describes the reason for this? a. It minimizes the harmful side effect b. They are the isotopes that are the eac. These radioisotopes occur naturally d. Only small amounts of them are rece. These radioisotopes emit the correct ANSWER: a	ts of the radiation. asiest to make. 7. quired.	of the following statements BEST
88. Which of the following radioisotope wa. barium-131 (half-life = 11.6 days) b. iodine-131 (half-life = 8 days) c. technecium-99m (half-life = 6 hour d. plutonium-239 (half-life = 2.4 × 10 e. fluorine-18 (109 minutes) ANSWER: d	rs)	d in a medical application?
89. Technetium-99m is used in a variety of technetium-99m is prepared at 6:00 AM, I testing at 6:00 PM? a. 100.0 mg b. 50.0 mg c. 25.0 mg d. 10.0 mg e. 5.00 mg ANSWER: c		

a. 1 half-life b. 2 half-lives c. 3 half-lives d. 4 half-lives

Chapter 2 Atomic Structure and Radioisotopes


e. 5 half-lives

ANSWER: c

- 91. Carbon-11 has a half-life of 20 minutes. Which of the following equations is used to calculate the amount of carbon-11 remaining after 1 hour if the starting material is a 100-mg sample?
 - a. $100 \text{ mg} \times \frac{1}{2}$
 - b. 100 mg/3
 - c. 100 mg/20
 - d. 100 mg/20/20/20
 - e. $100 \text{ mg} \times \frac{1}{2} \times \frac{1}{2} \times \frac{1}{2}$

ANSWER: e

92. According to the graph, what is the half-life in years of ²²⁶Ra?




- a. 8,000 years
- b. 6,400 years
- c. 4,800 years
- d. 3,200 years
- e. 1,600 years

ANSWER: e

93. According the graph, what percent of radium-226 remains after three half-lives?


Chapter 2 Atomic Structure and Radioisotopes



- a. 100%
- b. 50%
- c. 25%
- d. 12.5%
- e. 6.25%

ANSWER: d

94. According to the graph, radioactive decay is a(n) _____ in radioactivity as a function of time.



a. linear decrease

Name:	Class:	Date:
Chapter 2 Atomic Structure and Radio	<u>isotopes</u>	
b. linear increase		
c. exponential decrease		
d. exponential increase		
e. random decrease		
ANSWER: c		
95. Phosphorous-32 is a beta emitter with	a half-life of 14.3 days. After 42	days, a 100-mg sample will have
decayed to 25 mg. Which statement BEST	Γ describes where the rest of the 3	² P went?
a. It disappeared.		
b. It reacted with air.		
c. It turned into sulfur and a beta parti	cle.	
d. It turned into silicon and a beta par	ticle.	
e. It decomposed into beta particles.		
ANSWER: c		
96. An atom in a metastable state is		
a. unusually low in energy.		
b. unusually stable.		
c. very unreactive.		
d. high in energy.		
e. emittable.		
ANSWER: d		
97. Which of the following is NOT a type	of radiation that comes from the	decay of radioisotopes?
a. microwaves		
b. gamma rays		
c. alpha particle		
d. beta particle		
ANSWER: a		
98. What fraction of the electromagnetic s	spectrum is visible to humans?	
a. about two-thirds		
b. half		
c. about one-quarter		
d. a very small fraction		
e. none		
ANSWER: d		
99. Which of the following colors has the	lowest energy?	
a. red		
b. orange		

Chapter 2 Atomic Structure and Radioisotopes

- c. yellow
- d. green
- e. blue

ANSWER: a

100. What is the relationship between the energy and the wavelength of light?

- a. They are proportional.
- b. They are inversely proportional.
- c. As one increases, so does the other, but not in a linear way.
- d. As one increases, the other decreases, but not in a predictable way.
- e. They are unrelated in any way.

ANSWER: b

101. Which of the following changes when gamma radiation is released?

- a. atomic number
- b. number of protons
- c. number of electrons
- d. number of neutrons
- e. energy of the isotope

ANSWER: e

102. In which of the following nuclear reactions is only gamma radiation released?

a.
$${}^{137\text{m}}_{56}\text{Ba} \rightarrow {}^{137}_{56}\text{Ba} + ?$$

b.
$${}^{13}_{7}N \rightarrow {}^{13}_{6}C + ?$$

c.
$${}^{141}_{58}\text{Ce} \rightarrow {}^{141}_{59}\text{Pr} + ?$$

d.
$$^{235}_{92}U \rightarrow ^{231}_{90}Th + ?$$

e. All of these reactions probably release gamma radiation.

ANSWER: a

103. In a balanced nuclear reaction, which of the following is consistent with the release of a gamma particle?

- a. The identity of the atom does not change.
- b. All radioactive decay releases gamma radiation.
- c. The mass number decreases by 4.
- d. The atomic number increases by 1.
- e. The atomic number decreases by 1.

ANSWER: a

104. What is the most penetrating electromagnetic radiation?

a. radio waves

Name: Class: Date:	
--------------------	--

Chapter 2 Atomic Structure and Radioisotopes

- b. microwaves
- c. gamma rays
- d. visible light
- e. ultraviolet rays

ANSWER: c

- 105. Which is the BEST definition of the term "ionizing radiation"?
 - a. This is radiation that has enough energy to dislodge a valence electron from an atom.
 - b. This is the radiation that is released during a nuclear reaction.
 - c. This is any electromagnetic radiation.
 - d. This is any nuclear or electromagnetic radiation.
 - e. This is any long-wavelength electromagnetic radiation.

ANSWER: a

- 106. How is an atom in the body changed once it is hit with ionizing radiation?
 - a. It becomes positively charged.
 - b. It becomes negatively charged.
 - c. It becomes a new isotope.
 - d. It becomes a new element.
 - e. It falls apart.

ANSWER: a

- 107. How is ionizing radiation damaging to the body?
 - a. It can cause DNA damage.
 - b. It can cause gene mutations.
 - c. It can cause cell death.
 - d. It can cause radiation sickness.
 - e. All of the above are correct about ionizing radiation damage to the body.

ANSWER: e

- 108. Which of the following types of radiation can be stopped by light clothing?
 - a. beta particles
 - b. alpha particles
 - c. gamma rays
 - d. x-rays
 - e. All of the above radiation can be stopped by light clothing.

ANSWER: b

- 109. Which statement BEST describes why alpha particles are not frequently used in medical applications?
 - a. Their half-lives are too long.
 - b. They can do too much damage at close range.

Name: Class: Date:

Chapter 2 Atomic Structure and Radioisotopes

- c. They are difficult to transport.
- d. They require too much shielding.
- e. Their penetrating power is too great.

ANSWER: b

- 110. What sort of protection should be used when working with gamma emitters?
 - a. a lead shield
 - b. heavy clothing
 - c. a sheet of aluminum
 - d. a very thick slab of concrete
 - e. None is needed at all because they are not very penetrating.

ANSWER: a

- 111. Which of the following does NOT need to be considered when determining what sort of protection against ionizing radiation must be used?
 - a. type of ionizing radiation
 - b. energy of the radiation
 - c. duration of contact with the ionizing radiation
 - d. penetrating power of the ionizing radiation
 - e. All of the above should be considered.

ANSWER: e

- 112. Why is it necessary to shield yourself from gamma radiation and beta and alpha particles but not from radio waves or microwaves?
 - a. Radio waves and microwaves do not have much penetrating power.
 - b. Radio waves and microwaves are lower in energy, so they are not ionizing.
 - c. Radio waves and microwaves are higher in energy, so they pass through the body without adverse effect.
 - d. Radio waves and microwaves are not electromagnetic radiation.
 - e. Gamma radiation and beta and alpha particles are not ionizing.

ANSWER: b

- 113. Which of the following describes a benefit of using Sieverts instead of grays to measure the quantity of radiation that a patient has received?
 - a. Sieverts measure the biological effect of radiation, not just quantity.
 - b. Grays measure the biological effect of radiation, not just quantity.
 - c. Sieverts measure the amount of energy absorbed, not just quantity.
 - d. Grays measure the amount of energy absorbed, not just quantity.
 - e. There is no benefit.

ANSWER: a

Copyright Macmillan Learning. Powered by Cognero.

Name:	Class:	Date:
-------	--------	-------

Chapter 2 Atomic Structure and Radioisotopes

- 114. Effective dose measurements take into account the _____ of a type of radiation.
 - a. energy
 - b. penetrating ability
 - c. biological effect
 - d. quantity
 - e. All of the above are taken into account for the effective dose measurement.

ANSWER: e

115. Which statement BEST interprets the statement below?

The LD50 for radiation is an acute dose of 3-4 Sv.

- a. Exposure to 50 mg of a radiation source will result in radiation poisoning.
- b. Exposure to 50 mg of a radiation source will result in death.
- c. Fifty percent of people exposed to this dose will get sick within one month of the exposure.
- d. Fifty percent of people exposed to this dose will die within one month of the exposure.
- e. 4 to 6 Sv is the maximum dose that 50% of people can undergo without long-term injury.

ANSWER: d

116. What sort of information do the units used in this table take into account?

Effective Dose (Sv)	Symptoms
0.05-0.2	None
0.2-0.5	Temporary decrease in white blood cell count.
0.5-1.0	Headache and increased risk of infection. Possible temporary male sterility.
1.0-2.0	LD ₁₀ : nausea, hair loss, fatigue. Loss of white blood cells; temporary male sterility.
2-3	LD ₃₅ ; loss of hair all over the body, fatigue and general illness. High risk of infection.
3-4	LD _{SO} ; uncontrollable bleeding in the mouth. Permanent sterility in women.
4-6	LD ₆₀ ; death resulting from internal bleeding and infection. Permanent female sterility.
6-10	LD ₁₀₀ ; death after 14 days.

- a. energy of the radiation
- b. penetrating ability of the radiation
- c. quality factor of the radiation
- d. quantity of the radiation
- e. All of the above are taken into account.

ANSWER: e

117. What is the minimum dosage in which people are observed to die from radiation sickness?

Chapter 2 Atomic Structure and Radioisotopes

Effective Dose (Sv)	Symptoms
0.05-0.2	None
0.2-0.5	Temporary decrease in white blood cell count.
0.5-1.0	Headache and increased risk of infection. Possible temporary male sterility.
1.0-2.0	LD ₁₀ : nausea, hair loss, fatigue. Loss of white blood cells; temporary male sterility.
2-3	LD ₃₅ ; loss of hair all over the body, fatigue and general illness. High risk of infection.
3-4	LD ₅₀ uncontrollable bleeding in the mouth. Permanent sterility in women.
4-6	LD ₆₀ death resulting from internal bleeding and infection. Permanent female sterility.
6-10	LD ₁₀₀ ; death after 14 days.
a. 0.2–0.5 Sv	
b. 0.5–1.0 Sv	
c. 1.0–2.0 Sv	
d. 2–3 Sv	
e. 3–4 Sv	

ANSWER: c

118. Which of the following choices describes an acute dose of radiation?

- a. the dose that an x-ray technician receives over the course of her career
- b. the dose that a scientist receives while working with radioactive materials for a multiyear research project
- c. the annual dose that a pilot is exposed to
- d. the dose that is received by handling a highly radioactive source
- e. the annual dose that we all receive as a result of background radiation

ANSWER: d

- 119. How does computed tomography (CT) differ from standard x-ray imaging?
 - a. CT scans involve software as well as x-ray imaging.
 - b. CT scans use an array of detectors.
 - c. CT scans are 3D; X-rays are 2D.
 - d. All of the above list how CT scans differ from x-ray imaging.

ANSWER: d

- 120. The figure below is an example of which imaging technique(s)?
- I. x-ray
- II. computed tomography

Chapter 2 Atomic Structure and Radioisotopes



- © David Frazier/Corbis
- a. I only
- b. II only
- c. I and II
- d. neither I nor II
- e. This figure could be any of these imaging techniques.

ANSWER: a

- 121. Which of the imaging technique(s) listed below is harmless to the patient?
 - I. x-ray
 - II. computed tomography
 - a. I only
 - b. II only
 - c. I and II
 - d. neither I nor II

ANSWER: d

- 122. Which of the method(s) of imaging listed below produces three-dimensional images?
 - I. x-ray
 - II. computed tomography
 - a. I only
 - b. II only
 - c. I and II
 - d. neither I nor II

ANSWER: b

- 123. Which of the method(s) of imaging listed below uses x-rays?
 - I. x-ray
 - II. computed tomography
 - a. I only
 - b. II only

Name:	Class:	Date:
Chapter 2 Atomic Structure and Radioisotopes		

c. I and II

d. neither I nor II

ANSWER: c