
Test Bank for How Children Develop 6th Edition by Siegler

# CLICK HERE TO ACCESS COMPLETE Test Bank



# Test Bank

CLICK HERE	TO ACCESS THE COMPLETE	iest ballk
Name:	Class:	Date:
Chapter 02: Multiple Choice		
1. The Beng people of West Africa belie a. at conception, as an angel is belie	_	
b. during the third trimester, as this c. at birth, as the newborn is introdu	is the time at which independent the	oughts are believed to begin.
d. when the umbilical stump drops of village and become a person.	off, as this is when the newborn is b	believed to emerge from the spirit
ANSWER: d		
2. Which activity is consistent with the a. elaborately painting newborns' fa		Africa about when life begins?
b. protecting the umbilical stump from	om drying out and falling off	
c. allowing newborns to cry for seve	eral minutes before tending to them	
d. All of these activities are consiste	ent with those beliefs.	
ANSWER: a		
3. Epigenetics can be considered the not		
a. prenatal development begins with	•	•
b. new structures and functions eme		
c. prenatal development begins in the	· · · · · · · · · · · · · · · · · · ·	ividual.
d. Eve was created out of Adam's ri	b.	
ANSWER: b		
4. Which concept is consistent with Aris	stotle's beliefs about prenatal develo	opment?
<ul> <li>a. The effects of thalidomide on pre the mother took the drug.</li> </ul>	natal development vary depending	on when during the pregnancy
b. Infants born prematurely already	have all the correct structures but in	n miniature.
c. Female eggs contain minuscule p	reformed human beings.	
d. None of these concepts is consist	ent with Aristotle's beliefs.	
ANSWER: a		
5. If sexual intercourse takes place near	the time the egg is released,	is possible.
a. conception		
b. implantation		
c. fertilization		
d. meiosis		
ANSWER: a		

a. 200 millionb. 500 million

c. 200

6. How many sperm are ejaculated during sexual intercourse?

Name:	Class:	Date:
Chapter 02: Multiple Choice		
d. 500 ANSWER: b		
7. Reproductive cells that contain only	half the genetic material of all the o	ther cells in the body are referred to
a. gametes.		
b. embryos.		
c. zygotes.		
d. genetic cells.		
ANSWER: a		
8. How many chromosome pairs do ga	metes contain?	
a. 13		
b. 23		
c. 49		
d. 92		
ANSWER: b		
9. Gametes form through the process o	f	
a. mitosis.		
b. conception.		
c. meiosis.		
d. germinalization.		
ANSWER: c		
10. Conception can be defined as		
a. the union of egg and sperm.		
b. sexual intercourse.		
c. meiosis.		
d. the embedding of the fertilized e	egg into the uterine wall.	
ANSWER: a		
11. Once sperm have entered the vagin	a, how many typically get close to the	ne egg?
a. one or two		
b. approximately 200		
c. hundreds of thousands		
d. millions		
ANSWER: b		

12. Which statement about the "survival of the fittest" principle and conception is TRUE?

a. This principle applies only to the process of egg release from the fallopian tube, not to the other

Name:	Class:	Date:
Chapter 02: Multiple Choice		
processes involved in concepti	on.	
1	the sperm are likely to be healthy, as	eggs with serious defects tend to
c. The sperm that manage to reac be unable to reach the egg.	h the egg is likely to be healthy, as sp	perm with serious defects tend to
d. This principle does not come in <i>ANSWER:</i> c	nto play until a child is born.	
Statement A: Sperm containing a Y c Statement B: Male fetuses are more v	nber of males and females is/are TRU hromosome swim faster than those corulnerable to miscarriage than are fem ternmental policy contribute to the differ esocieties.	ontaining an X chromosome.  alle fetuses.
b. statement C only		
c. statements A and B only		
d. statements B and C only		
ANSWER: d		
a. an X-ray of the internal organs	n fetus 4 weeks following conception nan	•
ANSWER: b		
<ul><li>15. A fertilized egg is termed a(n)</li><li>a. embryo.</li><li>b. zygote.</li><li>c. fetus.</li><li>d. gamete.</li></ul> ANSWER: b		
16. Infant mortality rates have been _ a. higher for girls than for boys b. roughly the same c. unstable d. higher for boys than for girls ANSWER: d	for decades and across cultural	contexts.

17. Which sequence lists the periods of prenatal development in the CORRECT developmental progression

Copyright Macmillan Learning. Powered by Cognero.

from earliest to latest?

Name: Class: Date:

# **Chapter 02: Multiple Choice**

- a. embryo > fetus > zygote
- b. zygote > fetus > embryo
- c. fetus > zygote > embryo
- d. zygote > embryo > fetus

ANSWER: d

- 18. Mitosis is another term for
  - a. cell migration.
  - b. apoptosis.
  - c. cell division.
  - d. cell differentiation.

ANSWER: c

- 19. Cell division in the embryonic period is referred to as
  - a. meiosis.
  - b. apoptosis.
  - c. neurosis.
  - d. mitosis.

ANSWER: d

- 20. Which occurrence is an example of mitosis?
  - a. splitting of the fertilized egg into two equal parts
  - b. death of cells between the ridges on the hand plate
  - c. movement of new cells into the outer layer of the brain
  - d. specialization of eye cells

ANSWER: a

- 21. Cell migration occurs during which period?
  - a. apoptosis
  - b. fetal
  - c. germinal
  - d. embryonic

ANSWER: d

22. Embryonic cells are also known as

Copyright Macmillan Learning. Powered by Cognero.

- a. stem cells.
- b. divided cells.
- c. fertilized eggs.
- d. zygotic cells.

ANSWER: a

Name:	Class:	Date:
Chapter 02: Multiple Choice		

- 23. Stem cells
  - a. have varying genetic makeups.
  - b. contain half the genetic material of the individual.
  - c. do not have a fixed function.
  - d. have stable genetic makeups.

ANSWER: c

- 24. Cell differentiation refers to the of cells.
  - a. relocation
  - b. specialization
  - c. migration
  - d. death

ANSWER: b

- 25. Researchers working on regenerative medicine are interested in early embryonic stem cells because of their
  - a. developmental flexibility.
  - b. genetic makeup.
  - c. size.
  - d. specialized function.

ANSWER: a

- 26. Which process is an example of cell differentiation?
  - a. splitting of the fertilized egg into two equal parts
  - b. death of cells between the ridges on the hand plate
  - c. movement of new cells into the outer layer of the brain
  - d. specialization of eye cells

ANSWER: d

- 27. Regarding the flexibility of a cell's function during the embryonic and fetal periods, cells are
  - a. initially flexible and then become inflexible.
  - b. initially inflexible and then become more flexible.
  - c. flexible throughout the embryonic and fetal periods.
  - d. inflexible throughout the embryonic and fetal periods.

ANSWER: a

- 28. The study in which cells located in the eye region of a frog embryo were moved to its belly demonstrated which property of cell functions?
  - a. The location of a given cell before migration determines its function.
  - b. The location of a given cell after migration determines its function.
  - c. The genetic makeup of a given cell before migration determines its function.
  - d. The genetic makeup of a given cell after migration determines its function.

Name: Class: Date:		Class:	Date:	
--------------------	--	--------	-------	--

# **Chapter 02: Multiple Choice**

ANSWER: b

- 29. A mad scientist wishes to create a nonhuman animal with a tongue on its back. Presuming that the scientist believes in phylogenetic continuity, when would the scientist be MOST likely to perform the cell transplant?
  - a. early in the fetal period
  - b. late in the germinal period
  - c. early in the embryonic period
  - d. early in the germinal period

ANSWER: c

- 30. The idea that humans share some developmental processes with other animals because of their shared evolutionary history is referred to as
  - a. FASD.
  - b. developmental resilience.
  - c. fetal programming.
  - d. phylogenetic continuity.

ANSWER: d

- 31. A belief in phylogenic continuity is necessary for developmentalists to
  - a. understand that prenatal experiences can affect adult development.
  - b. predict rates of infant mortality.
  - c. test hypotheses about human development on chimpanzees.
  - d. comprehend how stem cells function.

ANSWER: a

- 32. Phylogenetic continuity refers to the
  - a. expectation that some cells have a programmed suicide and thus selectively disappear.
  - b. notion that stem cells may be the key to curing diseases such as Parkinson's and Alzheimer's.
  - c. idea that humans share some characteristics and developmental processes with other animals.
  - d. relation between a cell's function before and after migration.

ANSWER: c

- 33. The fact that researchers interested in human developmental processes often examine rats is an indication that they believe in
  - a. stem cell flexibility.
  - b. the ethical treatment of animals.
  - c. apoptosis.
  - d. phylogenetic continuity.

ANSWER: d

34. Research demonstrating that it is the scent of amniotic fluid that guides a newborn rat to its mother's nipple is evidence of

CLICK H	ERE TO ACCESS THE COMPLETE TO	est Bank
Name:	Class:	Date:
Chapter 02: Multiple Choice		
a. the similarity of rats and hu	mans in their taste preferences.	
b. fetal learning.		
c. phylogenetic continuity.		
d. rats' poor maternal instincts		
ANSWER: b		
35. Apoptosis refers to		
a. programmed cell death.		
b. cell reproduction.		
c. cell migration.		
d. cell division.		
ANSWER: a		
36. Which statement about apopto	sis is TRUE?	
a. Apoptosis is a necessary par	rt of development.	
b. Apoptosis signals there mig	tht be a problem with prenatal development	t.
c. Apoptosis explains why ster	m cells are sought after by researchers.	
d. Apoptosis is also called cell	migration.	
ANSWER: a		
37. Which event is thought to be a	poptosis?	
a. splitting of the fertilized egg	g into two equal parts	
b. loss of cells between the rid	ges on the hand plate	
c. movement of new cells into	the outer layer of the brain	
d. specialization of eye cells		
ANSWER: b		
38. The presence of determined	ines whether a fetus develops female or ma	ale sex organs.
a. testosterone produced by the		
b. progesterone produced by the		
c. androgens produced by the		
d. progesterone produced by the	ne fetus	
ANCWED.		

- 39. Which statement about the development of sex organs is TRUE?
  - a. If the mother produces testosterone, then the fetus will develop male organs; if the mother produces estrogen, then the fetus will develop female sex organs.
  - b. If the fetus produces testosterone, then it will develop male organs; if the fetus produces estrogen, then it will develop female sex organs.
  - c. If the fetus produces high levels of testosterone, then it will develop male organs; if the fetus produces moderate levels of testosterone, then it will develop female sex organs.

Name:	Class:	Date:
Chapter 02: Multiple Choice		
d. If the fetus produces androgens, then it will develop female sex or		he fetus produces no androgens,
ANSWER: d		
40. Which item is an example of the action at a fetal alcohol syndrome be hormonal influence on development conceptation and dependence against toxins a desceptation of the action and the syndroment and	ent of sex organs	wn development?
ANSWER: b		
41. Adam and Andrea are fraternal twins a. They developed from one fertilized conception.	_	-
<ul> <li>b. They were formed when two differences</li> <li>were fertilized.</li> </ul>	erent eggs were released from the ov	ary into the fallopian tube and
c. They were formed with two differ		
d. Fraternal and maternal twins are f	formed exactly the same way.	
ANSWER: b		
42. David and Dwayne are identical twin a. The DNA from their mother is the b. The DNA from their father is the c. They have inherited different DN d. They have exactly the same DNA ANSWER: d	e same but differs in terms of what to same but differs in terms of what the A from both of their parents.	hey received from their father.
<ul><li>43. A transparent, fluid-filled membrane</li><li>a. neural tube.</li><li>b. amniotic fluid.</li></ul>	e that surrounds and protects the fetu	is is called the
c. amniotic sac.		
d. placenta.  ANSWER: c		
ANSWER. C		
44. During prenatal development, the insupport system, including the	ner cell mass becomes the, ar	nd the rest of the cells become the
a. embryo; amniotic sac and placent	ta	
b. neural tube; embryo		
c. placenta and amniotic sac; neural		
d. embryo; neural tube and placenta		

ANSWER: a

Name:	Class:	Date:
-------	--------	-------

## **Chapter 02: Multiple Choice**

- 45. Identical twins most often originate when
  - a. two eggs are fertilized by two sperm.
  - b. an egg splits and is fertilized by two sperm.
  - c. an inner cell mass splits in half.
  - d. an embryo splits in half.

ANSWER: c

- 46. Which statement about the levels of genetic similarity of identical twins, same-sex fraternal twins, and other same-sex sibling pairs is TRUE?
  - a. Same-sex fraternal twins and other same-sex sibling pairs have an equal level of genetic similarity, and they are both less genetically similar than are identical twins.
  - b. Same-sex fraternal and identical twins have an equal level of genetic similarity, and they are both more genetically similar than are other same-sex sibling pairs.
  - c. Same-sex fraternal twins are less genetically similar than are identical twins and more genetically similar than are other same-sex sibling pairs.
  - d. Identical twins, same-sex fraternal twins, and other same-sex sibling pairs all have equal levels of genetic similarity.

ANSWER: a

- 47. After the implantation of the zygote, as the ball of cells begins to differentiate, the inner cell mass becomes the
  - a. fetus.
  - b. gamete.
  - c. embryo.
  - d. support system.

ANSWER: c

- 48. The three layers of the inner cell mass develop into
  - a. different parts of the body of the fetus.
  - b. the fetus, the zygote, and the embryo.
  - c. the embryo, the placenta, and the umbilical cord.
  - d. different parts of the neural tube.

ANSWER: a

- 49. The neural tube is a groove formed in the top layer of differentiated cells in the embryo that eventually becomes the
  - a. internal organs.
  - b. brain and spinal cord.
  - c. digestive system.
  - d. inner layers of skin.

ANSWER: b

Name:	Class:	Date:
Chapter 02: Multiple Choice		
<ul><li>50. A tube containing the blood vessels of a umbilical cord.</li><li>b. amniotic sac.</li><li>c. neural tube.</li><li>d. spinal tube.</li></ul> ANSWER: a	connecting the fetus and placenta is	called the
51. Which organ acts as a defensive barra. umbilical cord b. amniotic sac c. placenta d. amniotic fluid  ANSWER: c	ier against toxins and infections?	
52. Which activity is NOT a function of a allowing for the transport of nutri b allowing for the removal of waste c cushioning the fetus d providing a barrier to infection ANSWER: c	ents to the fetus	
53. Which adjective describes a characte a. transparent b. watery c. watertight d. semipermeable ANSWER: d	eristic of the placenta?	
54. The placental membrane allows a. oxygen and blood b. blood, urea, and nutrients c. all antibodies, urea, and oxygen d. oxygen, nutrients, minerals, and s ANSWER: d		
<ul><li>55. The operates as a protective b</li><li>a. umbilical cord</li><li>b. amniotic fluid</li><li>c. neural tube</li><li>d. placenta</li></ul>	uffer for the developing fetus.	

ANSWER: b

Name:	Class:		Date:
<b>Chapter 02: Multiple Choice</b>			
56. The nose and the mouth are almost fu a. 4th	lly formed during the	_ week of prenatal dev	velopment.
b. 6th			
c. 8th			
d. 10th			
ANSWER: c			
57. The heart has achieved its basic adult a. 4th	structure by the we	ek of prenatal develop	ment.
b. 6th			
c. 8th			
d. 11th			
ANSWER: d			
58. By the week of prenatal development a. 4th	opment, the external genita	lia are developed.	
b. 6th			
c. 8th			
d. 16th			
ANSWER: d			
<ul><li>59. Which statement about the rate of pre</li><li>a. Earlier development takes place at</li><li>b. Later development takes place at a</li><li>c. The pace of development remains</li></ul>	a more rapid pace than late more rapid pace than earli relatively continuous.	er development. er development.	
d. Development begins slowly, speed	s up, and then slows down	again.	
ANSWER: a			
60. Cephalocaudal development refers to a. head; body	the tendency for developm	nent to take place from	to
b. body; head			
c. inside; outside			
d. outside; inside			
ANSWER: a			
61. In general, prenatal development occudo areas farther away from it.  a. spinal cord	ars in such a manner that a	reas close to the	develop earlier than
b. heart			
c. head			

Name:	Class:	Date:
<b>Chapter 02: Multiple Choice</b>		
d. large intestine		
ANSWER: c		
62. Which statement about prenatal dev	relonment of the heart is TRUE?	
a. By 6 weeks, the heart has develo	-	
b. At 12 weeks, the heart begins to	<u>-</u>	
c. By 4 weeks, the heart is beating a		
d. At 16 weeks, the heart develops i		
ANSWER: c		
63. The brain and lungs are well enough on its own without medical intervention a. 14th		the fetus has a chance of surviving
b. 28th		
c. 34th		
d. 37th		
ANSWER: b		
64. By the week of prenatal development appeared.	lopment, most of the movements that	at will be present at birth have
a. 4th		
b. 6th		
c. 12th		
d. 16th		
ANSWER: c		
65. A fetus can be expected to begin ma a. 3 hours	iking movements around after	r conception.
b. 5 weeks		
c. 12 weeks		
d. 5 months		
ANSWER: b		
<ul><li>66. For which fetal behavior is there no</li><li>a. breathing movements</li><li>b. hiccups</li><li>c. swallowing</li></ul>	clear explanation?	
d. moving arms and legs		
ANSWER: b		

67. Gina and Margaret are pregnant at the same time. Gina's fetus is quite active throughout the day, whereas Margaret's fetus is rather inactive. Which explanation would be the BEST guess as to how active their infants Copyright Macmillan Learning. Powered by Cognero.

Name:	Class:	Date:
Chapter 02: Multiple Choice		
will be?		
a. Gina's infant is likely to be	more active than is Margaret's infant.	
b. Margaret's infant is likely to	be more active than is Gina's infant.	
<ul> <li>c. Gina's infant and Margaret's similar levels of activity.</li> </ul>	s infant will probably be similar in activi	ity level, as all infants have
<ul> <li>d. There is no way to predict p made about the infants' activ</li> </ul>	oostnatal activity level from prenatal activity levels.	vity level, so no guess can be
ANSWER: a		
68. All of these activities are perfo	rmed by fetuses EXCEPT	
a. sucking.		
b. moving chest wall in and ou	ıt.	
c. scratching itches.		
d. swallowing.		
ANSWER: c		
69. The fetal behavior of swallowi	ng is thought to	
a. continually clean the interna	al organs as they develop.	
b. promote the normal develop	oment of the palate.	
c. be somewhat harmful to the	development of the intestines.	
d. be one of the earliest prenat	al movements.	
ANSWER: b		
70. At, a fetus is likely to be	e the MOST active.	
a. 7 weeks		
b. 12 weeks		
c. 25 weeks		
d. 32 weeks		
ANSWER: a		
71. In regard to fetal activity and in	nactivity, fetuses	
a. do not have true sleep states	s, but they do have periods of inactivity	while awake.
b. have periods of high activity	y and rest while awake, and they have be	oth active and quiet sleep states.
c. are essentially asleep most of	of the day and night, but their sleep can l	be active or quiet.
d. are in constant motion throu	ighout the day and night.	
ANSWER: b		
72. Which sense is LEAST stimula	ated in the uterus?	
a. taste		
b. sight		

c. hearing

Name:	Class:	Date:
-------	--------	-------

# **Chapter 02: Multiple Choice**

d. smell

ANSWER: b

- 73. The fetus experiences tactile stimulation in the womb as a result of
  - a. the mother's digestive system.
  - b. the mother touching her abdomen.
  - c. other people interacting with the mother.
  - d. the fetus's own activity.

ANSWER: d

- 74. In terms of the fetus's taste experiences and preferences, the fetus
  - a. does not drink or eat through its mouth, and thus it has no taste experiences or preferences.
  - b. ingests amniotic fluid, but the fluid has a constant flavor, and thus the fetus has no taste preferences.
  - c. ingests amniotic fluid, but it cannot distinguish among different flavors in the fluid and thus has no taste preferences.
  - d. ingests amniotic fluid, can distinguish among different flavors in the fluid, and prefers sweet flavors.

ANSWER: d

- 75. Scientific evidence has demonstrated that
  - a. when saccharin was injected into amniotic fluid, the mothers' urine showed that the fetuses ingested more amniotic fluid when it had been sweetened.
  - b. when offered chocolate milk versus orange juice, preterm infants drank more chocolate milk.
  - c. fetuses smiled more when fed a sugar solution than when fed a saline solution.
  - d. the idea that fetuses prefer sweet flavors is merely an assumption that was made based on research conducted with newborns.

ANSWER: a

- 76. Regarding taste and smell, amniotic fluid
  - a. has a constant taste and smell.
  - b. can take on a variety of flavors but has a constant smell.
  - c. has a constant taste but can take on a variety of odors.
  - d. can take on a variety of flavors and odors.

ANSWER: d

- 77. Which sound(s) does the fetus hear?
  - a. intonation and pattern of the mother's speech
  - b. voices of people talking to the mother
  - c. blood pumping through the mother's vascular system
  - d. maternal sounds, such as her heartbeat, breathing, and digestion

ANSWER: d

78. A simple form of learning that involves a decrease in response to repeated or continued stimulation is called *Copyright Macmillan Learning. Powered by Cognero.*Page 14

Class:

Date:

Chapter 02: Multiple Choice
<ul> <li>a. sensitization.</li> <li>b. desensitization.</li> <li>c. habituation.</li> <li>d. dishabituation.</li> </ul> ANSWER: c
79. At 8 months gestation, a fetus hears a phone ring repeatedly and is likely to experience over the course of several minutes.  a. initial changes in heart rate, with decreased changes as the ringing continues b. initial changes in heart rate, with increased changes as the ringing continues c. no changes in heart rate initially but increased changes as the ringing continues d. no changes in heart rate throughout the ringing  ANSWER: a
80. Habituation indicates that a fetus a stimulus.  a. likes  b. dislikes  c. has learned to recognize  d. has failed to perceive  ANSWER: c
81. Habituation involves a(n) heart rate response.  a. increased  b. decreased  c. unpredictable  d. variable  ANSWER: b
82. The EARLIEST time at which fetal habituation has been observed is weeks. a. 16 b. 25 c. 30 d. 37
ANSWER: c
83. At the end of her pregnancy, Joshua's mother's diet included a lot of ginger. It is MOST likely that newborn Joshua will  a. have no memory for the smell or taste of ginger because maternal diet does not affect prenatal experience.  b. have no memory for the smell or taste of ginger because fatal memory is very short lived.
b. have no memory for the smell or taste of ginger because fetal memory is very short lived.

c. remember the smell and taste of ginger, but this memory will last only a week or two.

Name:

Name:	Class:	Date:
		· — —

# **Chapter 02: Multiple Choice**

d. remember the smell and taste of ginger well into his first year.

ANSWER: d

- 84. Infants tend to prefer \_\_\_\_\_ based on prenatal experiences.
  - a. loud sounds
  - b. bland flavors
  - c. flowery smells
  - d. sweet tastes

ANSWER: d

- 85. Direct evidence for fetal learning comes from studies of
  - a. habituation.
  - b. phylogenetic continuity.
  - c. apoptosis.
  - d. fetal programming.

ANSWER: a

- 86. Lenae is a newborn. She is likely to prefer to listen to
  - a. another woman's voice over her mothers' voice.
  - b. her mothers' language over another language.
  - c. novel stories rather than familiar stories.
  - d. Newborns show no auditory preferences.

ANSWER: b

- 87. Which sound is a newborn MOST likely to prefer?
  - a. mother's voice
  - b. mother's voice, muffled
  - c. mother's voice, at a faster rate of speech
  - d. father's voice

ANSWER: b

- 88. What advice should be given to expectant parents who are interested in educating their child in a foreign language and classical literature before birth?
  - a. Fetuses have no ability to learn anything while in the womb; thus, any talking, singing, or reading you do will not be remembered by the fetus after birth.
  - b. Although your child may come to recognize and even prefer the patterns of the language and literature he or she is exposed to while in the womb, babies are unable to hear specific words or learn any kind of factual knowledge while in the womb.
  - c. You will give your child a sufficient head start if you pipe foreign language and classical literature recordings into the womb.
  - d. If you want your child to become fluent in a foreign language and appreciate literature, you must start before the child is born.

Name:	Class:	Date:
<b>Chapter 02: Multiple Choice</b>		
ANSWER: b		
89. When do most miscarriages occur?		
a. prior to implantation		
b. immediately following fertilization		
c. before the pregnancy is clinically detec	table	
d. within the first 6 months of gestation		
ANSWER: c		
90. Roughly of couples experience recu	arrent miscarriages.	
a. 1%		
b. 5%		
c. 7%		
d. 9%		
ANSWER: a		
91. The belated emergence of effects of prena	tal experience that inform the	e physiological set points that will
govern physiology in adulthood is called		
a. habituation.		
b. phylogenetic continuity.		
c. apoptosis.		
d. fetal programming.		
ANSWER: d		
92. In the United States, what percentage of cl	linically recognized pregnand	cies end in miscarriage?
a. 5%		
b. 15%		
c. 25%		
d. 35%		
ANSWER: b		
93. Michelle is pregnant with her first child. V	Which of the following is the	MOST likely threat to prenatal
development?		
a. illegal drugs		
b. miscarriage		
c. alcohol		
d. herpes		
ANSWER: b		
94. Teratogens are most likely to harm the dev	velopment of the teeth during	g weeks
a. 1–6		

Name:	Class:	Date:
Chapter 02: Multiple Choice		
b. 5–38		
c. 8–12		
d. 12–16		
ANSWER: d		
95. Environmental agents that have that a. illegal drugs.	ne potential to cause harm during prena	ital development are referred to a
b. dermatogens.		
c. teratogens.		
d. pollutants.		
ANSWER: c		
96. Which factor is NOT considered	a teratogen?	
a. poor nutrition		
b. illegal drugs		
c. environmental pollutants		
d. cigarette smoke		
ANSWER: a		
97. Which statement about sensitive para. All major organ systems share	periods in prenatal development is TRU the same sensitive period.	JE?
b. Teratogens have the most serio sensitive period.	ous effect on prenatal development imm	nediately before a system's
c. A sensitive period is the time v	when a system's basic structures are bei	ng formed.
d. The sensitive period of limb de	evelopment occurs several weeks before	e the limbs begin to form.
ANSWER: c		
98. Roughly of women experie	ence postpartum depression.	
a. 5%		
b. 10%		
c. 15%		
d. 20%		
ANSWER: d		
99. Which statement is TRUE regard		
	not benefit those suffering from depre	
<del>-</del>	ag pregnancy can reduce the risk of pos	stpartum depression.
c. Antidepressant medications are	e not harmful to the developing fetus.	

Copyright Macmillan Learning. Powered by Cognero.

ANSWER: b

d. Around 15% of pregnant women take antidepressant medications.

Name:	Class:	Date:
-------	--------	-------

# **Chapter 02: Multiple Choice**

100. Which effect is NOT a result of neonatal abstinence syndrome?

- a. low birth weight
- b. breathing problems
- c. feeding difficulties
- d. cardiac malformations

ANSWER: d

- 101. Which statement about the timing of effects of teratogens is FALSE?
  - a. The sensitive period for the development of the external genitalia occurs prior to the sensitive period for the heart.
  - b. The sensitive periods for the central nervous system and the heart are the same.
  - c. Exposure to teratogens during the fetal period is likely to lead to major structural defects.
  - d. There is no sensitive period in relation to the timing of effects of teratogens.

ANSWER: d

- 102. Which description CORRECTLY identifies the effect of thalidomide on developing fetuses?
  - a. safe for fetuses of all ages
  - b. unsafe for fetuses of all ages
  - c. harmful to fetuses between the 4th and 6th weeks after conception but safe at other times
  - d. safe for fetuses between the 4th and 6th weeks after conception but harmful at other times

ANSWER: c

- 103. The effects of thalidomide BEST demonstrate
  - a. sensitive periods of development.
  - b. cumulative effect.
  - c. dose–response relation.
  - d. sleeper effect.

ANSWER: a

- 104. For teratogens that show a dose–response relation
  - a. any level of exposure to the teratogen causes an equivalent likelihood of a defect.
  - b. the greater the exposure to the teratogen, the greater the likelihood of a defect.
  - c. the greater the exposure to the teratogen, the lesser the likelihood of a defect.
  - d. detrimental effects are seen only at very high exposure levels.

ANSWER: b

- 105. The likelihood of a prenatal defect and the severity of the defect from exposure to teratogens are generally dependent on
  - a. amount of exposure.
  - b. genetic susceptibility.
  - c. levels of exposure to other teratogenic agents.

Name:	Class:	Date:
<b>Chapter 02: Multiple Choice</b>		
d. sensitive period.  ANSWER: d		
106. The term "fetal programming" ma. individual differences in terator b. prenatal learning of sounds, tast c. genetic differences in ability to d. the later emergence of effects of ANSWER: d	genic effects that occur as a result of getes, and smells.  learn prenatally.	genetic differences.
<ul><li>107. The teratogenic effect of which s</li><li>a. DES</li><li>b. thalidomide</li><li>c. cigarette smoke</li><li>d. alcohol</li></ul> ANSWER: a	substance can BEST be characterized	as a sleeper effect?
108. Claire is pregnant and smokes cifetus is TRUE?  a. Exposure to secondhand smoke b. Her fetus gets less oxygen whe c. The amniotic sac prevents her to d. None of these statements is true ANSWER: b	e is unlikely to affect her fetus. In she smokes. fetus from being exposed to cancer-ca	-
<ul><li>109. Smoking by pregnant women do a. decreased IQ</li><li>b. increased risk of SIDS</li><li>c. increased risk of FASD</li><li>d. slowed fetal growth</li></ul> ANSWER: c	es NOT contribute to in the un	born child.
110. In the United States, which substates a. alcohol b. illegal drugs c. toxoplasma d. cigarette smoke  ANSWER: a	tance is the MOST common cause of	injury to the fetal brain?
111. Francine is pregnant and is conce NOT have to worry about?	erned about premature birth and low b	pirth weight. Which factor does she

Name:	Class:	Date:
<b>Chapter 02: Multiple Choice</b>		
a. cocaine use		
b. malnutrition		
c. cigarette smoking		
d. healthy nutrition		
ANSWER: d		
112. Infants whose mothers are a whose mothers are	re 3 to 4 times more likely to die be	fore their first birthday than those
a. 30 years or older; between the ag	es of 20 and 29	
b. 15 years or younger; between the	ages of 23 and 29	
c. 35 years or older; 15 years or you	ınger	
d. 20 years or younger; 30 years or	older	
ANSWER: b		
113. Brenda is 35 years old and pregnar a. fetal chromosomal abnormalities		greater risk for
b. birth complications.		
c. autism spectrum disorder.		
d. fetal death.		
ANSWER: d		
114. Gloria recently gave birth and is le (SIDS). Which factor is NOT currently	<del>-</del>	l with sudden infant death syndrome
a. smoking near an infant		
b. putting baby to sleep on his or he		
c. dressing baby too warmly during	sleep	
d. putting baby to sleep on his or he	r back	
ANSWER: d		
115. Which statement is good advice for	r a new parent concerned about SID	S?
a. Allow smokers to smoke in the h	ouse but not in the baby's room.	
b. Put the baby to sleep on her back		
c. Make sure the baby sleeps with a	pillow.	
d. Put the baby to sleep with warm	clothes and a warm blanket.	
ANSWER: b		
116. Which statement about fetal exposi	ure to alcohol is NOT true?	
a. Alcohol in the mother's blood cro	osses the placenta into the fetus's blo	oodstream.
b. The fetus smells alcohol through	the amniotic sac.	

d. The fetus's poor ability to metabolize alcohol causes it to remain in the fetus's system for an extended

c. The fetus drinks alcohol-laden amniotic fluid.

Name: Class: Date:
--------------------

# **Chapter 02: Multiple Choice**

period.

ANSWER: b

- 117. Forms of fetal alcohol spectrum disorder include
  - a. fetal alcohol syndrome.
  - b. fetal alcohol effects.
  - c. both fetal alcohol disease and fetal alcohol syndrome.
  - d. both fetal alcohol syndrome and fetal alcohol effects.

ANSWER: d

- 118. Andrea drank alcohol while pregnant and just gave birth to a baby that has been diagnosed with fetal alcohol syndrome. Which of the following is NOT associated with this disorder?
  - a. increased risk of SIDS
  - b. cognitive impairment
  - c. facial deformities
  - d. hyperactivity

ANSWER: a

- 119. Severe emotional stress and alcohol consumption during pregnancy have which effect on the child in common?
  - a. SIDS
  - b. hyperactivity
  - c. cognitive impairment
  - d. small head size

ANSWER: b

- 120. Which pattern of maternal alcohol consumption is considered acceptable in terms of avoiding harmful effects?
  - a. drinking several drinks over a quick period of time, only a few times during pregnancy
  - b. drinking one and only one drink per day
  - c. drinking large amounts of alcohol on a frequent basis
  - d. There is no acceptable use of maternal alcohol consumption.

ANSWER: d

- 121. Marla smoked marijuana while pregnant. This behavior can affect her fetus's
  - a. learning and memory after birth.
  - b. facial development.
  - c. head size.
  - d. neural tube development.

ANSWER: a

122. Mothers whose diet was high in Lake Michigan fish had babies with an increased likelihood of Copyright Macmillan Learning. Powered by Cognero.

Name:	Class:	Date:
-------	--------	-------

# **Chapter 02: Multiple Choice**

- a. Minamata disease.
- b. hearing loss.
- c. a small head.
- d. limb deformity.

ANSWER: c

- 123. Which statement about environmental pollutants is TRUE?
  - a. There is no evidence that environmental pollutants can impair prenatal development.
  - b. Only pollutants that are ingested can impair prenatal development.
  - c. Only pollutants that pass through the respiratory system can impair prenatal development.
  - d. Environmental pollutants can have significant and sometimes disastrous consequences on fetal and child development.

ANSWER: d

- 124. Marcy is learning about maternal influences on fetal health. Which maternal characteristic does NOT tend to have a negative impact on the health of the fetus?
  - a. low socioeconomic status
  - b. malnutrition
  - c. genital herpes
  - d. immature eggs

ANSWER: d

- 125. It is difficult to isolate the effects of malnutrition on prenatal development because malnutrition often coincides with
  - a. poverty.
  - b. older mothers.
  - c. rubella.
  - d. mercury consumption.

ANSWER: a

- 126. The study of children born in the Netherlands during World War II demonstrated which finding about prenatal malnutrition?
  - a. It is difficult to separate the effects of malnutrition from the other effects of poverty.
  - b. The effects of malnutrition were most severe when the malnutrition began late in the pregnancy.
  - c. The effects of malnutrition can be eliminated if the baby has adequate nutrition starting at birth.
  - d. Fetal programming related to metabolism impacted later health and weight in adulthood.

ANSWER: d

- 127. Which maternal disease during pregnancy is LEAST likely to have a direct negative effect on the health of the baby?
  - a. HIV
  - b. genital herpes

Name:	Class:	Date:
-------	--------	-------

# **Chapter 02: Multiple Choice**

- c. rubella
- d. cytomegalovirus

ANSWER: a

- 128. Recent research has demonstrated a link between the development of schizophrenia and maternal contraction of which disease in the first trimester?
  - a. cytomegalovirus
  - b. rubella
  - c. genital herpes
  - d. influenza

ANSWER: d

- 129. Which statement(s) about cultural goals regarding childbirth is/are TRUE?
- Statement A: All cultures aim to protect the survival and health of both mother and baby.

Statement B: All cultures want to ensure the social integration of the new person.

Statement C: All cultures have similar childbirth practices.

- a. statements A and C only
- b. statement C only
- c. statements A and B only
- d. statements B and C only

ANSWER: c

- 130. Which statement about the fetal birth experience is TRUE?
  - a. The pain experienced by the fetus during birth is comparable to the pain experienced by the mother.
  - b. The compression of the skull in the birth canal can cause a premature disappearance of the fontanel.
  - c. The forcing of amniotic fluid from the fetus's body as it is compressed in the birth canal promotes the newborn's first breath.
  - d. All of these statements are true.

ANSWER: c

- 131. The small sacs of the newborn's lungs are forced open by the
  - a. squeezing of the fetus's body as it moves through the birth canal.
  - b. birth cry after the fetus exits the birth canal.
  - c. squeezing of the fetus's head as it passes through the mother's pelvic bones.
  - d. vigorous rubbing of the newborn's body by the medical staff immediately following birth.

ANSWER: b

- 132. How do childbirth practices in Bali differ from those in the United States?
  - a. Americans place less emphasis on the immediate social integration of the newborn than do the Balinese.
  - b. The Balinese tend to have a greater level of medical intervention than do Americans.
  - c. Balinese women know little about childbirth prior to their own experience of it, in comparison with

Name:	Class:	Date:
<b>Chapter 02: Multiple Choice</b>		
American women, who tend t	to be well informed.	
d. Americans tend to have more	friends and relatives at the birth than do	the Balinese.
ANSWER: a		
133. Shelby is expecting her first ch she will have a surgical delivery by a. 15%	ild. She is nervous about the birth and decesarean?	elivery. What is the likelihood that
a. 13% b. 23%		
c. 32%		
d. 45% ANSWER: c		
THISWER. C		
134. Which factor is NOT a reason to a. multiple births	for the high number of surgical deliverie	s in the United States?
b. convenience scheduling		
c. maternal obesity		
d. paternal request		
ANSWER: d		
135. Research conducted by Witt an did not appear to have any pra. 10% b. 25% c. 50% d. 60%  ANSWER: c	d colleagues (2015) found that among negnancy complications.	nothers who had a C-section, almost
126 Quiet alaem active avvolve alant	awake, and drowsing are examples of	
a. types of sleep.	awake, and drowsing are examples of	
b. autostimulation.		
c. newborn states.		
d. none of these.		
ANSWER: c		
ANSWER. C		
137. On average, Western newborns a. 16; 1	s spend hours sleeping and	hour(s) crying.
b. 12; 1		
c. 12; 2		
d. 16; 2		
ANSWER: d		

Name:	Class:	Date:
Chapter 02: Multiple Choice		
<ul><li>138. Which condition is a characterist</li><li>a. deep sleep state</li><li>b. regular breathing</li><li>c. absence of eye movements</li></ul>	tic of REM sleep?	
d. irregular heart rate		
ANSWER: d		
a. a greater amount of time in RE b. a greater amount of time in nor c. equal amounts of time in REM d. proportionately more time in nor ANSWER: c	EM sleep than in non-REM sleep. n-REM sleep than in REM sleep. I sleep and in non-REM sleep.	
a. proportionately more time in R b. proportionately more time in n c. proportionately the same time adults on the total amount of sl d. approximately the same time in	REM sleep than do adults. on-REM sleep than do adults. in REM and non-REM sleep as do adult. leep.	s, though they differ from
141. As described in the text, some rebeneficial for the development of the a. REM; visual b. non-REM; visual c. REM; auditory d. non-REM; auditory	esearchers believe the amount of time ne system.	wborns spend in sleep is
142. If the theory presented in the tex decrease in REM sleep be MOST like a. Baby Emma, who is deprived of b. Baby Elijah, who is provided v. Baby Sofia, who is deprived of	t about newborn sleep states is accurate, ely to be seen? of visual stimulation during the day with a high level of extra visual stimulation during the day with a high level of extra auditory stimulation.	on during the day
143. Which statement about newborn	sleen is TRUE?	

143. Which statement about newborn sleep is TRUE?

- a. Newborns continue to get visual stimulation through their closed eyelids.
- b. Newborns spend more time than adults do in non-REM sleep.

Name:	Class:	Date:
-------	--------	-------

# **Chapter 02: Multiple Choice**

- c. Newborns may be able to learn while asleep.
- d. All of these statements are true.

ANSWER: c

- 144. In terms of newborns' ability to learn from auditory stimulation while asleep, research has shown that newborns
  - a. cannot learn from auditory stimulation while asleep.
  - b. can learn from auditory stimulation while asleep because they spend proportionately more time in REM sleep than do adults.
  - c. can learn from auditory stimulation while asleep because they spend proportionately more time in non-REM sleep than do adults.
  - d. seem to be able to learn from auditory stimulation while asleep because their brains do not become disconnected from external stimulation to the extent that adult brains do.

ANSWER: d

- 145. The information in which statement would be considered evidence that infant crying and adult aversion to it have adaptive significance?
  - a. Babies who cry more are more likely to be abandoned than are those who cry less.
  - b. The peak time for crying is in the evening.
  - c. Babies who are with their mothers throughout the day and night cry more frequently than do other
  - d. Babies who cry more are more likely to survive times of severe hardship, such as famine.

ANSWER: d

- 146. Erin is a new mother and is concerned about her infant's crying. What can you tell Erin to help ease her concerns?
  - a. Infant crying peaks at about 6 weeks of age.
  - b. Infant crying tends to be worse in the morning.
  - c. All newborn crying is a result of discomfort.
  - d. None of these statements is true.

ANSWER: a

- 147. Cousins Chloe and Emma have not seen each other since they were children. Each woman now has a 4week-old infant, and the two women and their babies are reunited at a family gathering. The two babies are napping in the same room when Chloe's baby bangs her leg on the crib and begins to cry. In this situation, it is MOST likely that Chloe and Emma will both
  - a. think that the crying baby is their own and be unable to identify whether the baby is hungry or in pain.
  - b. know that the crying baby is Chloe's and be unable to identify whether the baby is hungry or in pain.
  - c. think that the crying baby is their own, but Chloe will know that the baby is in pain.
  - d. know that the crying baby is Chloe's, and Chloe will know that the baby is in pain.

Name:	Class:	Date:
Chapter 02: Multiple Choice		
148. Swaddling is considered a(n)		
a. form of child abuse.		
b. effective method of soothing a cryin	ig baby.	
c. productive way to encourage a newl	oorn's first breath.	
d. type of colic.		
ANSWER: b		
149. Common soothing techniques, including involve	ing rocking, swaddling, and sing	ging, are all effective because they
a. moderately intense stimulation.		
b. lengthy time investments on the part	t of caregivers.	
c. trying to figure out why the baby is	crying.	
d. tactile stimulation.		
ANSWER: a		
150. Jacquelyne is a new parent and is have LEAST likely to soothe her crying baby?	ing a hard time soothing her new	vborn when he cries. Which action is
a. giving the infant a taste of sugar		
b. showing the infant a colorful picture	<b>&gt;</b>	
c. patting the infant repetitively on the	back	
d. swaddling the infant in a blanket		
ANSWER: b		
151. Which is the BEST advice for parents a. They should respond quickly to all t the infant.		
b. They should respond slowly to all the crying.	ne infant's cries so that the infant	will learn to regulate her or his
c. They should respond quickly to seve	ere distress, but less quickly to m	ninor upset.
d. They should respond quickly to min	or upset, but less quickly to seve	ere distress.
ANSWER: c		
152. Laura and Mark are new parents whose had their baby examined by a pediatrician, Laura and Mark's baby appears to be suffer a. cocaine withdrawal.	who was unable to find any med	
b. neglect.		
c. colic.		
d. fetal alcohol syndrome.		
ANSWER: c		

Copyright Macmillan Learning. Powered by Cognero.

153. Colic may be associated with issues with the newborn's \_\_\_\_\_ system.

Name:	Class:	Date:
Chapter 02: Multiple Choice		
a. limbic		
b. nervous		
c. respiratory		
d. digestive		
ANSWER: d		
154. Which statement about infant a. The U.S. infant mortality ra	mortality in the United States over the pate has increased.	ast several decades is TRUE?
b. The U.S. infant mortality ra	te has remained stable.	
c. The U.S. infant mortality ra	nking has gotten worse in comparison wi	th other countries.
d. The U.S. infant mortality ra	nking has gotten better in comparison wit	th other industrialized countries.
ANSWER: c		
	ower infant mortality rates than that of the low or minimal cost for pregnant women	United States have in common?
	ion than that in the United States	
ANSWER: a	on than that in the Officed States	
MVSWER. a		
156. Maria just had a baby at 38 was	reeks after conception. Her newborn weig	hed 5 pounds and would be labeled
a. premature.		
b. small for gestational age.		
c. small for prenatal age.		
d. none of these.		
ANSWER: b		
157. Premature babies are those w	ho are born at weeks after concept	ion or earlier.
a. 25		
b. 30		
c. 35		
d. 38		
ANSWER: c		
gestational age are those born		hose considered to be small for
a. at 35 weeks or earlier; weig	•	
b. underweight; weighing less	<u>*</u>	
<u> </u>	hing substantially less than normal for the	•
d. at 37 weeks or earlier; weig	hing substantially less than normal for the	eir age

Name:	Class:	Date:
Chapter 02: Multiple Choice		
ANSWER: d		
<ul><li>159. All low-birth-weight babies are</li><li>a. premature.</li><li>b. small for gestational age.</li><li>c. less than 3.5 pounds in weight at b</li><li>d. less than 5.5 pounds in weight at b</li></ul>		
ANSWER: d		
<ul><li>160. A baby weighing 5 pounds at birth is</li><li>a. premature and of low birth weight.</li><li>b. of low birth weight and small for g</li><li>c. premature and small for gestationa</li><li>d. of low birth weight.</li></ul>	gestational age.	
ANSWER: d		
161. Maya was born at 34 weeks and wei pounds. Of these two newborns, who is can a. Maya b. Remmy c. both Maya and Remmy d. neither Maya nor Remmy		<del>_</del>
162. Being is NOT associated with a. exposed to teratogens b. a twin c. poor d. a first born ANSWER: d	an increased risk of being of low	v birth weight in the United States.
163. Which statement about the long-tern normal weight is NOT true?  a. Low-birth-weight babies are more	likely to be hyperactive.	
<ul> <li>b. Low-birth-weight babies are more</li> <li>c. The majority of low-birth-weight babies have a deneurosensory deficits, and reduced</li> </ul>	pabies end up similar to normal-wecreased level of medical complications	reight babies in the long term.

ANSWER: d

164. Zora and Jenny are twins. Zora is born weighing 4.5 pounds, and Jenny is born weighing 5.5 pounds. Which statement BEST characterizes Zora and Jenny's chances of completing high school, based on the

Name:	Class:	Date:
Chapter 02: Multiple Choice		
research on low-birth-weight children?		
a. Zora and Jenny are equally likely to	complete high school.	
b. Zora is more likely to complete high	school than is Jenny.	
c. Jenny is more likely to complete hig	gh school than is Zora.	
<ul> <li>d. The likelihood of Zora and Jenny co low-birth-weight children.</li> </ul>	ompleting high school cannot be p	redicted based on research on
ANSWER: c		
165 can be used as an intervention	for low-birth-weight infants.	
a. Physical contact		
b. Auditory stimulation		
c. Visual stimulation		
d. Olfactory stimulation		
ANSWER: a		
166. Researchers have demonstrated that _	can aid low-birth-weight ne	wborns.
a. massage		
b. nutritional supplements		
c. increased time in the isolette		
d. good health care		
ANSWER: a		
167. Preterm infants whose mothers partice showed fewer behavior problems at age 5	-	
a. focus on increasing parental self-con		
b. support sessions		
c. teaching about parents' responsivene	ess	
d. explaining disciplinary techniques		
ANSWER: d		
168. Which statement about intervention p	rograms aimed at helping low-birt	th-weight babies is TRUE?
a. The success of the intervention is un	nrelated to the initial health status	of the infant.
b. The more risks the infant endures, the	ne more successful the intervention	n will likely be.
c. The positive results are especially c	lear for children who were relative	ely heavier at birth.
d. Most intervention programs produce	e large gains.	
ANSWER: c		
169. Negative developmental outcomes are	e particularly likely when there are	2
a. genetic defects.		
b. multiple risk factors.		
c. psychiatric disorders.		

Name:	Class:	Date:
<b>Chapter 02: Multiple Choice</b>		
d. educational disadvantages.  ANSWER: b		
170. The study by Michael Rutter discusamong English children was particularly		± • • ±
a. two	neightened when the family exper	of more fisk factors.
b. three		
c. four d. five		
ANSWER: c		
171. Babies born into poverty are more a. low birth weight.	likely than are other babies to expen	rience all EXCEPT
b. SIDS.		
<ul><li>c. death in the first year of life.</li><li>d. healthy nutrition.</li></ul>		
ANSWER: d		
172. A multiple-risk model of prenatal a a. low IQ.	and later development applies MOS	T directly to the effects of
b. poverty.		
c. disease.		
d. gender.		
ANSWER: b		
173. Which condition is NOT associated a. poor nutrition	l with poverty?	
b. drug abuse		
c. environmental hazards		
d. improved prenatal care		
ANSWER: d		
174. Jeremy has done rather well even that a. practical success.	hough he has been faced with multi	ple risks. He can be said to have
b. developmental resilience.		
c. pliability.		
d. persistent opposition.		
ANSWER: b		
175. Which factor is a reason some child	dren are resilient in the face of mult	tiple developmental hazards?

a. prenatal nutrition

Name:	Class:	Date:
Chapter 02: Multiple Choice		
b. education		
c. responsive care		
d. welfare		
ANSWER: c		
176. The pair of factors that is common a. responsive care; intelligence b. education; social welfare	n among resilient children is an	nd
c. prenatal nutrition; education		
d. genetic advantages; responsiven	ess to others	
ANSWER: a		

Name. Gass. Date.	Name:	Class:	Date:
-------------------	-------	--------	-------

## Chapter 02: Essay

- 1. Identify and describe the four major developmental processes underlying the development of a fetus. For each process, provide an explanation of what occurs and when as well as an example.
- ANSWER: There are four major developmental processes that underlie the transformation of a zygote into an embryo and then to a fetus. The first is cell division. This is also known as mitosis. Through continuous cell division during the course of pregnancy, the zygote transforms into a newborn. The second process, called cell migration, occurs during the embryonic period. This is where cells move away from their original location. Neurons that originate inside of the embryonic brain travel to the outer regions of the developing brain. The third process is called cell differentiation. Initially, all embryonic cells are interchangeable and equivalent and are referred to as stem cells. The cells then start to specialize in terms of function and structure. One key determinant is when cells are turned on or expressed. Another is the cells' location. The fourth developmental process is cell death. The selective death of certain cells is genetically programmed and is called apoptosis. This is needed for certain features to fully develop, such as fingers. The webbing between the fingers needs to die off, so to speak, for the fingers to actually form.
- 2. Describe a day in the life of an 8-month-old fetus. Include a description of types of sensations seen, heard, tasted, smelled, and felt by the fetus.
- ANSWER: While it is not completely dark inside of the womb, what the 8-month-old fetus can see is limited. The fetus does experience touch, or tactile stimulation, as a result of its own activity. The fetus can also bump and push into the wall of the uterus. By 8 months, the fetus can also respond to maternal movements. This suggests that the fetus's vestibular systems are functioning prior to birth. The fetus can also taste the flavors that are contained in amniotic fluid and shows a preference for sweet flavors. The amniotic fluid also has an odor and often reflects the diet of the mother. The fetus is able to experience these smells. The fetus also hears sound and noise while in the womb. The prenatal environment includes maternal sounds related to the mother's digestive system, heartbeat, and so on. The fetus can also hear the mother speaking. By 8 months, the fetus can also detect noises taking place outside of the mother's body. At this age the fetus can also detect the mother talking.
- 3. Sherilyn and Michael are new parents and cannot agree on how much their newborn baby boy knows about his new world. Sherilyn insists that the baby does not recognize anything and that he would not know the difference if he were suddenly transported to a different planet. Michael, however, argues that the baby learned a lot while in utero and now recognizes many features of his world. Identify which parent is more accurate and discuss at least four pieces of evidence to support that parent's view.
- ANSWER: Michael is more accurate. Research has demonstrated that the fetus is able to learn from its prenatal experiences during the last trimester of pregnancy, after the central nervous system has developed in order to support learning. Evidence of fetal learning comes from studies of habituation, which involves a decrease in response to repeated or continued stimulation. Fetuses as young as 30 weeks of gestation have shown habituation to visual and auditory stimuli. With this learning ability, fetuses learn the sound of their mothers' voice. They also remember the smell of the amniotic fluid that they were in. They also remember other sounds they heard prenatally.
- 4. Describe the differences and similarities of the effects of teratogens in the embryonic period and in the fetal period. Explain why these differences and similarities exist.
- ANSWER: A teratogen is an external agent that can cause damage or death during prenatal development. The effects of teratogen exposure during prenatal development can vary based on the timing of exposure. For instance, exposure during the embryonic period may result in major structural abnormalities,

Name:	Class:	Date:
-------	--------	-------

## Chapter 02: Essay

while exposure during the fetal period may result in physiological defects and minor structural abnormalities. Also, many teratogens cause damage only if they are present during a sensitive period in prenatal development. The major organ systems are most vulnerable to damage at the time when their basic structures are being formed.

- 5. Provide examples of maternal and environmental factors that affect prenatal development.
- ANSWER: Environmental factors that can be detrimental to prenatal development include exposure to lead, which can lead to reduced intelligence and the development of attention-deficit/hyperactivity disorder symptoms. It is also related to miscarriage, preterm birth, and low birth rate. Maternal factors that can impede prenatal development include age, nutrition, health, and stress. For instance, infants born to mothers younger than 15 years of age are more likely to die before their first birthday, while infants born to mothers who are in their late 30s or 40s have an increased risk of developing fetal chromosomal abnormalities and birth complications.
- 6. Describe how birth is likely to be experienced by the fetus/newborn and explain the functions served by squeezing the fetus/newborn as it passes through the birth canal.
- ANSWER: It is unlikely that the birth experience is painful to the fetus/newborn. The baby experiences squeezing as it moves through the birth canal, which is not likely to be painful. Additionally, this squeezing serves important functions. It temporarily reduces the overall size of the fetus's large head, allowing it to pass safely through the mother's pelvic bones. This is possible because the skull is composed of separate plates that can overlap one another slightly during birth. The squeezing also stimulates the production of hormones that help the fetus withstand mild oxygen deprivation during birth and to regulate breathing after birth. The squeezing of the fetus's body also forces amniotic fluid out of the lungs, in preparation for the newborn's first crucial gasp of air.
- 7. Describe the newborn's states of arousal.
- ANSWER: State refers to a continuum of arousal, ranging from deep sleep to intense activity. During a 24-hour period, newborns experience a total of six states, ranging from quiet sleep to crying. Within this general pattern, however, there is a great deal of individual variation. Some infants cry relatively rarely, whereas others cry for hours every day; some babies sleep much more, and others much less, than the 16-hour average. Some infants spend more than the average of 2½ hours in the awake-alert state, in which they are fairly inactive but attentive to the environment.
- 8. Describe the multiple-risk model and how it applies to the association between poverty and birth outcomes. Be sure to give specific examples to support the description.
- ANSWER: The multiple-risk model highlights that risk factors tend to occur together. For example, a woman who is so addicted to alcohol, cocaine, or heroin that she continues to abuse the substance even though she is pregnant is likely to be under a great deal of stress and unlikely to eat well, take vitamins, earn a good income, seek prenatal care, have a strong social support network, or take good care of herself in other ways. Furthermore, whatever the cumulative effects of these prenatal risk factors, they will likely be compounded after birth by the mother's continuation of her unhealthy lifestyle and by her resulting inability to provide good care for her child. A negative developmental outcome is more likely when there are multiple risk factors.