
Test Bank for What is Psychology Foundations Applications and Integration 4th Edition by Pastorino

CLICK HERE TO ACCESS COMPLETE Test Bank



Test Bank

SHORT RESPONSE

1 : Describe the similarities and differences between the nervous and endocrine systems.

Correct Answer: The nervous system is an electrochemical system of communication within the body that uses cells called neurons to convey information. The endocrine is a chemical system of communication in the body that uses chemical messengers, called hormones, to affect organ function and behavior.

2 : Describe the basic processes involved in the transmission of information from the beginning of one neuron to the beginning of the next neuron.

Correct Answer: When a neuron is at rest, meaning it is not actively conducting a signal, there is an imbalance in the types of ions found inside and outside the cell walls of the neuron. When a neuron receives input from other neurons, these incoming signals enter at the dendrites and travel across the cell body to the axon. These signals can make the inside of the cell more positive or more negative. If the incoming signals make the inside of the neuron more positive, the inside of the neuron may become positive enough to reach the neuron's threshold of excitation and the neuron fires off an action potential. When the action potential reaches the axon bulb of the presynaptic (sending) neuron, it causes the release of neurotransmitters into the synapse. The neurotransmitter molecules float in the fluid-filled synapse. Some of them will quickly drift across the synapse and come into contact with the tulip-shaped receptor sites lined up on the dendrites of the postsynaptic (receiving) neuron.

3 : Identify three different types of neurotransmitters and describe their typical effects in the brain.

Correct Answer: Answers will vary. Neurotransmitter Functions Acetylcholine Excites skeletal muscles; inhibits heart action; memory Dopamine Movement; learning; attention; motivation and reward Serotonin Sleep; arousal; mood; eating; pain perception Norepine phrine Sleep; arousal; mood GABAChief inhibitor; regulates arousal Glutamate Chief excitatory neurotransmitter; many diverse functions Endorphins Suppression of pain; eating; cardiovascular functioning

4 : Describe three different physical or psychological disorders and the neurotransmitter systems that appear to be involved.

Correct Answer: Answers will vary.NeurotransmitterRelated Diseases & Clinical ConditionsAcetylcholineAlzheimer's diseaseDopamineParkinson's disease; schizophrenia; substance abuseSerotoninDepression; obsessive compulsive disorder and other anxiety disorders; eating disorders; chronic painNorepinephrineDepression and other mood disordersGABASome anxiety disorders; some seizure disordersGlutamateNeural death following head injuriesEndorphinsDepression

5 : Describe the basic structure of the nervous system (including its subsystems) in the human body.

Correct Answer: At the broadest level, the nervous system is divided into the brain and spinal cord, known as the central nervous system (CNS), and the remaining components of the nervous system, referred to collectively as the peripheral nervous system (PNS). The peripheral nervous system is further divided into the somatic nervous system and the autonomic nervous system. The latter is divided into the sympathetic nervous system and the parasympathetic nervous system.

6 : Describe the basic structure of the brain, starting with the locations of the hindbrain, midbrain, and forebrain and then listing their important components.

Correct Answer: The hindbrain sits directly above the spinal cord and is named for its position at the bottom of the brain. The hindbrain is the most "primitive" part of the brain, involved in the most basic life-sustaining functions. The hindbrain makes up a good portion of the brainstem, a series of brain structures that are essential for life. The hindbrain consists of three structures: the medulla, the pons, and the cerebellum. The forebrain resides in the top part of the skull and regulates complex mental processes such as thinking and emotional control. It is the largest region of the brain and includes structures that regulate many emotional, motivational, and cognitive processes. The structures of the limbic system govern emotional and motivational processes, and other forebrain structures govern sensory processing and motivation. The wrinkled and folded external surface of the brain, the cerebral cortex, governs high-level processes such as cognition and language. Between the hindbrain and the forebrain is the midbrain, which acts as a connection between the more basic functions of the hindbrain and the complex mental processes of the forebrain. Without the midbrain, the hindbrain could not supply the forebrain with the neural impulses it needs to remain active and to keep us conscious. For psychologists, one of the most interesting midbrain structures is the reticular formation.

7 : Describe the effect of having a split brain. What would happen if information were given only to the right or the left hemisphere?

Correct Answer: Working with split-brain people, researchers have a chance to study the functioning of each hemisphere independent of the other. For example, split-brain research helped researchers conclude that the left hemisphere enables us to produce speech. Researcher Michael Gazzaniga (1967) briefly flashed pictures of familiar objects to the right and left visual fields of split-brain people and asked them to identify the objects. When an object is briefly presented to the right peripheral field of vision, the resulting visual information is sent directly to the left hemisphere of the brain. Because Broca's area is in the left hemisphere for most people, Gazzaniga found that the average split-brain person could verbally identify the object. But what about an object presented to the person's left peripheral field of vision? When an object is briefly shown on the far left side, the resulting visual information is sent directly to the right hemisphere of the brain. Recall that most people do not have a Broca's area in their right hemisphere. In a normal brain, the information travels from the right hemisphere across the corpus callosum to the language centers in the left hemisphere. However, in split-brain individuals, this cannot happen. Without the corpus callosum, Gazzaniga's split-brain could not transmit the knowledge of what they were seeing to the language centers in their left hemisphere. The right brain knew what the objects were, but it could not inform the "speaking" left brain! Predictably, the split-brain people were unable to name the objects they saw in their left visual fields. Interestingly, in this situation, split- brain people were able to point to the objects in a drawing—provided they used their left hand (which is controlled by the right brain). Split-brain research has helped us begin to sort out the relative contributions that the right and left hemispheres make to everyday cognitive processes.

8 : Describe the specialization of function in the four lobes of the brain.

Correct Answer: Much of the frontal lobe is association cortex. We know more about the association areas of the frontal lobe than any other lobes. Broca's area in the association area of the left frontal lobe is, as previously mentioned, involved in the production of speech. It also appears that the frontal lobe association areas play a role in cognitive processes such as attention, problem solving, judgment, the planning and executing of behavior, and certain aspects of personality. At the back of the frontal lobe (behind the prefrontal cortex) lies the

CLICK HERE TO ACCESS THE COMPLETE Test Bank

motor cortex or primary motor area, a narrow band of cortex that allows us to execute motor movements. The motor cortex on the right side of the brain affects movement on the left side of the body, and vice versa. Additionally, specific points along the motor cortex correspond to particular points on the body. As with the frontal lobe, much of the parietal lobe is association cortex, but we know much less about the specific functions of these association areas. We do know that the motor-sensory areas of the parietal lobe play a role in sensation. A thin strip of the parietal lobe affects our sense of touch, pressure, and pain. This strip, called the somatosensory cortex, or primary somatosensory area, lies directly behind the motor cortex, along the leading edge of the parietal lobe. The occipital lobe of the brain is located at the very back of the skull, above the cerebellum. Much of the occipital lobe is dedicated to processing visual information. The visual cortex, or primary visual area, of the occipital lobe is composed of layers of tissue that contain long axonal fibers. An action potential is stimulated in specialized cells of the visual cortex when our eyes receive specific types of visual stimuli from the outside world. For instance, some cells begin to fire only when we see lines, and other cells fire only when we see circular shapes. Like a computer, our brain integrates all the incoming neural impulses from these specialized cells in the visual cortex to enable us to perceive what we are viewing. The temporal lobe is in front of the occipital lobe and just below the parietal and frontal lobes—roughly behind our ears inside the skull. Not surprisingly, one of the major functions of the temporal lobe is the processing of auditory information, or hearing. The temporal lobe area devoted to hearing is the auditory cortex, or primary auditory area, located on the upper edge of the temporal lobe. In addition to the auditory cortex, the left temporal lobe of most people contains Wernicke's area, which is responsible for the comprehension of speech.

9: Describe the techniques that scientists use to image or study the brain.

Correct Answer: TechniqueDescriptionAspect MeasuredComputerized Axial Tomography (CAT Scan)Multiple X-ray beams are passed through the brain from different angles. A computer then analyzes the X-rays that exit the head and uses this information to build a very detailed picture of the brain and its structures. CAT scans can be used to diagnose tumors, strokes, certain diseases, and the structural features of the brain. Brain structures Magnetic Resonance Imaging (MRI)A magnetic field is used to excite the atoms in the body, and the energy emitted by these atoms is used to construct a highly detailed computer-generated picture of the brain's structure.Brain structuresPositron Emission Tomography (PET Scan)Radioactive glucose (the brain's fuel source) is injected into the bloodstream. The computer measures which areas of the brain are consuming the most glucose, meaning that they are most active. Areas of activity in the brainFunctional MRI (fMRI)Uses MRI technology to track which neurons in the brain are most active at a given moment by examining the energy released by hemoglobin molecules in the bloodstream. Areas of activity in the brain; brain structures Electroencephalography (EEG)Measures changes in electrical voltage at points along the scalp and yields information on gross patterns of brain activation. Patterns of electrical activity in the lobes of the brainBrain StimulationBy stimulating specific areas of the brain, researchers can see what effect this stimulation has on behavior. Doctors also use this technology to treat conditions such as depression. By implanting brain "pacemakers," doctors can stimulate areas of the brain that are not functioning properly. Cognitive and behavioral reactions to stimulation of brain locations

10: Describe how the endocrine system provides a communication pathway.

Correct Answer: The endocrine system is a chemical system of communication that relies on the action of specialized organs called endocrine glands that are located throughout the body. When stimulated, endocrine glands release chemicals called hormones into the bloodstream. These hormones circulate through the bloodstream until they reach other organs in the body. Our internal organs are equipped with special receptor sites to accept these hormones. The endocrine system is considerably slower than the nervous system in relaying messages

CLICK HERE TO ACCESS THE COMPLETE Test Bank because it relies on blood circulating through the veins and arteries of the cardiovascular system to transport hormones throughout the body. The stimulation created by hormones, however, tends to last longer than the stimulation caused by action potentials at the synapse.

MULTIPLE CHOICE

11 : What brain structure is involved in the formation of myelin?
A : Neurons B : Glia cells
C : Dendrites
D : Synapses
D. Cyriapaea
Correct Answer : B
12 : Reflexive activity, such as jerking your hand away from a hot stove, is governed by the
A : rescue system
B : endocrine system
C : nervous system
D : parasympathetic system
Correct Answer : C
13 : The action of tying your shoes is most likely to involve the system.
A : endocrine
B: exocrine
C : nervous
D : parasympathetic
Correct Answer : C
14: The information-carrying cells of the nervous system are called
A : Neurons
B: glia cells
C : Hormones
D : Glands
Correct Answer : A
15 : Glia cells are responsible for
A : forming myelin
B : directing the activity of hormones
C : providing very little benefit to the brain
D : occasionally functioning as neurotransmitters
Correct Answer : A
16: Which of the following statements is TRUE regarding neurons and glia cells in the adult
human brain?

A: Neurons are far more numerous than glia cells.

B: Neurons are more concentrated in the brainstem than glia cells.

CLICK HERE TO ACCESS THE COMPLETE Test Bank C: Neurons and glia cells are similar in number. D: Neurons are far less numerous than glia cells.
Correct Answer : C
17 : Myelin A : is a type of neurotransmitter B : disrupts neurological activity C : is produced by the action potential D : speeds up neural signals
Correct Answer : D
18 : Symptoms of multiple sclerosis include A : difficulty with movement B : digestive ailments C : high fever D : skin rash
Correct Answer : A
 19: Without glia cells, your brain would A: experience no change in function B: be forced to communicate more often through the endocrine system C: repair itself more rapidly than normal in the case of an injury D: send information more slowly
Correct Answer : D
20 : Which disease is associated with myelin loss, causing neural impulses to travel around the brain without reaching its destination? A : Depression B : Multiple sclerosis C : Parkinsons disease D : Alzheimers disease
Correct Answer : B
 21 : Francisco has a disease that is destroying the myelin on his neurons. What effect will this disease most likely have on Francisco? A : His brain and spinal cord will completely cease to function. B : He will be paralyzed on one side of his body but not the other. C : His neural signals will slow down. D : His neural signals will speed up.
Correct Answer : C
22 : The part of the neuron that receives incoming signals from other neurons is called the
A : axon B : dendrite C : cell body D : synaptic cleft

Correct Answer : B

23 : Dr. Adelman is biological psychologist who is most interested in studying the part of the neuron that receives input from other neurons. He is most likely to focus on which of the following? A : Myelin B : Axon bulbs C : Dendrites D : Glia
Correct Answer : C
24: Within a single neuron, dendrites are and axon bulbs A: active in communication; active in cell metabolism B: myelinated; unmyelinated C: on the head; at the tail D: much smaller; much larger
Correct Answer : C
25 : A neurons axon A : is nearly always less than two millimeters in length B : is usually completely covered in myelin from end-to-end C : can either by myelinated or unmyelinated D : usually ends in one bulb, which physically connects to the next neuron
Correct Answer : C
26: Axons on neurons in the brain are typically A: longer than those in the peripheral nervous system B: shorter than those in the peripheral nervous system C: about the same size as those in the peripheral nervous system D: extremely variable in length, with some being very long and others very short
Correct Answer : B
27: The junction between the adjoining neurons where the axon bulb of one neuron comes in proximity with specialized receptor sites on another neuron is called the A: synapse B: myelin sheath C: dendrite space D: cellular gap
Correct Answer : A
28: The vesicles at the end of an axon bulb contain A: sodium (Na+) ions B: neurotransmitters C: myelin D: DNA
Correct Answer : B

29 : Axons are necessary for neurons to be able to A : receive neural impulses from other neurons B : duplicate themselves C : direct the development of the neuron D : send neural impulses to other neurons
Correct Answer : D
30 : A neurons DNA exists within its A : cell body B : dendrites C : axon D : axon bulb
Correct Answer : A
31 : If your neurosurgeon were able to take a neuron out of your brain and examine it, she would most likely find that A : its axon would be very short B : it would have two cell bodies C : it would have more than one axon D : its cell body would not have any dendrites attached to it
Correct Answer : A
32 : The branch-like structures on the heads of neurons that receive signals from other neurons are called A : dendrites B : myelin sheaths C : axon hillocks D : synapses
Correct Answer : A
33 : Each neuron in the brain can potentially form a synapse with up to other neuron(s). A : 1 B : 10 C : 1000 D : 10000
Correct Answer : D
34: If you wanted to trace the typical flow of information through a single neuron, you would have to start at the, go through the, and end at the A: dendrites; medulla; dendrites B: axon hillock; axon bulb; dendrites C: dendrites; axon; axon bulb D: axon bulb; brain stem; dendrites
Correct Answer : C
35 : If you needed to explain to your friend what a synapse is, what would you say?

CLICK HERE TO ACCESS THE COMPLETE Test Bank A: A synapse is the part of the neuron that receives incoming signals and initiates the action potential. B: A synapse is the tiny gap between the axon bulb of one neuron and the dendrites of another. C: A synapse is the insulation on the outside of the neuron. D: A synapse is the structure on axons that stores and releases neurotransmitters. Correct Answer: B 36: When your teacher is attempting to describe a postsynaptic neuron, she is essentially talking about a neuron that _____. A: is myelinated B: is unmyelinated C: receives input from another neuron D: sends messages to another neuron Correct Answer: C 37: A synapse is essentially a (n) _____. A: gap B: wire C: chemical D: electrical charge Correct Answer: A 38 : Receptor sites for communication among neurons exist on _____. A: sodium ions B: neurotransmitters C: dendrites D: myelin Correct Answer: C 39 : A specific receptor site and its specific neurotransmitter are analogous to _____. A: two managers discussing a decision B: a lock and the correct key C: a receptionist talking on the phone D: a cue stick and a billiard ball Correct Answer: B 40: There are many more neural connections in the brain than the number of neurons because A: each neuron can synapse with many other neurons B: neural connections also occur between glia cells C: all that is needed for a neural connection is two different types of brain material D: any two neurons can communicate in both directions across the same synapse

Correct Answer : A

41 : Which statement is most correct about the complexity of neurological processes in the brain?

A: Neurological processes are actually very simple, with just a few activities happening one

CLICK HERE TO ACCESS THE COMPLETE Test Bank right after another repeatedly. B: Neurological processes are not understood at all, given our current knowledge base. C: Neurological processes are totally understood now that we have the technology to observe them. D: Neurological processes are very complex, with many activities happening at the same time. Correct Answer: D 42: The brain uses electrochemical energy that is produced by ____. A:ions B: alternating current C: direct current D: electrons Correct Answer: A 43: If Clark had no ions in his nervous system, ____. A: his action potentials would be faster B: his action potentials would be slower C: he would not be able to generate any action potentials D: he would be able to move, but he would not be able to think Correct Answer: C 44: If Marys neurons were never able to achieve a potential more positive than 70 millivolts, A: her action potentials would be very slow B: she would not be able to generate any action potentials C: her action potentials would be very inconsistent D: she would be able to move, but she would not be able to think Correct Answer: B 45: Which of the following is TRUE regarding the resting potential of a neuron? A: In mammals it is about 20 millivolts. B: During its resting state, all ionized particles can move freely into and out of the neuron. C: The potential is maintained by high concentrations of magnesium outside the neuron. D: The predominant charge inside a neuron at rest is negative. Correct Answer: D 46: Which of the following neuron resting potentials is typical in mammals? A: 70 millivolts B: 45 millivolts C: 0 millivolts D: 5 millivolts Correct Answer: A 47: When the inside of the axon has a greater negative charge than the outside, it is safe to conclude that A: an action potential is not being generated in that part of the axon B: the axon is depolarized

CLICK HERE TO ACCESS THE COMPLETE Test Bank C: there is an especially large concentration of Na+ ions inside the axon D: an action potential is being generated in that part of the axon
Correct Answer : A
48 : The action potential is directly created when A : vesicles in the axon release neurotransmitters B : myelin is produced by the cell body C : sodium (Na+) ions flood into the axon D : DNA is released into the synapse
Correct Answer : C
49 : You are a neurosurgeon performing surgery on a 50-year-old man. When you insert an electrode into the axon of one of his neurons while it is not receiving or sending information, what voltage should you record with your instruments? A : 55 mv B : ?55 mv C : 70 mv D : ?70mv
Correct Answer : D
50: When neurotransmitters bind with receptor sites, what is the essential event that eventually causes the postsynaptic neuron to generate an action potential? A: the creation of myelin sheathing B: the flooding of sodium (Na+) into the cell C: the removal of anions from the cell D: the generation of electrical current in the dendrites Correct Answer: B 51: ?70 millivolts is to as ?55 millivolts is to
A : resting potential; threshold of excitation B : threshold of excitation; resting potential C : home electrical capacity; the bodys electrical capacity D : the bodys electrical capacity; home electrical capacity
Correct Answer : A
52 : An action potential is a A : chemical imbalance B : possible activity C : reflex movement D : neural impulse
Correct Answer : D
53 : Which phrase best describes how the action potential occurs? A : all or none B : slow but sure C : speed equals intensity D : all for one, and one for all

Correct Answer : A
54 : As one of Wilburs neurons fires an action potential, the charge inside the neuron becomes .
A : negative B : positive C : stable D : unpredictable
Correct Answer : B
55 : In mammals, the threshold of excitation is about A : 55mv B : ?70mv C : ?55mv D : 70mv
Correct Answer : C
56: Potassium ions (K+) will continue to leave the neuron until the neurons A: resting potential is depleted B: threshold of excitation is stimulated again C: resting potential is restored D: resting potential is positive
Correct Answer : C
57: Why is it important for potassium ions (K+) to move out of the axon once an action potential has been fired? A: Because their continued presence would be damaging to the tissues of the axon B: So that the neuron will have the ability to generate another action potential C: Because of the required binding with potassium (K+) to activate the refractory period D: In order to create a more negative charge outside rather than inside the neuron
Correct Answer : B
58: The refractory period is the A: time it takes to fire an action potential B: period of time that neurotransmitters are active within the synapse C: time during which a neuron is restoring its resting potential after an action potential has been fired D: the total period of time it takes for a neuron to receive information from one neuron and transmit it to another one
Correct Answer : C
 59: If after firing once, Michals neurons did not return to their resting potential, her neurons would be A: unable to fire again B: able to fire more rapidly than normal C: seriously damaged from lack of rest D: totally normal

Correct Answer : A
60 : The refractory period occurs A : during the night when our neurons are at rest B : only when inhibitory neurotransmitters are released C : between action potentials D : as the cell begins to depolarize
Correct Answer : C
 61 : Once an action potential reaches the end of the axon, how does the information usually get to the next neuron? A : The action potential jumps across the synaptic cleft to the next neuron in the form of an electrical impulse. B : Myelin acts as a bridge to transport it across the synaptic cleft. C : Potassium ions (K+) move back and forth between neurons to carry the information across. D : Vesicles at the end of the axon release neurotransmitters which float across the synaptic cleft to the next neuron.
Correct Answer : D
62: Neurotransmitters being released by a presynaptic neuron into the synapse are due to, A: the neuron being in a refractory period B: a large concentration of Na+ ions outside of the presynaptic axon C: a high concentration of negative ions inside the neuron D: action potentials that have occurred in the presynaptic neuron
Correct Answer : D
 63: How do neurotransmitters communicate with postsynaptic neurons? A: Like a key fitting into a lock, they bind with corresponding receptor sites on dendrites of the neuron. B: Like water over a dam, they build up until they flood into the next neuron through sheer force. C: Like a hot knife through butter, they easily penetrate right into the cell body through the dendrites. D: Like throwing darts, they are propelled across the synapse and communicate with the neuron wherever they land.
Correct Answer : A
64 : An axon that has a 55 mv electric potential across its membrane A : probably does not have any myelin sheathing B : is going to fire an action potential C : has a very large concentration of Na+ ions inside the axon D : has just released several neurotransmitters

Correct Answer : B

65 : If you were to inject sodium (Na+) into a neuron in a rats brain, what effect would it have on the neuron?

CLICK HERE TO ACCESS THE COMPLETE Test Bank A: It would make the neuron more likely to fire an action potential. B: It would make the neuron less likely to fire an action potential. C: It would prevent the neuron from firing action potentials. D: It would make the neuron fire action potentials that travel more slowly than normal. Correct Answer: A 66: A neuron firing an action potential is most like a person ____. A: driving a car B: playing basketball C: turning on a light D: running down the road Correct Answer: C 67: Excitation causes a postsynaptic cell to ___ A : become more negative in its resting potential B: become more positive in its resting potential C: move further away from the threshold of an action potential D: become more neutral in its resting potential Correct Answer: B 68: Rick is given a medication that makes his neurons more positive in their resting potential. What effect will this most likely have on Ricks nervous system? A: He will have more excitation in his nervous system. B: He will have more inhibition in his nervous system. C: He will have less excitation in his nervous system. D: This drug will not affect the functioning of Ricks nervous system. Correct Answer: A 69: Suppose you take a drug that indirectly causes potassium (K+) to leave your postsynaptic neurons. What effect would the drug have? A : Excitatory B: Inhibitory C: Hallucinogenic D: Sedative Correct Answer: B 70 : Suppose you have a neurological problem that could be fixed by increasing the likelihood that your neurons will fire action potentials. Your doctor may prescribe a drug that has what type of effect? A: Impulsive B: Binding C: Excitatory D: Inhibitory Correct Answer: C

Correct Ariswer . C

71: Marta is injected with a drug that prevents sodium (Na+) from entering into neurons in the part of the brain that controls the movement of the arms. What effect will this drug most likely

CLICK HERE TO ACCESS THE COMPLETE Test Bank A: electrical current stays within the synapse
B : right amount of excitation and inhibition occurs
C : speed of action potentials is always at the highest level
D : neuron never enters a resting phase
Correct Answer : B
78 : Moving your arm requires
A: inhibition only
B : excitation only
C : neither inhibition, nor excitation
D : both inhibition and excitation
Correct Answer : D
79: Which statement is TRUE regarding the processes of excitation and inhibition? A: In order for the body to work normally, neurotransmitters should usually be excitatory. B: In order for the body to work normally, neurotransmitters should usually be inhibitory. C: Both inhibitory and excitatory processes are necessary for normal neurological activity. D: Neither excitatory nor inhibitory processes are good for normal neurological activity.
Correct Answer : C
80 : Reuptake describes the A : recycling and returning of neurotransmitters to the presynaptic neuron B : movement of ions back outside the axon after the action potential has been fired C : process of neurons stretching and then retracting as they communicate with neighboring neurons D : shrinking of myelin on the axons of neurons
Correct Answer : A
81: Prozac inhibits the reuptake of the neurotransmitter serotonin. When you take Prozac, the effect of this drug will A: reduce the action of serotonin in the brain B: increase the time serotonin spends in the synapses of the brain C: prevent the release of serotonin in the synapses of the brain D: prevent the absorption of serotonin in the postsynaptic neuron
Correct Answer : B
82 : If your teacher required you to learn the names and functions of all the neurotransmitters that researchers have identified, you would have to learn about neurotransmitters. A : fewer than 50 B : 50 to 75 C : 76 to 100 D : more than 100
Correct Answer : D
83 : The first neurotransmitter discovered was A : acetylcholine B : dopamine

might be a (n) ___

A: increased supply of serotonin in his brain

B: decreased supply of Na+ around his neurons

C: decreased supply of acetylcholine in his brain

D: increased supply of myelin around his axons

Correct Answer: C

89 : Alzheimers disease has been associated with loss of neurons that produce _____.

A: dopamine B: endorphins

C: acetylcholine

D : GABA

Correct Answer : C
90 : Hedda takes a drug that increases the amount of acetylcholine in her brain. Hedda is most likely taking this drug for which condition? A : multiple sclerosis B : Alzheimers disease C : Parkinsons disease D : Schizophrenia
Correct Answer : B
91 : Recent research has suggested that acetylcholine plays a role in A : memory and awareness B : sleep and pain perception C : sex and eating D : motivation and weight loss
Correct Answer : A
92 : The fact that people gain pleasure from eating and sexual activity is at least partially due to the effects of neurotransmitters. Which neurotransmitter is the most likely source of this pleasure? A : Epinephrine B : Glutamate C : Endorphins D : Dopamine
Correct Answer : D
93 : Treating a patient with Parkinsons disease with a drug that increases dopamine activity to greatly could lead to symptoms of A : depression B : autism C : schizophrenia D : paralysis
Correct Answer : C
94 : Treating a patient with schizophrenia with a drug that decreases dopamine activity too greatly could lead to symptoms of A : Parkinsons disease B : autism C : anxiety D : dissociative identity disorder
Correct Answer : A
95 : Parkinsons disease is to as schizophrenia is to A : small amounts of serotonin; small amounts of acetylcholine B : small amounts of dopamine; large amounts of dopamine C : large amounts of serotonin; small amounts of serotonin

 ${\tt CLICK\ HERE\ TO\ ACCESS\ THE\ COMPLETE\ Test\ Bank\ D}$: large amounts of acetylcholine; large amounts of dopamine Correct Answer: B 96: A person with schizophrenia who takes a drug that increases brain levels of dopamine will most likely _ A: experience reduced symptoms B: experience increased symptoms C: become depressed D: exhibit the symptoms of Parkinsons disease Correct Answer: B 97: George has a disease that is associated with a lack of dopamine-producing neurons in his brain. George most likely has ____. A: multiple sclerosis B: cancer C: Parkinsons disease D: Alzheimers disease Correct Answer: C 98 : Emilio is taking a drug for his Parkinsons disease. What effect would you expect this drug to have on Emilios brain? A: Increase dopamine levels B: Increase serotonin levels C: Increase acetylcholine levels D: Increase endorphin levels Correct Answer: A 99: Parkinsons disease is associated with the loss of neurons in an area of the brain richest in A: serotonin B: acetylcholine C: dopamine D: norepinephrine Correct Answer: C 100 : Which statement is TRUE regarding dopamine? A: High levels of dopamine are related with symptoms of autism. B: Low levels of dopamine are related with symptoms of Parkinsons disease. C: Dopamine makes activities like sex and eating less pleasurable. D: Dopamine was the first neurotransmitter to be discovered. Correct Answer: B 101: Those who are prescribed Prozac are presumed to have ____ in their brain. A: high levels of GABA B: low levels of acetylcholine C: high levels of dopamine D: low levels of serotonin

Correct Ariswer . D
102 : Which neurotransmitter is the primary target of drugs, such as Prozac, that are used to treat depression? A : Norepinephrine B : Serotonin C : Dopamine D : Acetylcholine
Correct Answer : B
103 : Many sedative medications such as Valium and phenobarbital exert their effects by acting on A : glutamate B : endorphins C : dopamine D : GABA
Correct Answer : D
104 : The chief inhibitory neurotransmitter in the brain is, and the chief excitatory neurotransmitter is A : GABA; glutamate B : epinephrine; norepinephrine C : serotonin; dopamine D : acetylcholine; GABA
Correct Answer : A
105 : The symptoms of depression that may follow heavy use of MDMA (ecstasy) may result from depleted levels of A : dopamine B : serotonin C : GABA D : glutamate
Correct Answer : B
106 : The chief excitatory neurotransmitter in the brain is A : serotonin B : dopamine C : GABA D : glutamate
Correct Answer : D
 107 : Juan, a 9-year-old boy, was in an accident and suffered a brain injury. Which neurotransmitter will most likely most help Juan recover functioning after injury? A : acetylcholine B : serotonin C : glutamate D : norepinephrine

Correct Answer : D
108 : A person may be prescribed Valium in order to activity. A : increase dopamine B : increase GABA C : decrease serotonin D : decrease glutamate
Correct Answer : B
109 : Your college roommate likes to binge drink on Saturday nights. After one particularly bad weekend, she becomes concerned about the effects of so much alcohol on her brain. Knowing that you are studying the brain in psychology, she asks you to explain the effects of alcohol on the brain. You should tell her that alcohol affects the function of the neurotransmitter A : acetylcholine B : dopamine C : GABA D : norepinephrine
Correct Answer : C
 110 : Dr. Hebda injects a large dose of the neurotransmitter glutamate into the brain of a living rat. What effect would this most likely have on the rat? A : The rat will become much more intelligent. B : The rat will experience the death of many neurons. C : The rat will become very hungry. D : The rat will exhibit symptoms of schizophrenia.
Correct Answer : B
111 : If you were to insert an electrode at random into the brain, the odds are that the neuron you would hit would be one that uses the neurotransmitter A : glutamate B : serotonin C : acetylcholine D : endorphin
Correct Answer : A
112 : Which of the following is primarily an inhibitory neurotransmitter?A : AcetylcholineB : NorepinephrineC : GlutamateD : GABA
Correct Answer : D
113 : Which of the following is primarily an excitatory neurotransmitter?A : GlutamateB : SerotoninC : Dopamine

D : GABA

Correct Answer : A
 114 : Endorphins A : are a type of neurotransmitter that block pain messages B : facilitate and increase the activity of dopamine C : create the sense of fatigue and pain felt when the body is stressed D : are associated with cell death following brain injury
Correct Answer : A
 115: If you have just completed a vigorous physical workout, your central nervous system is most likely to have A: decreased levels of dopamine B: decreased levels of serotonin C: increased levels of endorphins D: increased levels of GABA
Correct Answer : C
 116: Based on the available research, which statement is TRUE? A: Exercise increases endorphin release. B: Chocolate is the only food that causes endorphin release in the brain. C: It takes about 45 minutes to release endorphins after consuming fatty foods. D: Endorphins increase sensitivity to pain when an injury has occurred.
Correct Answer : A
117 : The two main divisions of the nervous system are the and the A : brain; spinal cord B : muscles; organs C : parasympathetic nervous system; sympathetic nervous system D : central nervous system; peripheral nervous system
Correct Answer : D
118 : The central nervous system includes the A : sympathetic & parasympathetic systems B : brain and spinal cord C : internal organs and muscles D : somatic and autonomic systems
Correct Answer : B
119: The branch of the nervous system that includes neurons that run between the brain and the muscles AND between the brain and the internal organs is the A: central nervous system B: peripheral nervous system C: somatic nervous system D: autonomic nervous system
Correct Answer : B

120 : Motor neurons are to as sensory neurons are to A : outward; inward B : inward; outward C : inhibitory; excitatory D : excitatory; inhibitory
Correct Answer : A
121 : On the dance floor, when you want to make an impressive dance move, information is sent through your neurons to make your muscles respond appropriately. A : parasympathetic B : motor C : sensory D : autonomic
Correct Answer : B
122 : Which of the following is a component of the autonomic nervous system? A : the sympathetic nervous system B : the central nervous system C : the peripheral nervous system D : the somatic nervous system
Correct Answer : A
123 : When making a drive to the basket in a basketball game, your nervous system sends signals to your muscles to coordinate your movements. A : somatic B : sympathetic C : parasympathetic D : autonomic
Correct Answer : A
124: When you reach out and accidentally touch a hot stove, information is sent through neurons to tell your central nervous system that it is hot. A: sympathetic B: autonomic C: sensory D: motor
Correct Answer : C
125 : The autonomic nervous system allows us to A : walk and talk B : remember important events C : reason logically about difficult concepts D : breath without having to think about it
Correct Answer : D
126: The autonomic nervous system involves neurons that control A: the sensory systems

CLICK HERE TO ACCESS THE COMPLETE Test Bank B: skeletal muscles C: internal organs D: the cortex of the brain
Correct Answer : C
 127 : The parasympathetic nervous system A : governs organs during times of stress B : is a branch of the somatic nervous system C : helps return heart rate, blood pressure, and respiration to normal levels D : governs voluntary motor actions
Correct Answer : C
128 : After cheering wildly at an exciting football game your body may begin to relax on the way home. This relaxation reflects activity of the nervous system. A : parasympathetic B : sympathetic C : somatic D : voluntary
Correct Answer : A
 129: Which of the following includes the sympathetic nervous system? A: The parasympathetic nervous system B: The somatic nervous system C: The autonomic nervous system D: None of these
Correct Answer : C
130 : You have just witnessed a car accident. Your heart rate and respiration rate are likely to be elevated due to nervous system activity. A : somatic B : parasympathetic C : iconic D : sympathetic
Correct Answer : D
131 : The sympathetic nervous system activates a(n) response, and the parasympathetic nervous system activates a(n) response. A : stress; calming B : calming; stress C : involuntary; voluntary D : voluntary; involuntary
Correct Answer : A
132: Kiesha was driving in her car when a tractor-trailer pulled out in front of her and almost caused an accident. Which branch of Kieshas nervous system would be most responsible for the functioning of her internal organs during this crisis?

A: somatic

CLICK HERE TO ACCESS THE COMPLETE Test Bank B: sympathetic C: parasympathetic D: endocrine Correct Answer: B 133: Which of the following is part of the hindbrain? A: Medulla B: Reticular formation C: Cerebral cortex D: Limbic system Correct Answer: A 134: Whereas the hindbrain is the ____ part of the brain, the forebrain is the ____ part of the brain. A: emotional; physical B: physical; life-sustaining C: intellectual; emotional D: primitive; intellectual Correct Answer: D 135: The medulla is responsible for . . A: decision making B: biological drives such as hunger and thirst C: voluntary movement D: heartbeat and respiration Correct Answer: D 136: The pons is part of the . A: forebrain B: midbrain C: hindbrain D: spinal cord Correct Answer: C 137: The medulla and the pons are both . A: part of the midbrain B: crucial to life C: responsible for arm and leg movement D: involved in higher cognitive function Correct Answer: B 138: Tan was in a diving accident. He hit his head on some rocks and suffered severe damage to his brainstem. In particular, he damaged his medulla. Knowing what you know about the

brain, what effect will this injury most likely have on Tan?

A: He will have difficulty balancing his body.

B: He will have problems with his short-term memory.

C: He will have problems with his vision.

 $\ensuremath{\text{CLICK}}$ Here to access the complete test Bank D : He will have problems sustaining life. Correct Answer: D 139: Of the following, alcohol primarily impairs the functioning of the _____. A: hypothalamus B: cerebellum C: thalamus D: amygdala Correct Answer: B 140 : A person whose cerebellum is damaged would most likely experience problems with _____. A: breathing B: thinking C: physical coordination D: consciousness Correct Answer: C 141: Which part of the brain plays an important role in sleep, attention, and consciousness? A: Limbic system B: Cerebellum C: Hippocampus D: Reticular formation Correct Answer: D 142: The medulla is to _____ as the reticular formation is to _____. A: muscle movement; emotion B: judgment; vision C: breathing; arousal D: pleasure drives; aggression Correct Answer: C 143: Which brain structure is part of the forebrain? A: Medulla B: Pons C: Cerebellum D: Amygdala Correct Answer: D 144: Contrary to the structures of the hindbrain and the midbrain, most structures of the forebrain are . A: duplicated in right and left hemispheres B: largely made up of neurons and glia C: not able to communicate with each other D: not part of the central nervous system

Correct Answer: A

145 : Recent research has indicated that the amygdala may play a role in how we A : perceive and respond to emotion-evoking stimuli B : process and remember information, such as names and dates C : develop a tolerance for addictive substances D : move from various states of consciousness, such as from wakefulness to sleep
Correct Answer : A
146: Recent research has shown that persons with autism spectrum disorders experience abnormal activity in the A: medulla B: cerebellum C: pons D: amygdala
Correct Answer : D
147 : Suppose that you are unable to remember any of the events or episodes of your life. This may be because of damage to your A : frontal lobe B : occipital lobe C : hippocampus D : septum
Correct Answer : C
148: In the case of S.M. reported in your textbook, S.M. has not experienced which emotion during her adult life? A: Anger B: Curiosity C: Fear D: Happiness
Correct Answer : C
 149: Based on the case of H.M., the hippocampus appears to be important in A: experiencing pleasurable sensations B: sustaining life C: making logical judgments D: forming memories for events
Correct Answer : D
 150: Which statement is TRUE regarding the case of H.M. presented in the textbook? A: The surgery to reduce his epileptic seizures destroyed his hypothalamus. B: His brain lesions led to an inability to remember the faces of family members. C: He was almost completely unable to learn new motor skills. D: His memory for events prior to the surgery remained intact.
Correct Answer : D
151: Based on the research conducted with London taxi drivers and bus drivers, we can conclude that

A: the taxi drivers larger amygdalae caused them to be able to remember complicated routes B: memorizing maps increased the size of bus drivers hippocampi but not those of taxi drivers because bus drivers must drive consistent routes C: portions of the hippocampus enlarged as the taxi drivers memorized complicated maps D: except in cases of abnormal functioning, there is no relationship between the hippocampus and spatial memory Correct Answer: C 152: Research presented in the textbook suggests that the hippocampus plays a role in which of the following? A: Memory and stress B: Pleasure and pain C: Hunger and thirst D : Surprise and fear Correct Answer: A 153: The thalamus is to _____ as the hypothalamus is to _____. A : sensation; perception B: sensation; homeostasis C: pleasure; movement D: emotion; intellect Correct Answer: B 154: Most of the input from our senses travels through the on the way to the appropriate part of the cortex for further processing. A: hypothalamus B: pons C: thalamus D: hippocampus Correct Answer: C 155: Suppose your body is having difficulty maintaining homeostasis in temperature, thirst, or hunger. This may be due to damage to your ____. A: hypothalamus B: hippocampus C: pons D: thalamus Correct Answer: A 156: The hypothalamus ____. A: maintains vegetative functions like breathing B: helps to maintain homeostasis in the body C: is critical to memory function D: is a sensory relay system Correct Answer: B

157: The structure in the brain that plays the biggest role in physiological motivation is the

CLICK HERE TO ACCESS THE COMPLETE Test Bank

A : hippocampus B : hypothalamus C : amygdala D : thalamus
Correct Answer : B
158: The most convoluted and folded cortex would belong to which animal? A: Human B: Dog C: Cat D: Rat
Correct Answer : A
159: Which part of the brain forms the outside covering of the hemispheres? A: The forebrain B: The corpus callosum C: The anterior commissure D: The cortex
Correct Answer : D
160 : Which of the following names a lobe of the cortex? A : Frontal B : Ventral C : Medial D : Central
Correct Answer : A
 161: The lobes of the brain tend to be wired contralaterally, which means that A: the major pathways run at right angles to each other B: the corpus callosum runs from the front to the back C: each hemisphere governs the opposite side of the body D: both sides work together in most intellectual and behavioral tasks
Correct Answer : C
 162 : You may not want to spend money to attend a seminar on becoming more of a right-brain thinker in light of recent research. What do these findings indicate? A : All important thinking actually occurs in the left hemisphere. B : The right hemisphere is more resistant than the left hemisphere to change. C : The right hemisphere is actually the verbal side, and the left hemisphere is the creative side. D : Both sides work together in most intellectual and behavioral tasks.
Correct Answer : D
163: Although both hemispheres of the cortex work together, the left hemisphere seems to be more active during processing, while the right hemisphere seems to be more active during
A : emotional: intellectual

B: linguistic; spatial C: intellectual; emotional D : spatial; linguistic Correct Answer: B 164: Brocas area is located in the ____ lobe of the cortex. A: right temporal B: left frontal C : right frontal D: left temporal Correct Answer: B 165 : Damage to Wernickes area typically leads to an inability to _____. A: recognize faces B: perceive visual stimuli C: understand spoken language D: regulate emotional behavior Correct Answer: C 166: Wernickes area is to _____ as Brocas area is to _____. A: sensing touch; responding to touch B: seeing; hearing C: understanding speech; producing speech D: emotional processing; intellectual processing Correct Answer: C 167: Due to untreated high blood pressure, Namir suffered a small stroke. While in rehab, his occupational therapist asked if he wanted to go to the supermarketbut, Namir heard Do usent go the markest else some? Where might Namirs brain injury be located? A: limbic system B: Brocas area C: Wernickes area D : somatosensory cortex Correct Answer: C 168: Research about the corpus callosum suggests that _ A: the corpus callosum of females is far less active than that of males, resulting in greater lateralization B: differences observed between males and females may be related more to brain size than to sex C: certain regions of the corpus callosum tend to be larger in males, resulting in systematic differences in information processing D: male-female differences in the corpus callosum vary by culture, suggesting a role for development Correct Answer: B

169: Suppose a persons brain is examined and found to be smaller and have a larger number

CLICK HERE TO ACCESS THE COMPLETE Test Bank

of connections between hemispheres than average. This means that the person is more likely to be than A: female; male B: intelligent; unintelligent C: young; old D: uneducated; educated
Correct Answer : A
170 : Michael Gazzanigas split-brain patients A : were unable to name objects they saw in their left visual field B : could not determine the direction of sounds in the environment C : had difficulty determining body position D : gradually developed two separate personalities
Correct Answer : A
171 : A person who undergoes split-brain surgery is most likely to do so in an effort to treat
A : muscular dystrophy B : epilepsy C : schizophrenia D : dissociative identity disorder
Correct Answer : B
172: When information is received only in the right hemisphere of a split-brain patient, the patient is A: able to verbally describe the information, but cannot draw a picture of it B: unable to understand the information C: unable to verbally describe the information D: unable to draw a picture of the information
Correct Answer : C
173 : Motor-sensory cortex areas comprise about of the cortex, and association cortex areas comprise about of the cortex. A : 75%; 25% B : 25%; 75% C : 40%; 60% D : 60%; 40%
Correct Answer : B
174: The motor cortex is located in the lobe of the cortex. A: parietal B: occipital C: temporal D: frontal
Correct Answer : D

175 : Based on the experience of Phineas Gage, who had a metal rod accidentally shot through

part of his head, it appears that the A: occipital lobe regulates visual perception B: occipital lobe regulates the sense of touch and temperature C: frontal lobe regulates judgment and emotional response D: frontal lobe regulates motor control
Correct Answer : C
176 : As we age, blood flow to the brain declines particularly in the A : occipital lobe B : prefrontal cortex C : limbic system D : left frontal lobe
Correct Answer : B
177 : The somatosensory cortex serves as the leading edge of the lobe. A : temporal B : parietal C : occipital D : motor cortex
Correct Answer : B
178 : Another name for the back part of the occipital lobe is the A : visual cortex B : motor cortex C : homunculus D : corpus callosum
Correct Answer : A
179: Pavia slips and falls in the bathroom and bangs her head on the tile floor. She begins to see stars and flashes of light, indicating some activation of brain cells in the A: reticular formation B: parietal lobe C: frontal lobe D: occipital lobe
Correct Answer : D
180 : The temporal lobes are particularly important in the processing of and A : memory; emotions B : vision; hearing C : hearing; speech comprehension D : emotions; thoughts
Correct Answer : C
181: Which brain imaging techniques allow for the observation of structure but do not allow observation of brain activity? A: PET scan and fMRI scan

B: EEG and fMRI scan

CLICK HERE TO ACCESS THE COMPLETE Test Bank C: MRI scan and fMRI scan D: CAT scan and MRI scan
Correct Answer : D
182 : Suppose your neurosurgeon wants to get a good picture of your brain in action. What technique is she most likely to use? A : CAT scan B : MRI scan C : X-ray D : PET scan
Correct Answer : D
183 : EEGs are useful for measuring A : electrical activity in large areas of the brain B : the structure and size of brain organs C : neurotransmitter activity between neurons in the nervous system D : blood flow in the central nervous system
Correct Answer : A
184: Researchers wish to know which part of a rats brain is most active as the rat listens to music. Which of the following technologies is most likely to be useful to the researchers in this situation? A: a CAT scan B: a MRI C: a PET scan D: an X-ray
Correct Answer : C
185 : The use of brain pacemakers to treat depression is associated with which technology for studying the brain? A : CAT scans B : PET scans C : fMRI D : brain stimulation
Correct Answer : D
186 : Suppose you want to track which neurons in the brain are active at a given moment. Which technique would you use? A : CAT scan B : brain stimulation C : fMRI D : EEG
Correct Answer : C
187: In contrast to the endocrine system, the nervous system A: is faster acting B: is purely chemical in nature

CLICK HERE TO ACCESS THE COMPLETE Test Bank C: produces longer-lasting stimulation D: relies on blood circulation to transport hormones
Correct Answer : A
188 : The two major communication systems within the body are the nervous system and the system. A : limbic B : sympathetic C : endocrine D : cortical
Correct Answer : C
189: The nervous system is to as the endocrine system is to A: growth and development; sleep and hunger B: sleep and hunger; growth and development C: prolonged; brief D: fast acting; slow acting
Correct Answer : D
 190 : In terms of working together, the nervous system and the endocrine system A : always work independently from each other B : often work together to influence biological activity C : work together only during reflex activity D : never work together to influence biological activity
Correct Answer : B
191 : When we are motivated to engage in sexual activity, hormones of the system may play a large role in this motivation. A : endocrine B : limbic C : nervous D : somatic nervous
Correct Answer : A
192: In the nervous system information is passed through the bodys, while in the endocrine system information is passed through the bodys A: glia; neurons B: bloodstream; neurons C: neurons; bloodstream D: neurons; glia
Correct Answer : C
193: Two hours after Halle was almost hit by a car, her body is still feeling the effects of this scare. These residual effects are most likely due to the function of Halles system. A: nervous B: endocrine C: circulatory

CLICK HERE TO ACCESS THE COMPLETE Test Bank D: digestive Correct Answer: B 194: The structure in the brain that connects the endocrine system and the nervous system is the ____. A: hippocampus B: hypothalamus C: amygdala D: thalamus Correct Answer: B 195: Hormones in the endocrine system _____. A: have a shorter-lasting effect than neurotransmitters in the nervous system B: exert a quicker effect than neurotransmitters in the nervous system C: are regulated by the hippocampus, which is part of the nervous system D: are primarily released by special organs in the body in response to signals from the pituitary gland Correct Answer: D 196: The sex hormones called estrogens are produced by the _____, while the sex hormones called androgens are produced by the . . A: adrenal glands; thyroid glands B: thyroid glands; adrenal glands C: testes; ovaries D: ovaries; testes Correct Answer: D 197: When the sympathetic nervous system is active, the releases epinephrine and norepinephrine into the bloodstream helping to increase respiration, heart rate, and blood pressure. A: thyroid gland B: adrenal medulla C: pituitary gland D : striate cortex Correct Answer: B 198: Which progression represents the correct sequence for secretion of hormones? A: Hypothalamus, pituitary gland, endocrine glands, organs of the body B: Endocrine glands, hypothalamus, organs of the body, pituitary gland C: Pituitary gland, organs of the body, hypothalamus, endocrine glands D: Organs of the body, endocrine glands, pituitary gland, hypothalamus Correct Answer: A

199: Which of the following helps in regulating the energy used in our body?

A : Thyroid B : Adrenal C : Pituitary

CLICK HERE TO ACCESS THE COMPLETE Test Bank D: Pineal Correct Answer: A 200: Blood sugar levels in the body are regulated by which part of the endocrine system? A: Pancreas B: Thyroid gland C: Gonads D: Adrenal cortex Correct Answer: A 201: Jonnas immune system seems to be compromised. Her doctor has determined that the problem lies in her endocrine system. Which part of Jonnas endocrine system is most likely related to her poor immune system functioning? A: Adrenal medulla B: Adrenal cortex C: Pituitary gland D: Thyroid gland Correct Answer: B 202 : Which gland plays a role in sexual maturation? A: Pineal gland B: Adrenal gland C: Pancreas D: Thyroid Correct Answer: A 203: The nucleus of a neuron is contained in the ____. A: cell body B: axons C: dendrites D: myelin sheath Correct Answer: A 204 : Current estimates suggest we have around ____ neurons in our brain. A: 800 million B: 6 billion C: 46 billion D: 86 billion Correct Answer: D 205 : Synapses occur _____. A: at any place along a dendrite B: only at the head of a dendrite C: only at the tail of a dendrite

Correct Answer: A

D: only at gaps in the myelin sheath

CLICK HERE TO ACCESS THE COMPLETE Test Bank

206 : Charged particles that play an important role in the firing of action potentials in the nervous system are called A : hormones B : transmitters C : ions D : precursors
Correct Answer : C
207 : The potential difference at which a neuron will fire an action potential is called the A : excitatory potential B : least noticeable difference C : potentiation trigger D : threshold of excitation
Correct Answer : D
208 : Each type of neurotransmitter has a specific, and each type of receptor site has a specific A : configuration; molecular shape B : molecular shape; configuration C : inhibitory potential; excitatory potential D : excitatory potential; inhibitory potential
Correct Answer : B
209 : When a neurotransmitter makes the postsynaptic cell more positive inside, has occurred. A : inhibition B : excitation C : transformation D : substitution
Correct Answer : B
210 : Jean-Paul is a skilled meditator. As a result, he might be expected to have a larger A : hippocampus B : amygdala C : thalamus D : pineal
Correct Answer : A

ESSAY

211: Describe how one neuron communicates with another neuron in the brain.

Correct Answer: Stimulation is received from other neurons through the dendrites. If there is enough stimulation for the receiving neuron to reach its threshold of excitation, an action potential begins, which conveys the information with a ripple effect along the length of the axon

CLICK HERE TO ACCESS THE COMPLETE Test Bank until it reaches the neuron's axonal bulbs. Stimulation of vesicles in the axon bulbs causes the release of neurotransmitters which conveys the signal to the postsynaptic neuron.

212: There has been a mix up in two patients prescriptions and each has received the other persons medication. Sheryl, who is diagnosed with Parkinsons disease, has accidentally been given a medication that decreases dopamine levels. Guillermo, diagnosed with schizophrenia, is given a medication that increases dopamine levels. Fortunately, the error is caught in time and Sheryl and Guillermo are given the correct medication before they take a dose. Hypothetically, describe what might have happened if Sheryl and Guillermo had indeed taken the wrong medicines.

Correct Answer: Parkinson's disease is a neurological disorder marked by a significant decrease in the dopamine produced by the brain. This decrease in dopamine results in a variety of neuromuscular impairments. If Sheryl had been given a medication that further decreased levels of dopamine, we would expect her symptoms to become even worse. In contrast, schizophrenia is thought to be in part due to an excess of dopamine in the brain. If Guillermo had been given a medication that increased the availability of dopamine, then symptoms of schizophrenia (such as hallucinations, delusions, bizarre behavior, etc.) might well have increased.

213: Compare the neurotransmitter system and the endocrine system as means of conveying information throughout the body.

Correct Answer: The neurotransmitter system, consisting of both excitatory and inhibitory elements, transmits information rapidly through means of various neurotransmitters. The hormonal system transmits information less rapidly, but with effects that last longer. Thus, neurotransmitters and hormones provide a complimentary communication system which is capable of both rapid and more long-lasting responses as the occasion demands.

214: How do the structures of the hindbrain differ in function from the cortex?

Correct Answer: The "primitive" brain consists of those structures which make up the hindbrain: medulla, pons, and cerebellum. The medulla allows for the preservation of such basic functions as heart rate, breathing; and such automatic functions as sneezing, coughing, and swallowing. The pons also helps in respiration, as well as dreaming, and sensory processing. The cerebellum aids in such functions as balance, muscle coordination, and motor-skill memory. Without the primitive side of our brain, some of the most basic life-support and neural processes would cease. In contrast, the most advanced portion of the brain is the forebrain. This area consists of the frontal, temporal, parietal, and occipital lobes. There are also locations within the forebrain of further specialization such as Broca's area, and Wernicke's area for language, and the motor/sensory cortexes. The various forebrain regions allow for further development of higher functions such as problem-solving, speech, reading, vision, etc.

215: What advantages do Magnetic Resonance Imaging (MRI) and Positron Emission Tomography (PET scan) offer in studying the brain?

Correct Answer: The MRI uses a magnetic field to create a computer-generated image of the brain. This allows physicians and psychologists to study the brain's structure in great detail. The PET scan uses radioactive glucose to gauge which areas are most active. The PET scan allows psychologists and physicians to see how the brain is working by showing which areas consume the most radioactive glucose.