


# Test Bank for 3-2-1 Code It 7th Edition by Green

[CLICK HERE TO ACCESS COMPLETE Test Bank](#)



# Test Bank

Name: \_\_\_\_\_ Class: \_\_\_\_\_ Date: \_\_\_\_\_

**Chapter 02: Introduction to ICD-10-CM and ICD-10-PCS Coding**

1. The *International Classification of Diseases (ICD)* is published by the World Health Organization (WHO) and is used to classify \_\_\_\_\_ data from death certificates.

- a. disease
- b. morbidity
- c. mortality
- d. procedure

ANSWER: c

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

DATE MODIFIED: 10/16/2018 9:35 AM

2. The *International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM)* was developed in the United States classify \_\_\_\_\_ data from inpatient and outpatient records, including physician office records.

- a. morbidity
- b. mortality
- c. procedure
- d. service

ANSWER: a

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

DATE MODIFIED: 10/16/2018 9:09 AM

3. All health care settings use ICD-10-CM to report \_\_\_\_\_.

- a. diagnoses
- b. equipment
- c. procedures
- d. services

ANSWER: a

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

DATE MODIFIED: 10/16/2018 9:35 AM

4. ICD-10-PCS is used to code and classify \_\_\_\_\_ data from hospital inpatient records only.

- a. diagnosis
- b. equipment
- c. procedure
- d. signs/symptoms

Name: \_\_\_\_\_ Class: \_\_\_\_\_ Date: \_\_\_\_\_

**Chapter 02: Introduction to ICD-10-CM and ICD-10-PCS Coding**

ANSWER: c  
POINTS: 1  
QUESTION TYPE: Multiple Choice  
HAS VARIABLES: False  
DATE CREATED: 7/24/2018 11:46 AM  
DATE MODIFIED: 10/16/2018 9:36 AM

5. The abbreviation for ICD-10-CM and ICD-10-PCS is \_\_\_\_\_.

- a. ICD-10
- b. ICD-10-CM
- c. ICD-10-CM/ICD-10-PCS
- d. ICD-10-CM/PCS

ANSWER: d  
POINTS: 1  
QUESTION TYPE: Multiple Choice  
HAS VARIABLES: False  
DATE CREATED: 7/24/2018 11:46 AM  
DATE MODIFIED: 10/16/2018 9:36 AM

6. Provider offices and outpatient health care settings use \_\_\_\_\_ to code procedures and services.

- a. CPT
- b. DSM-5
- c. ICD-10-CM
- d. ICD-10-PCS

ANSWER: a  
POINTS: 1  
QUESTION TYPE: Multiple Choice  
HAS VARIABLES: False  
DATE CREATED: 7/24/2018 11:46 AM  
DATE MODIFIED: 10/16/2018 9:36 AM

7. The term *clinical* emphasizes the ICD-10-CM modification's intent, which is to describe the clinical picture of the patient, which means the codes must be more \_\_\_\_\_ than those needed only for statistical groupings and trend analysis.

- a. broad
- b. equivocal
- c. general
- d. precise

ANSWER: d  
POINTS: 1  
QUESTION TYPE: Multiple Choice  
HAS VARIABLES: False  
DATE CREATED: 7/24/2018 11:46 AM

Name: \_\_\_\_\_ Class: \_\_\_\_\_ Date: \_\_\_\_\_

**Chapter 02: Introduction to ICD-10-CM and ICD-10-PCS Coding**

*DATE MODIFIED:* 10/16/2018 9:36 AM

8. ICD-10-CM and ICD-10-PCS incorporate specificity and clinical information, resulting in \_\_\_\_\_.
- a. enhanced ability to conduct public health surveillance
  - b. increased need to include supporting documentation with claims
  - c. lack of sensitivity when refining grouping and reimbursement methodologies
  - d. reduced ability to measure health care services

*ANSWER:* a

*POINTS:* 1

*QUESTION TYPE:* Multiple Choice

*HAS VARIABLES:* False

*DATE CREATED:* 7/24/2018 11:46 AM

*DATE MODIFIED:* 10/16/2018 9:14 AM

9. ICD-10-CM and ICD-10-PCS include updated medical terminology and classification of diseases, provides codes to allow comparison of mortality and morbidity data, and provides better data for \_\_\_\_\_.
- a. designing payment systems
  - b. eliminating the need for research
  - c. increasing fraud and abuse
  - d. measuring care furnished to facilities

*ANSWER:* a

*POINTS:* 1

*QUESTION TYPE:* Multiple Choice

*HAS VARIABLES:* False

*DATE CREATED:* 7/24/2018 11:46 AM

*DATE MODIFIED:* 10/16/2018 9:14 AM

10. Which is an example of a communication method with medical staff about patient record documentation and coding?
- a. coding guidelines
  - b. disease index
  - c. patient record
  - d. physician query

*ANSWER:* d

*POINTS:* 1

*QUESTION TYPE:* Multiple Choice

*HAS VARIABLES:* False

*DATE CREATED:* 7/24/2018 11:46 AM

*DATE MODIFIED:* 10/16/2018 9:18 AM

11. ICD-10-CM was expanded (as compared with previous classifications) to \_\_\_\_\_.
- a. include health-related conditions
  - b. limit the length of a code to six characters
  - c. require a seventh character for all codes

Name: \_\_\_\_\_ Class: \_\_\_\_\_ Date: \_\_\_\_\_

**Chapter 02: Introduction to ICD-10-CM and ICD-10-PCS Coding**

d. standardize insurance claims processing

ANSWER: a

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

DATE MODIFIED: 10/16/2018 9:37 AM

12. Which incorporate software search features to facilitate the location and verification of diagnosis and procedure codes?

a. coding manuals

b. calculators

c. encoders

d. groupers

ANSWER: c

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

DATE MODIFIED: 10/16/2018 9:19 AM

13. Which federal government agencies serve on the ICD-10-CM/PCS Coordination and Maintenance Committee?

a. AAPC and AMA

b. AHA and AHIMA

c. CDC and HHS

d. CMS and NCHS

ANSWER: d

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

DATE MODIFIED: 10/16/2018 9:38 AM

14. Which federal legislation requires all code sets to be valid at the time services are provided?

a. ACA

b. MMA

c. OBRA

d. TEFRA

ANSWER: b

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

Name: \_\_\_\_\_ Class: \_\_\_\_\_ Date: \_\_\_\_\_

**Chapter 02: Introduction to ICD-10-CM and ICD-10-PCS Coding**

*DATE MODIFIED:* 10/16/2018 9:39 AM

15. Which is a face-to-face contact between a patient and a health care provider who assesses and treats the patient's condition?

- a. condition
- b. diagnosis
- c. disease
- d. encounter

*ANSWER:* d

*POINTS:* 1

*QUESTION TYPE:* Multiple Choice

*HAS VARIABLES:* False

*DATE CREATED:* 7/24/2018 11:46 AM

*DATE MODIFIED:* 10/16/2018 9:39 AM

16. Which is the determination that a service or procedure rendered is reasonable and necessary for the diagnosis or treatment of an illness or injury?

- a. claims processing
- b. code assignment
- c. medical necessity
- d. third-party payment

*ANSWER:* c

*POINTS:* 1

*QUESTION TYPE:* Multiple Choice

*HAS VARIABLES:* False

*DATE CREATED:* 7/24/2018 11:46 AM

*DATE MODIFIED:* 10/16/2018 9:39 AM

17. Chapters in ICD-10-CM classify diseases and injuries according to specific body systems as well as \_\_\_\_\_.

- a. anatomy
- b. etiology
- c. procedure
- d. specialty

*ANSWER:* b

*POINTS:* 1

*QUESTION TYPE:* Multiple Choice

*HAS VARIABLES:* False

*DATE CREATED:* 7/24/2018 11:46 AM

*DATE MODIFIED:* 10/16/2018 9:40 AM

18. ICD-10-CM categories contain \_\_\_\_\_ characters.

- a. three
- b. four

Name: \_\_\_\_\_ Class: \_\_\_\_\_ Date: \_\_\_\_\_

**Chapter 02: Introduction to ICD-10-CM and ICD-10-PCS Coding**

c. five

d. six

ANSWER: a

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

DATE MODIFIED: 10/16/2018 9:40 AM

19. ICD-10-CM subcategories contain \_\_\_\_\_ characters.

a. three or four

b. four, five, or six

c. five or six

d. seven

ANSWER: b

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

DATE MODIFIED: 10/16/2018 9:40 AM

20. ICD-10-CM uses an “X” in the \_\_\_\_\_ character(s) location as a placeholder to allow for further expansion.

a. fifth only

b. fifth or sixth

c. sixth only

d. seventh

ANSWER: b

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

DATE MODIFIED: 10/16/2018 9:40 AM

21. ICD-10-CM codes have a maximum of \_\_\_\_\_ characters.

a. five

b. six

c. seven

d. eight

ANSWER: c

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

Name: \_\_\_\_\_ Class: \_\_\_\_\_ Date: \_\_\_\_\_

**Chapter 02: Introduction to ICD-10-CM and ICD-10-PCS Coding**

*DATE MODIFIED:* 10/16/2018 9:40 AM

22. The ICD-10-CM Index to Diseases and Injuries is organized according to:

- a. categories, subcategories, and subclassifications.
- b. general equivalence mappings (GEMs).
- c. main terms, subterms, and second, third, and fourth qualifiers.
- d. sections, tables, and essential and nonessential modifiers.

*ANSWER:* c

*POINTS:* 1

*QUESTION TYPE:* Multiple Choice

*HAS VARIABLES:* False

*DATE CREATED:* 7/24/2018 11:46 AM

*DATE MODIFIED:* 10/16/2018 9:41 AM

23. The ICD-10-CM Index to Diseases and Injuries is a(n) \_\_\_\_\_ list of main terms and their corresponding codes.

- a. alphabetic
- b. alphanumeric
- c. numeric
- d. payer-based

*ANSWER:* a

*POINTS:* 1

*QUESTION TYPE:* Multiple Choice

*HAS VARIABLES:* False

*DATE CREATED:* 7/24/2018 11:46 AM

*DATE MODIFIED:* 10/16/2018 9:41 AM

24. The ICD-10-CM Table of Drugs and Chemicals is an alphabetic index of medicinal, chemical, and biological \_\_\_\_\_.

- a. injuries and morbidities that are organized in alphabetic order
- b. neoplasms that contain columns for primary, secondary, and so on
- c. substances that result in poisonings and external causes of adverse effects
- d. treatments for accidental overdoses, poisonings, and unspecified causes

*ANSWER:* c

*POINTS:* 1

*QUESTION TYPE:* Multiple Choice

*HAS VARIABLES:* False

*DATE CREATED:* 7/24/2018 11:46 AM

*DATE MODIFIED:* 10/16/2018 9:41 AM

25. The ICD-10-CM Index to External Causes contains main terms for external causes of \_\_\_\_\_ in alphabetic order.

- a. comorbidities and complications
- b. injuries and morbidities
- c. procedures and surgery



Name: \_\_\_\_\_ Class: \_\_\_\_\_ Date: \_\_\_\_\_

**Chapter 02: Introduction to ICD-10-CM and ICD-10-PCS Coding**

d. qualified conditions

ANSWER: b

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

DATE MODIFIED: 10/16/2018 9:22 AM

26. ICD-10-CM index main terms are printed in \_\_\_\_\_ type, and subterms and qualifiers are indented below main terms.

a. boldfaced

b. italicized

c. quoted

d. underlined

ANSWER: a

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

DATE MODIFIED: 10/16/2018 9:42 AM

27. Which are qualifying terms located after ICD-10-CM index main terms that do not have to be included in the diagnostic or procedural statement for the code number listed after the parentheses to be assigned?

a. essential modifiers

b. inclusion terms

c. nonessential modifiers

d. subterms

ANSWER: c

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

DATE MODIFIED: 10/16/2018 9:29 AM

28. Which qualify a main term in the ICD-10-CM index by listing alternative sites, etiology, or clinical status?

a. comorbidities

b. exclusions

c. nonessential modifiers

d. subterms

ANSWER: d

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

Name: \_\_\_\_\_ Class: \_\_\_\_\_ Date: \_\_\_\_\_

**Chapter 02: Introduction to ICD-10-CM and ICD-10-PCS Coding**

*DATE CREATED:* 7/24/2018 11:46 AM

*DATE MODIFIED:* 10/16/2018 9:42 AM

29. ICD-10-PCS uses a multiaxial 7-character \_\_\_\_\_ code structure that provides a unique code for all substantially different procedures.

- a. alphabetic
- b. alphanumeric
- c. decimal
- d. numeric

*ANSWER:* b

*POINTS:* 1

*QUESTION TYPE:* Multiple Choice

*HAS VARIABLES:* False

*DATE CREATED:* 7/24/2018 11:46 AM

*DATE MODIFIED:* 10/16/2018 9:43 AM

30. The development of ICD-10-PCS incorporates an attribute of completeness, which means \_\_\_\_\_.

- a. as new procedures are developed, they can be easily incorporated as unique codes
- b. codes consist of independent characters, with each individual axis retaining its meaning across broad ranges of codes to the extent possible
- c. definitions of the terminology used, and while the meaning of specific words varies in common usage, each term is assigned a specific meaning
- d. there are unique codes for all substantially different procedures

*ANSWER:* d

*POINTS:* 1

*QUESTION TYPE:* Multiple Choice

*HAS VARIABLES:* False

*DATE CREATED:* 7/24/2018 11:46 AM

*DATE MODIFIED:* 10/16/2018 9:43 AM

31. The development of ICD-10-PCS incorporates an attribute of expandability, which means \_\_\_\_\_.

- a. as new procedures are developed, they can be easily incorporated as unique codes
- b. codes consist of independent characters, with each individual axis retaining its meaning across broad ranges of codes to the extent possible
- c. definitions of the terminology used, and while the meaning of specific words varies in common usage, each term is assigned a specific meaning
- d. there are unique codes for all substantially different procedures

*ANSWER:* a

*POINTS:* 1

*QUESTION TYPE:* Multiple Choice

*HAS VARIABLES:* False

*DATE CREATED:* 7/24/2018 11:46 AM

*DATE MODIFIED:* 10/16/2018 9:43 AM

Name: \_\_\_\_\_ Class: \_\_\_\_\_ Date: \_\_\_\_\_

**Chapter 02: Introduction to ICD-10-CM and ICD-10-PCS Coding**

32. The development of ICD-10-PCS incorporates a multiaxial attribute, which means \_\_\_\_\_.  
 a. as new procedures are developed, they can be easily incorporated as unique codes  
 b. codes consist of independent characters, with each individual axis retaining its meaning across broad ranges of codes to the extent possible  
 c. definitions of the terminology used, and while the meaning of specific words varies in common usage, each term is assigned a specific meaning  
 d. there are unique codes for all substantially different procedures

ANSWER: b

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

DATE MODIFIED: 10/16/2018 9:43 AM

33. The development of ICD-10-PCS incorporates an attribute of standardized terminology, which means \_\_\_\_\_.  
 a. as new procedures are developed, they can be easily incorporated as unique codes  
 b. codes consist of independent characters, with each individual axis retaining its meaning across broad ranges of codes to the extent possible  
 c. definitions of the terminology used are included, and while the meaning of specific words varies in common usage, each term is assigned a specific meaning  
 d. there are unique codes for all substantially different procedures

ANSWER: c

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

DATE MODIFIED: 10/16/2018 9:44 AM

34. Which is a general principle associated with ICD-10-PCS?  
 a. Diagnostic information is included in procedure code descriptions.  
 b. Level of specificity is enhanced so that all procedures currently performed can be assigned a specific code.  
 c. *Not otherwise specified* (NOS) options are provided so a minimal level of specificity is required for each component of the procedure.  
 d. Use of *not elsewhere classified* (NEC) is used extensively so that all significant components of a procedure are included.

ANSWER: b

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

DATE MODIFIED: 10/16/2018 9:44 AM

35. The ICD-10-PCS coding manual contains an index and \_\_\_\_\_.

Name: \_\_\_\_\_ Class: \_\_\_\_\_ Date: \_\_\_\_\_

**Chapter 02: Introduction to ICD-10-CM and ICD-10-PCS Coding**

- a. external causes
- b. neoplasms
- c. medications
- d. tables

ANSWER: d

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

DATE MODIFIED: 10/16/2018 9:45 AM

36. Official ICD-10-CM and ICD-10-PCS Guidelines for Coding and Reporting should be used as a(n) \_\_\_\_\_ when coding from ICD-10-CM and ICD-10-PCS.

- a. CAC software application
- b. coding manual
- c. companion document
- d. encoder

ANSWER: c

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

DATE MODIFIED: 10/16/2018 9:30 AM

37. With implementation of the ICD-10-CM and ICD-10-PCS coding systems, ICD-9-CM became a \_\_\_\_\_.

- a. general equivalence mapping
- b. legacy coding system
- c. partial code freeze
- d. prospective payment system

ANSWER: b

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

DATE MODIFIED: 10/16/2018 9:46 AM

38. General equivalence mappings (GEMs) are published annually and serve as a \_\_\_\_\_ for ICD-9-CM and ICD-10-CM/PCS.

- a. crosswalk
- b. legal document
- c. payment system
- d. reimbursement methodology

ANSWER: a

Name: \_\_\_\_\_ Class: \_\_\_\_\_ Date: \_\_\_\_\_

**Chapter 02: Introduction to ICD-10-CM and ICD-10-PCS Coding**

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

DATE MODIFIED: 10/16/2018 9:46 AM

39. Go to ICD-10-CM index main term **Stricture**, and identify the nonessential modifier.

- a. condition
- b. disease
- c. disorder
- d. stenosis

ANSWER: d

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

DATE MODIFIED: 10/16/2018 9:31 AM

40. Go to ICD-10-PCS table 001, and identify the code for *open procedure of the cerebral ventricle to insert a pleural cavity shunt using a synthetic substitute*.

- a. 00160J4
- b. 00160J6
- c. 001U0J4
- d. 001U0J6

ANSWER: a

POINTS: 1

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 7/24/2018 11:46 AM

DATE MODIFIED: 10/16/2018 9:47 AM