


Solutions for Intermediate Statistics Using SPSS 1st Edition by Knapp

[CLICK HERE TO ACCESS COMPLETE Solutions](#)




Solutions

C H A P T E R 2

Working in SPSS

Solutions to All Exercises



Exercise	Page
2.1	13
2.2	14
2.3	15
2.4	16
2.5	17
2.6	19
2.7	21
2.8	23
2.9	24
2.10	25

EXERCISE 2.1

Enrolled				
		Value	Count	Percent
Standard Attributes	Position	1		
	Label	<none>		
	Type	Numeric		
	Format	F8		
	Measurement	Nominal		
	Role	Input		
Valid Values	1	Yes	4	80.0%
	2	No	1	20.0%

Units		
		Value
Standard Attributes	Position	2
	Label	<none>
	Type	Numeric
	Format	F8
	Measurement	Scale
	Role	Input
N	Valid	5
	Missing	0
Central Tendency and Dispersion	Mean	9.20
	Standard Deviation	6.261
	Percentile 25	6.00
	Percentile 50	12.00
	Percentile 75	12.00

Grade		
		Value
Standard Attributes	Position	3
	Label	<none>
	Type	Numeric
	Format	F8
	Measurement	Scale
	Role	Input
N	Valid	5
	Missing	0
Central Tendency and Dispersion	Mean	81.40
	Standard Deviation	10.550
	Percentile 25	72.00
	Percentile 50	81.00
	Percentile 75	91.00

14 PART I: STATISTICAL FUNDAMENTALS

EXERCISE 2.2

ID		Value	Count	Percent
Standard Attributes	Position	1		
	Label	<none>		
	Type	String		
	Format	A8		
	Measurement	Nominal		
	Role	Input		
Valid Values	AL331		1	20.0%
	DD987		1	20.0%
	JW105		1	20.0%
	QF732		1	20.0%
	RK122		1	20.0%

Volunteer_Hours			Value
Standard Attributes	Position		3
	Label		<none>
	Type		Numeric
	Format		F8.2
	Measurement		Scale
	Role		Input
N	Valid		5
	Missing		0
Central Tendency and Dispersion	Mean		2.2000
	Standard Deviation		1.35093
	Percentile 25		1.5000
	Percentile 50		2.0000
	Percentile 75		3.0000

EXERCISE 2.3

Degree				
		Value	Count	Percent
Standard Attributes	Position	2		
	Label	<none>		
	Type	Numeric		
	Format	F8		
	Measurement	Ordinal		
	Role	Input		
Valid Values	1	Associate's	1	20.0%
	2	Bachelor's	2	40.0%
	3	Master's	2	40.0%
	4	Doctorate	0	.0%

Pretest		
		Value
Standard Attributes	Position	3
	Label	<none>
	Type	Numeric
	Format	F8
	Measurement	Scale
	Role	Input
N	Valid	5
	Missing	0
	Mean	27.20
Central Tendency and Dispersion	Standard Deviation	3.701
	Percentile 25	25.00
	Percentile 50	28.00
	Percentile 75	30.00

Posttest		
		Value
Standard Attributes	Position	4
	Label	<none>
	Type	Numeric
	Format	F8
	Measurement	Scale
	Role	Input
N	Valid	5
	Missing	0
	Mean	39.00
Central Tendency and Dispersion	Standard Deviation	8.000
	Percentile 25	34.00
	Percentile 50	38.00
	Percentile 75	46.00

16 PART I: STATISTICAL FUNDAMENTALS

EXERCISE 2.4

Employ				
		Value	Count	Percent
Standard Attributes	Position	2		
	Label	<none>		
	Type	Numeric		
	Format	F8		
	Measurement	Ordinal		
	Role	Input		
Valid Values	1	Unemployed	1	20.0%
	2	Temporary	1	20.0%
	3	Part-time	1	20.0%
	4	Full-time	2	40.0%

Work_Hours		
		Value
Standard Attributes	Position	3
	Label	<none>
	Type	Numeric
	Format	F8
	Measurement	Scale
	Role	Input
N	Valid	5
	Missing	0
Central Tendency and Dispersion	Mean	24.20
	Standard Deviation	18.390
	Percentile 25	16.00
	Percentile 50	20.00
	Percentile 75	40.00

Sleep_Hours		
		Value
Standard Attributes	Position	4
	Label	<none>
	Type	Numeric
	Format	F8.2
	Measurement	Scale
	Role	Input
N	Valid	5
	Missing	0
Central Tendency and Dispersion	Mean	8.3000
	Standard Deviation	1.20416
	Percentile 25	7.5000
	Percentile 50	8.0000
	Percentile 75	9.0000

EXERCISE 2.5

First_Initial		Value	Count	Percent
Standard Attributes	Position	2		
	Label	<none>		
	Type	String		
	Format	A1		
	Measurement	Nominal		
	Role	Input		
Valid Values	D		1	20.0%
	J		1	20.0%
	P		1	20.0%
	T		1	20.0%
	V		1	20.0%

Last_Name		Value	Count	Percent
Standard Attributes	Position	3		
	Label	<none>		
	Type	String		
	Format	A20		
	Measurement	Nominal		
	Role	Input		
Valid Values	Freeman		1	20.0%
	Gower		1	20.0%
	Jones		1	20.0%
	Rexx		1	20.0%
	Smith		1	20.0%

18 PART I: STATISTICAL FUNDAMENTALS

Siblings		
		Value
Standard Attributes	Position	4
	Label	<none>
	Type	Numeric
	Format	F8
	Measurement	Scale
N	Role	Input
	Valid	5
	Missing	0
Central Tendency and Dispersion	Mean	1.60
	Standard Deviation	1.140
	Percentile 25	1.00
	Percentile 50	2.00
	Percentile 75	2.00

Adopted				
		Value	Count	Percent
Standard Attributes	Position	5		
	Label	<none>		
	Type	Numeric		
	Format	F8		
	Measurement	Nominal		
	Role	Input		
Valid Values	1	Yes	1	20.0%
	2	No	4	80.0%

EXERCISE 2.6

Patient_ID		
		Value
Standard Attributes	Position	2
	Label	<none>
	Type	Numeric
	Format	F8
	Measurement	Scale
	Role	Input
N	Valid	5
	Missing	0
	Mean	5.27E9
Central Tendency and Dispersion	Standard Deviation	3.006E9
	Percentile 25	2.14E9
	Percentile 50	5.83E9
	Percentile 75	8.05E9

Age		
		Value
Standard Attributes	Position	3
	Label	<none>
	Type	Numeric
	Format	F8
	Measurement	Scale
	Role	Input
N	Valid	5
	Missing	0
	Mean	43.60
Central Tendency and Dispersion	Standard Deviation	24.337
	Percentile 25	24.00
	Percentile 50	38.00
	Percentile 75	53.00

Temp		
		Value
Standard Attributes	Position	4
	Label	<none>
	Type	Numeric
	Format	F8.2
	Measurement	Scale
	Role	Input
N	Valid	5
	Missing	0
	Mean	99.7600
Central Tendency and Dispersion	Standard Deviation	1.33903
	Percentile 25	98.8000
	Percentile 50	99.0000
	Percentile 75	100.9000

20 PART I: STATISTICAL FUNDAMENTALS

Flu_Shot				
		Value	Count	Percent
Standard Attributes	Position	5		
	Label	<none>		
	Type	Numeric		
	Format	F20		
	Measurement	Nominal		
	Role	Input		
Valid Values	1	Yes	3	60.0%
	2	No, and I don't want one	1	20.0%
	3	Not yet, but I'd like one	1	20.0%

Rx				
		Value	Count	Percent
Standard Attributes	Position	6		
	Label	<none>		
	Type	String		
	Format	A20		
	Measurement	Nominal		
	Role	Input		
Valid Values			3	60.0%
	Multivitamin		1	20.0%
	Xamine, Tutsocol		1	20.0%

EXERCISE 2.7

Passport				
		Value	Count	Percent
Standard Attributes	Position	2		
	Label	<none>		
	Type	Numeric		
	Format	F8		
	Measurement	Nominal		
	Role	Input		
Valid Values	1	Yes	2	40.0%
	2	No	3	60.0%
	3	Decline to answer	0	.0%

Fired				
		Value	Count	Percent
Standard Attributes	Position	3		
	Label	<none>		
	Type	Numeric		
	Format	F8		
	Measurement	Nominal		
	Role	Input		
Valid Values	1	Yes	1	20.0%
	2	No	3	60.0%
	3	Decline to answer	1	20.0%

ER				
		Value	Count	Percent
Standard Attributes	Position	4		
	Label	<none>		
	Type	Numeric		
	Format	F8		
	Measurement	Nominal		
	Role	Input		
Valid Values	1	Yes	2	40.0%
	2	No	3	60.0%
	3	Decline to answer	0	.0%

DOB		
		Value
Standard Attributes	Position	5
	Label	<none>
	Type	Numeric
	Format	ADATE10
	Measurement	Scale
	Role	Input
N	Valid	5
	Missing	0
Central Tendency and Dispersion	Mean	8/21/1965
	Standard Deviation	280683:12:07.445
	Percentile 25	1/23/1936
	Percentile 50	6/07/1974
	Percentile 75	3/01/1987

EXERCISE 2.8

Dogs				
		Value	Count	Percent
Standard Attributes	Position	2		
	Label	<none>		
	Type	Numeric		
	Format	F8		
	Measurement	Ordinal		
	Role	Input		
Valid Values	1	Strongly disagree	0	.0%
	2	Disagree	0	.0%
	3	Neutral	1	20.0%
	4	Agree	1	20.0%
	5	Strongly agree	3	60.0%

Cats				
		Value	Count	Percent
Standard Attributes	Position	3		
	Label	<none>		
	Type	Numeric		
	Format	F8		
	Measurement	Ordinal		
	Role	Input		
Valid Values	1	Strongly disagree	1	20.0%
	2	Disagree	1	20.0%
	3	Neutral	1	20.0%
	4	Agree	0	.0%
	5	Strongly agree	2	40.0%

Pets			Value
Standard Attributes	Position		4
	Label		<none>
	Type		Numeric
	Format		F8
	Measurement		Scale
	Role		Input
N	Valid		5
	Missing		0
Central Tendency and Dispersion	Mean		1.20
	Standard Deviation		1.304
	Percentile 25		.00
	Percentile 50		1.00
	Percentile 75		2.00

EXERCISE 2.9

Blood_Type		Value	Count	Percent
Standard Attributes	Position	2		
	Label	<none>		
	Type	Numeric		
	Format	F8		
	Measurement	Nominal		
	Role	Input		
Valid Values	1	A-	1	20.0%
	2	A+	0	.0%
	3	B-	0	.0%
	4	B+	1	20.0%
	5	AB-	0	.0%
	6	AB+	1	20.0%
	7	O-	1	20.0%
	8	O+	0	.0%
	9	Don't know	1	20.0%

Gender		Value	Count	Percent
Standard Attributes	Position	3		
	Label	<none>		
	Type	Numeric		
	Format	F8		
	Measurement	Nominal		
	Role	Input		
Valid Values	1	Female	2	40.0%
	2	Male	3	60.0%

Prior_Donor		Value	Count	Percent
Standard Attributes	Position	4		
	Label	<none>		
	Type	Numeric		
	Format	F8		
	Measurement	Nominal		
	Role	Input		
Valid Values	1	Yes	2	40.0%
	2	No	3	60.0%

EXERCISE 2.10

Entree_Food				
		Value	Count	Percent
Standard Attributes	Position	2		
	Label	<none>		
	Type	Numeric		
	Format	F8		
	Measurement	Nominal		
	Role	Input		
Valid Values	1	Fish	4	80.0%
	2	Chicken	0	.0%
	3	Beef	1	20.0%
	4	Vegetarian	0	.0%

Entree_Quality		
		Value
Standard Attributes	Position	3
	Label	<none>
	Type	Numeric
	Format	F8
	Measurement	Scale
	Role	Input
N	Valid	5
	Missing	0
	Mean	8.60
Central Tendency and Dispersion	Standard Deviation	1.140
	Percentile 25	8.00
	Percentile 50	9.00
	Percentile 75	9.00

Dessert_Quality		
		Value
Standard Attributes	Position	4
	Label	<none>
	Type	Numeric
	Format	F8
	Measurement	Scale
	Role	Input
N	Valid	5
	Missing	0
	Mean	8.80
Central Tendency and Dispersion	Standard Deviation	1.304
	Percentile 25	8.00
	Percentile 50	9.00
	Percentile 75	10.00