

*Test Bank for Essentials of General
Organic and Biochemistry Digital
Update 3rd Edition by Guinn*

ISBN: 9781319472658

Chapter 1 Matter, Energy, and Measurement

Multiple Choice

1. Which of the following is MOST commonly used to assess the strength of a bone?

- a. bone density
- b. nutrition and exercise data
- c. bone mass
- d. blood samples
- e. calcium measurement

ANSWER: a

2. A person with a T-score of less than -2.5 has a bone mineral density that _____ normal and is said to have _____.

- a. is; normal bone density
- b. is less than; normal bone density
- c. is less than; osteoporosis
- d. is greater than; osteopenia
- e. is; osteopenia

ANSWER: c

3. Which state of matter has a volume that is constant or fixed?

- a. solid
- b. liquid
- c. gas
- d. Both a and b have a constant or fixed volume.
- e. Both b and c have a constant or fixed volume.

ANSWER: d

4. This state of matter changes shape depending upon the shape of its container.

- a. solid
- b. liquid
- c. gas
- d. Both a and b change shape.
- e. Both b and c change shape.

ANSWER: e

5. Atoms and molecules in this state of matter are the most highly ordered.

- a. solid
- b. liquid
- c. gas
- d. Both a and b are most highly ordered.
- e. Both c and c are most highly ordered.

Chapter 1 Matter, Energy, and Measurement

ANSWER: a

6. Which of the following statements about energy is FALSE?
- Energy is the act of moving an object against an opposing force.
 - An object at rest does not have any potential energy.
 - Energy is the capacity to do work.
 - Temperature is a measure of kinetic energy.
 - Two basic forms of energy are kinetic energy and potential energy.

ANSWER: b


7. This state of matter has the highest kinetic energy.
- solid
 - liquid
 - gas
 - Both a and b have the highest kinetic energy.
 - Both b and c have the highest kinetic energy.

ANSWER: c


8. The speed of molecules and atoms in this state of matter is the slowest.
- solid
 - liquid
 - gas
 - Both a and b have the slowest speed.
 - Both b and c have the slowest speed.

ANSWER: a


9. Label each box with the appropriate state of matter.



I



II



III

- | | | |
|--------------|------------|-------------|
| a. I: gas | II: liquid | III: solid |
| b. I: liquid | II: solid | III: gas |
| c. I: solid | II: liquid | III: gas |
| d. I: gas | II: solid | III: liquid |
| e. I: solid | II: gas | III: liquid |

Chapter 1 Matter, Energy, and Measurement

ANSWER: c

10. Which of the following describes the kinetic energy of an object or set of objects?

- a. water flowing downhill
- b. water in a reservoir
- c. the forces between two molecules
- d. the chemical bonds in a peanut butter and jelly sandwich
- e. a book on top of a shelf

ANSWER: a

11. Which of the following describes the potential energy of an object or set of objects?

- a. water flowing downhill
- b. water in a reservoir
- c. a person running the 50-yard dash
- d. a car speeding up a hill
- e. a student pushing open a door

ANSWER: b

12. Below are five descriptions of the kinetic and potential energy of objects. Which is a description of kinetic energy?

- I. Water moving a waterwheel
 - II. A skateboarder at the top of a halfpipe
 - III. The blades of a fan turning
 - IV. Hot water molecules moving rapidly in a cup of tea
 - V. A parachutist ready to jump out of a plane
- a. I only
 - b. II and V
 - c. II, III, and V
 - d. I, III, and IV
 - e. All of the above are descriptions of kinetic energy.

ANSWER: d

13. Below are five descriptions of the kinetic and potential energy of objects. Which is a description of potential energy?

- I. Water moving a waterwheel
 - II. A skateboarder at the top of a half-pipe
 - III. The blades of a fan turning
 - IV. Hot water molecules moving rapidly in a cup of tea
 - V. A parachutist ready to jump out of a plane
- a. I only
 - b. II and V

Chapter 1 Matter, Energy, and Measurement

- c. II, III, and V
- d. I, III, and IV
- e. All of the above are descriptions of potential energy.


ANSWER: b

14. Heat is _____ energy, whereas temperature is a _____.

- a. potential; measure of potential energy
- b. kinetic; measure of kinetic energy
- c. potential; measure of kinetic energy
- d. kinetic; measure of potential energy
- e. Actually, both heat and temperature are forms of kinetic energy.

ANSWER: b


15. The illustration below shows two metal blocks, one hot and one cold, placed together so their sides are touching. What do you expect to happen to the temperature of the blocks as time passes?



- a. Nothing will happen.
- b. The temperature of the hot block will decrease, and the temperature of the cold block will increase a little bit, but the hot block will always stay a bit warmer than the cold one.
- c. The temperature of the cold block will decrease, and the temperature of the hot block will increase.
- d. The hot block will cool down, but the temperature of the cold block will not change.
- e. The temperature of the cold block will increase, and the temperature of the hot block will decrease until the temperature of the two blocks is the same.

ANSWER: e

16. The illustration below shows two metal blocks, one hot and one cold, placed together so their sides are touching. How does atomic motion change as time passes?




- a. Atomic motion does not change as time passes.
- b. Atomic motion does change, but it is not predictable how it will change.

Chapter 1 Matter, Energy, and Measurement

- c. Atoms in the hot block slow down, and atoms in the cold block speed up.
- d. Atoms in the cold block slow down, and atoms in the hot block speed up.
- e. Atoms in both the cold and hot block speed up.

ANSWER: c

17. How does the kinetic energy of the hot and cold bricks below change as time passes?



- a. The kinetic energy of the bricks does not change as time passes.
- b. Kinetic energy increases in both blocks.
- c. Kinetic energy in the hot block decreases, and kinetic energy in the cold block increases.
- d. Kinetic energy in the hot block increases, and kinetic energy in the cold block decreases.
- e. Kinetic energy decreases in both blocks.

ANSWER: c

18. An ice cube is dropped into a cup of hot tea. How does the kinetic energy of the ice and tea change?

- a. The kinetic energy of the ice cube and hot tea does not change.
- b. The kinetic energy of the ice and the tea decreases.
- c. The kinetic energy of the ice decreases, and the kinetic energy of the tea increases.
- d. The kinetic energy of the ice increases, and the kinetic energy of the tea decreases.
- e. The kinetic energy of both the ice and the tea increases.

ANSWER: d

19. Chemistry explains the behavior of matter on the _____ scale(s) so that we can better understand the properties of matter that we observe on the _____ scale(s).

- a. microscopic; macroscopic
- b. microscopic and macroscopic; atomic
- c. macroscopic; microscopic
- d. macroscopic; atomic
- e. atomic; macroscopic and microscopic

ANSWER: e

20. A molecule of hemoglobin is described as being on the _____ scale.

- a. macroscopic
- b. microscopic
- c. atomic
- d. both macro- and microscopic

Chapter 1 Matter, Energy, and Measurement

e. both microscopic and atomic

ANSWER: c

21. Identify whether the following represent the microscopic, macroscopic, or atomic scale.

i. Hemoglobin ii. Person iii. Red blood cell

- | | | |
|-------------------|-----------------|------------------|
| a. i. atomic | ii. microscopic | iii. macroscopic |
| b. i. atomic | ii. macroscopic | iii. microscopic |
| c. i. microscopic | ii. atomic | iii. macroscopic |
| d. i. microscopic | ii. macroscopic | iii. atomic |
| e. i. macroscopic | ii. atomic | iii. microscopic |

ANSWER: b

22. Every measurement consists of:

- a. a number followed by a unit.
- b. only whole numbers.
- c. a fraction.
- d. a number followed by a description of the device used to take the measurement.
- e. There are no characteristics that all measurements share.

ANSWER: a

23. Which statement about systems of measurement is TRUE?

- a. The English system is the most widely used system of measurement in the world.
- b. In science and medicine, the English system is the most common system of measurement.
- c. The metric system is used only for scientific measurements.
- d. The United States is one of the few countries in which the English system is common.
- e. The English system and the metric system measure using the same units.

ANSWER: d

24. Which of the following measurements includes a base unit?

- a. 298 mg
- b. 2.981 g
- c. 5×10^3 kg
- d. 3.6 mL
- e. 168 mm

ANSWER: b

25. Which of the following statements about a "milliliter" is FALSE?

- a. It is a prefix followed by a base unit.
- b. There are 1,000 milliliters in a liter.

Chapter 1 Matter, Energy, and Measurement

- c. The milliliter is a measurement of volume.
- d. A milliliter is a measurement in the English system.
- e. One milliliter is equal to 1 cc (cm^3)

ANSWER: d

26. There are five different objects with the diameters shown below. Which of these objects is on the atomic scale and cannot be seen with the naked eye?

- a. 1.0 nm
- b. 1.0 mm
- c. 1.0 km
- d. 1.0 dm
- e. 1.0 cm

ANSWER: a

27. How many nanometers are in a meter?

- a. 1×10^{-9}
- b. 1×10^9
- c. 1×10^{-12}
- d. 1×10^3
- e. 1×10^{-6}

ANSWER: b

28. Which of the following equalities is NOT correct?

- a. $1 \text{ cm} = 10^{-2} \text{ m}$
- b. $10^3 \text{ g} = 1 \text{ kg}$
- c. $10^{-3} \text{ mL} = 1 \text{ L}$
- d. $10^9 \text{ nm} = 1 \text{ m}$
- e. $1 \text{ L} = 10 \text{ dL}$

ANSWER: c

29. Which of the following measurements represents the LEAST mass?

- a. 0.1 mg
- b. 1000 μg
- c. 0.001 g
- d. 1 cg
- e. 0.010 kg

ANSWER: a

30. Which of the following measurements is larger than 1.0 meter?

Chapter 1 Matter, Energy, and Measurement

- a. 10 cm
- b. 0.0001 km
- c. 0.01 km
- d. 100 mm
- e. 1,000 μm

ANSWER: c

31. Which of the following is MOST likely to weigh 90 kg?

- a. a computer
- b. a zebra
- c. a man
- d. a baby girl
- e. All four are equally likely to weigh 90 kg.

ANSWER: c

32. Which of the following is MOST likely to be 1.1 m tall?

- a. a giraffe
- b. a 5-year-old girl
- c. a man
- d. an infant
- e. All four are equally likely to be 1.1 m tall.

ANSWER: b

33. Which of the following is likely to be shorter than 1 m?

- a. the length of a car
- b. the height of an average adult
- c. the width of a computer screen
- d. the height of a one-story building
- e. the length of an adult giraffe's neck

ANSWER: c

34. Which of the following equalities is correct?

- a. $1 \text{ mL} = 1 \text{ cm}^3$
- b. $1 \text{ L} = 1 \text{ cm}^3$
- c. $1 \text{ mL} = 1 \text{ cm}^2$
- d. $1 \text{ L} = 1 \text{ cm}^2$
- e. $1 \text{ mL} = 1 \text{ cm}$

ANSWER: a

35. A juice box is $10.0 \text{ cm} \times 5.5 \text{ cm} \times 4.0 \text{ cm}$. What is the maximum amount of juice that the box can contain?

Chapter 1 Matter, Energy, and Measurement

- a. 220 cm^3
- b. 110 cm^3
- c. 220 cm^2
- d. 110 cm^2
- e. 220 cm

ANSWER: a

36. The cubic centimeter (cm^3 or cc) is the same volume as a

- a. centimeter.
- b. milliliter.
- c. centiliter.
- d. deciliter.
- e. liter.

ANSWER: b

37. A graduated cylinder contains water with some food coloring in it. What is measured by the graduated cylinder?

- a. volume
- b. weight
- c. distance
- d. length
- e. temperature

ANSWER: a

38. A graduated cylinder contains 20.0 mL of water. A pebble is submerged in the water, causing the volume of the water in the graduated cylinder to increase to 24.3 mL. What is the volume of the pebble?

- a. 48.3 mL
- b. 24.3 mL
- c. 20.0 mL
- d. 8.6 mL
- e. 4.3 mL

ANSWER: e

39. An aluminum ball is dropped into the graduated cylinder containing 90.0 mL of water. If the ball has a volume of 6.8 mL, what is the new volume reading in the graduated cylinder?

- a. 6.8 mL
- b. 83 mL
- c. 90.7 mL
- d. 96.8 mL
- e. It is not possible to predict the volume without the density of aluminum.

Chapter 1 Matter, Energy, and Measurement

ANSWER: d

40. Select the choice in which the unit's system and type of measurement is correctly described.

	Unit	System of measurement	Type of measurement
a.	kg	English	mass
b.	qt	English	volume
c.	gal	metric	mass
d.	mi	metric	length
e.	m	English	length

- a. row a
- b. row b
- c. row c
- d. row d
- e. row e

ANSWER: b

41. Which of the following statements about significant digits are TRUE?

- I. Significant digits are only the digits that are known exactly.
 - II. Significant digits are all of the digits that are known exactly plus one uncertain digit.
 - III. Significant digits are a way to communicate the precision of a measurement.
 - IV. The degree of uncertainty of a measurement is expressed by significant digits.
- a. I only
 - b. II only
 - c. III and IV only
 - d. II, III and IV
 - e. All of the statements are true about significant digits.

ANSWER: d


42. The final digit of a measurement is _____.

- a. certain
- b. not significant
- c. estimated
- d. a decimal value
- e. not used in calculations

ANSWER: c

43. What is measured by ruler A?


Chapter 1 Matter, Energy, and Measurement



- a. volume
- b. weight
- c. grams
- d. length
- e. temperature

ANSWER: d

44. How long is the bar above the ruler?




- a. 2.5 cm
- b. 2.6 cm
- c. 2.59 cm
- d. 3 cm
- e. 2 cm

ANSWER: c


45. Measurements taken with ruler A and ruler B differ slightly. In what way do the measurements differ?

Chapter 1 Matter, Energy, and Measurement

Ruler A



Ruler B




- A measurement taken with ruler A has two more significant digits than ruler B.
- A measurement taken with ruler B has two more significant digits than ruler A.
- A measurement taken with ruler A has one more significant digit than ruler B.
- A measurement taken with ruler B has one more significant digit than ruler A.
- In fact, measurements taken with ruler A and B are the same.


ANSWER: c

46. Which statement about ruler A and ruler B is correct?

Ruler A



Ruler B



- Measurements made with B are more precise.
- Measurements made with B should have more significant digits than A.
- In a measurement made with ruler B, millimeters are estimated
- Ruler B measurements have three significant digits.
- In a measurement made with ruler A, no digits are estimated.

ANSWER: c

47. The following illustrates the digital readout of two different balances. Which of the following statements

Chapter 1 Matter, Energy, and Measurement

about the two measurements is NOT correct?

0.024 g

Balance A

0.0180 g

Balance B

- a. Balance B is more precise than balance A.
- b. Balance A shows a measurement with two significant figures.
- c. For both balances A and B, the last digit may fluctuate slightly when measuring.
- d. The measurement shown on balance A can also be stated as 24 mg.
- e. Balance B and balance A show measurements with the same number of significant digits.

ANSWER: e

48. Four students took three measurements each of the distance between the chemistry building and the cafeteria on campus. Each person used a different measuring device and therefore arrived at a different set of measurements. Which person is MOST precise?

Student A – counted steps	Student B – measured with a tape measure	Student C – used a radar measuring device	Student D – walked with a measuring wheel
155 m	157 m	158 m	153 m
160 m	152 m	152 m	151 m
180 m	155 m	149 m	153 m


- a. Student A
- b. Student B
- c. Student C
- d. Student D
- e. All are equally precise.

ANSWER: d

49. You are asked to administer 3.5 mL of a liquid medication. Which measuring device would be the better choice for measuring 3.5 mL?



medicine cup



syringe

- a. The medicine cup is a better choice.

Chapter 1 Matter, Energy, and Measurement

- b. The syringe is a better choice.
- c. The medicine cup and the syringe are equally good choices.
- d. Neither of these measuring devices is precise enough for this measurement.
- e. It would depend on the composition of the medication.

ANSWER: b

50. Which of the following measurements has three significant figures?

- a. 0.0058 m
- b. 580.0 m
- c. 5800 m
- d. 0.058 m
- e. 0.0580 m

ANSWER: e

51. The number of significant figures in the measurement of 0.004500 cm^3 is

- a. two.
- b. four.
- c. five.
- d. six.
- e. seven.

ANSWER: b

52. The number of significant figures in the measurement $5.40 \times 10^5 \text{ kg}$ is

- a. one.
- b. two.
- c. three.
- d. five.
- e. eight.

ANSWER: c

53. Which of the following is an exact number?

- a. the number of people in this room
- b. the mass of a penny
- c. the distance a runner runs in a 5 K race
- d. the volume of milk in a gallon
- e. the mass of cereal in a 1 lb box

ANSWER: a

54. Which of the following is a measured number?

- a. the number of eggs in a dozen

Chapter 1 Matter, Energy, and Measurement

- b. the number of people in this room
- c. the number of milligrams in a gram
- d. the number of years in a century
- e. the number of grams in one ounce

ANSWER: e

55. Which of the following is an exact number?
- a. the number of milligrams in a gram
 - b. the number of meters in a kilometer
 - c. the number of micrometers in a centimeter
 - d. the number of cubic centimeters in a liter
 - e. All of the above are exact numbers.

ANSWER: e

56. Using significant figures, what is the product of $0.021 \times 0.118 \times 1020$?
- a. 2.52756
 - b. 2.528
 - c. 2.53
 - d. 2.5
 - e. 3

ANSWER: d

57. Using significant figures, what is the sum of $12.01 + 1011 + 0.113$?
- a. 1023.123
 - b. 1023.12
 - c. 1023
 - d. 1020
 - e. 1000

ANSWER: c

58. A patient's fluid intake is monitored over a 6-hour period. If the patient drinks 232.0 mL, 300. mL, and 41 mL of water, what is the total volume of the fluid intake?
- a. 573.0 mL
 - b. 573 mL
 - c. 570 mL
 - d. 600 mL
 - e. 57 mL

ANSWER: b

59. A patient is given 5.00 mL of a medication that contains 0.0012 g of active ingredient per mL. To determine the amount of active ingredient administered, the product of the two numbers is calculated ($5.00 \text{ mL} \times 0.0012$

Chapter 1 Matter, Energy, and Measurement

g/mL). Using significant figures, what is this product?

- a. 0.006 g
- b. 0.0060 g
- c. 0.00600 g
- d. 6.00 g
- e. 0 g

ANSWER: b

60. How many micrometers are there in 52.6 km?

- a. $5.26 \times 10^{-8} \mu\text{m}$
- b. 0.0526 μm
- c. 5260 μm
- d. $5.26 \times 10^9 \mu\text{m}$
- e. $5.26 \times 10^{10} \mu\text{m}$

ANSWER: e

61. Convert 0.038 L to milliliters.

- a. 3.8 mL
- b. 38 mL
- c. 380 mL
- d. $3.8 \times 10^{-2} \text{ mL}$
- e. $3.8 \times 10^{-5} \text{ mL}$

ANSWER: b

62. The strategy for converting 312 mg to kilograms includes which of the following?

- a. Identify the given unit and the asked for unit.
- b. Convert the given unit (mg) to the base unit (g) and then to the asked for unit (kg).
- c. Write down the conversion factors for the two steps.
- d. Arrange the given unit and the conversion factors so units cancel to give the asked for unit.
- e. All of the above represent a strategy for converting units.

ANSWER: d

63. Which of the following unit conversions are useful and correct for converting 312 mg to kilograms?

$$1 \text{ mg} = 1,000 \text{ g}$$

I

$$1,000 \text{ mg} = 1 \text{ g}$$

II

$$1 \text{ kg} = 1,000 \text{ g}$$

III

$$1,000 \text{ kg} = 1 \text{ g}$$

IV

- a. I and III
- b. II and IV
- c. I and IV

Chapter 1 Matter, Energy, and Measurement

- d. II and III
- e. All of them are useful.

ANSWER: d

64. Which of the following conversion factors are useful when converting 312 mg to kilograms?

$$\frac{1 \text{ g}}{1000 \text{ mg}}$$

I

$$\frac{1 \text{ mg}}{1000 \text{ g}}$$

II

$$\frac{1 \text{ kg}}{1000 \text{ g}}$$

III

$$\frac{1000 \text{ kg}}{1 \text{ g}}$$

IV

- a. II and III
- b. II and IV
- c. I and IV
- d. I and III
- e. All of them are useful.

ANSWER: d

65. Which of the following equations is set up to convert 312 mg to kilograms?

a. $312 \text{ mg} \times \frac{1 \text{ mg}}{1000 \text{ g}} \times \frac{1 \text{ kg}}{1000 \text{ g}}$

b. $312 \text{ mg} \times \frac{1000 \text{ mg}}{1 \text{ g}} \times \frac{1000 \text{ kg}}{1 \text{ g}}$

c. $312 \text{ mg} \times \frac{1 \text{ g}}{1000 \text{ mg}} \times \frac{1 \text{ g}}{1000 \text{ kg}}$

d. $312 \text{ mg} \times \frac{1 \text{ g}}{1000 \text{ mg}} \times \frac{1 \text{ kg}}{1000 \text{ g}}$

e. $312 \text{ mg} \times \frac{1 \text{ mg}}{1000 \text{ g}} \times \frac{1000 \text{ kg}}{1 \text{ g}}$

ANSWER: d

66. Convert 312 mg to kilograms.

- a. $3.12 \times 10^{-4} \text{ kg}$
- b. 3.12 kg
- c. 0.312 kg
- d. $3.12 \times 10^5 \text{ kg}$
- e. $3.12 \times 10^8 \text{ kg}$

ANSWER: a

67. A patient weighs 78 kg. What is his weight in pounds?

- a. 35 lb

Chapter 1 Matter, Energy, and Measurement

- b. 78 lb
- c. 80 lb
- d. 170 lb
- e. 1.7×10^5 lb

ANSWER: d

68. The smallest bone on the body, the stirrup-shaped stapes found in the middle ear, has a typical length of less than 0.33 cm. How long in inches is the typical maximum length of the stapes?

- a. 7.7 in
- b. 1 in
- c. 0.84 in
- d. 0.8 in
- e. 0.13 in

ANSWER: e

69. Which of the following conversions are needed to convert 36.2 inches to centimeters?

1 inch = 2.54 cm 100 cm = 1 m 2.54 inches = 1 cm 1 cm = 100 m

I

II

III

IV

- a. I
- b. II
- c. III
- d. IV
- e. I and II

ANSWER: a

70. Which conversion factor is required to convert 36.2 inches to centimeters?

$\frac{1 \text{ inch}}{2.54 \text{ cm}}$	$\frac{2.54 \text{ cm}}{1 \text{ inch}}$	$\frac{2.54 \text{ inches}}{1 \text{ cm}}$	$\frac{1 \text{ cm}}{2.54 \text{ inches}}$
--	--	--	--

I

II

III

IV

- a. I
- b. II
- c. III
- d. IV
- e. None of the conversion factors is required.

ANSWER: b

71. A child's height is 36.2 inches, and she wants to know her height in centimeters. In this problem, _____ is the given unit and _____ is the asked for unit.

- a. centimeters; inches
- b. meters; inches
- c. inches; centimeters

Chapter 1 Matter, Energy, and Measurement

- d. inches; meters
- e. meters; centimeters

ANSWER: c

72. A child's height is 36.2 inches. What is his height in centimeters?

- a. 91.95 cm
- b. 92 cm
- c. 91.9 cm
- d. 14.25 cm
- e. 14.3 cm

ANSWER: c

73. Water has a density of 1.0 g/mL. What is the mass of 25 mL of water?

- a. 0.25 g
- b. 2.5 g
- c. 25 g
- d. 250 g
- e. 25 kg

ANSWER: c

74. Oil floats on water because oil is _____ than water.

- a. heavier
- b. less dense
- c. lighter
- d. denser
- e. lower in volume

ANSWER: b

75. What is the density of a substance with a mass of 10.6 g and a volume of 12.0 mL?

- a. 0.883 g/mL
- b. 1.4 g/mL
- c. 22.6 g/mL
- d. 1.13 mL/g
- e. 127 gmL

ANSWER: a

76. If you dropped a 6.0 g piece of aluminum (density = 2.70 g/mL) into a graduated cylinder containing 93.8 mL of water, what measurement would you read on the graduated cylinder?

- a. 92.2 mL
- b. 92 mL
- c. 96.0 mL

Chapter 1 Matter, Energy, and Measurement

- d. 92 μL
- e. 96.0 μL

ANSWER: c

77. A patient's urine has a density of 1.010 g/mL. What is the specific gravity of the patient's urine?

- a. 0.9901
- b. 1.000
- c. 0.1010
- d. 1.010
- e. 0.99

ANSWER: d

78. A patient has a kidney infection. Which of the following is MOST likely to be the specific gravity of the patient's urine?

- a. 1.010
- b. 1.005
- c. 1.002
- d. 1.025
- e. 1.040

ANSWER: e

79. Administering the correct dosage of medication to a patient is critical, and the factors below are all key in administering correct dosages. Which factors is focused on in this text chapter?

- a. medication
- b. patient
- c. dosage
- d. route
- e. time

ANSWER: c

80. Tylenol is ordered for a child weighing 42 pounds at a dosage of 15 mg per kilogram of body weight. You need to determine how many milligrams of Tylenol should be administered to this child in a single dose. Which of the following units will be in the answer to this question (i.e., is asked for)?

- a. pounds of body weight
- b. kilograms of body weight
- c. milligrams of Tylenol
- d. ounces of Tylenol
- e. tablets of Tylenol

ANSWER: c

81. Tylenol is ordered for a child weighing 42 pounds at a dosage of 15 mg per kilogram of body weight. You need to determine how many milligrams of Tylenol should be administered to this child in a single dose. In

Chapter 1 Matter, Energy, and Measurement

order to answer this question, a conversion is used that is written within the body of the question. Which factor is this?

- a. 42 pounds = 15 mg of Tylenol
- b. 42 pounds = 1 kilogram of body weight
- c. 15 mg of Tylenol = 1 kilogram of body weight
- d. 15 mg of Tylenol = 1 pound of body weight
- e. 1 pound = 1 kilogram of body weight

ANSWER: c

82. Tylenol is ordered for a child weighing 42 pounds at a dosage of 15 mg per kilogram of body weight. You need to determine how many milligrams of Tylenol should be administered to this child in a single dose. In order to answer this question, it is also necessary to use a conversion factor that must be looked up in a table (or have memorized). Which conversion factor is this?

$\frac{1 \text{ g}}{1000 \text{ mg}}$	$\frac{1 \text{ lb}}{16 \text{ oz}}$	$\frac{1 \text{ kg}}{2.205 \text{ lbs}}$	$\frac{1 \text{ kg}}{1000 \text{ g}}$
I	II	III	IV

- a. I
- b. II
- c. III
- d. IV
- e. Both III and IV are correct.

ANSWER: c

83. Tylenol is ordered for a child weighing 42 pounds at a dosage of 15 mg per kilogram of body weight. You need to determine how many milligrams of Tylenol should be administered to this child in a single dose. Which of the following equations is set up to find the answer to this problem?

- a. $42 \text{ lbs} \times \frac{1 \text{ kg}}{2.205 \text{ lbs}} \times \frac{15 \text{ mg Tylenol}}{1 \text{ kg of body weight}}$
- b. $15 \text{ mg Tylenol} \times \frac{1 \text{ g}}{1000 \text{ mg}} \times \frac{1 \text{ kg}}{1000 \text{ g}}$
- c. $42 \text{ lbs} \times \frac{1 \text{ kg}}{2.205 \text{ lbs}} \times \frac{1 \text{ lb}}{16 \text{ oz}}$
- d. $15 \text{ mg Tylenol} \times \frac{1 \text{ g}}{1000 \text{ mg}} \times \frac{1 \text{ kg}}{1000 \text{ g}} \times \frac{2.205 \text{ lbs}}{1 \text{ kg}}$
- e. $42 \text{ lbs} \times \frac{15 \text{ mg Tylenol}}{1 \text{ kg body weight}}$

ANSWER: a

84. How many milligrams of Tylenol should be administered to this child in a single dose?

- a. 14 mg

Chapter 1 Matter, Energy, and Measurement

- b. 19 mg
- c. 300 mg
- d. 290 mg
- e. 630 mg

ANSWER: d

85. Tetracycline is a short acting antibiotic. It discolors developing teeth and so is not normally prescribed for children under 8 or pregnant women. An 11-year-old, 84-lb child is prescribed 35 mg/kg tetracycline per day for 10 days. What is the daily dose of tetracycline that should be administered to the child?

- a. 5.3 mg
- b. 53 mg
- c. 1.3 g
- d. 1.3 mg
- e. 2.9 g

ANSWER: c

86. The pediatric dosage of diphenhydramine, an over-the-counter antihistamine, is 1.23 mg/kg of body weight b.i.d. How many milligrams of diphenhydramine should be given to a 66-lb child in one day?

- a. 18 mg
- b. 1.3 g
- c. 37 mg
- d. 2.5 g
- e. 74 mg

ANSWER: a

87. Which temperature scale(s) is/are relative (i.e., based on the freezing and boiling point of water)?

- a. Kelvin
- b. Celsius
- c. Fahrenheit
- d. Kelvin and Celsius
- e. Celsius and Fahrenheit

ANSWER: e

88. In which temperature scale(s) does "zero" (0) mean that all molecular motion has stopped?

- a. Kelvin
- b. Celsius
- c. Fahrenheit
- d. Kelvin and Celsius
- e. Celsius and Fahrenheit

ANSWER: a

Chapter 1 Matter, Energy, and Measurement

89. A child comes into the doctor's office with a temperature of 39.2°C . What is the child's temperature in Fahrenheit?

- a. 103°F
- b. 98.6°F
- c. 277°F
- d. 312°F
- e. 96.8°F

ANSWER: a

90. Normal body temperature in Celsius is:

- a. 37°C .
- b. 50°C .
- c. 98.6°C .
- d. 212°C .
- e. 288°C .

ANSWER: a

91. Room temperature is about 70°F . What is this temperature in Celsius?

- a. 340°C
- b. 294°C
- c. 21°C
- d. 38°C
- e. 6.9°C

ANSWER: c

92. A child's guardian reports that his child has a fever, with a temperature of 101°F . What temperature do you expect to measure in $^{\circ}\text{C}$?

- a. 25°C
- b. 38°C
- c. 57°C
- d. 74°C
- e. 126°C

ANSWER: b

93. When measuring the temperature of gases, Kelvin is often used because it is a function of the kinetic energy of a gas. If a gas is 121 K , what is its temperature in $^{\circ}\text{C}$?

- a. 322°C
- b. -152°C
- c. -242°C
- d. 394°C
- e. 250°C

Chapter 1 Matter, Energy, and Measurement

ANSWER: b

94. Which of the following biological molecules are the major nutrients that make up the food that we eat?

- I. Proteins
 - II. Nucleic acids
 - III. Steroids
 - IV. Fats
 - V. Carbohydrates
- a. All of these are major nutrients.
 - b. I, II, IV, and V
 - c. I and V
 - d. III, IV, and V
 - e. I, IV, and V

ANSWER: e

95. Which of the following biomolecules is NOT correctly matched to one of its roles?

- a. glucose; used by cells to perform work
- b. fats; source of energy for cells
- c. proteins; build cell components
- d. glycogen; long-term energy storage
- e. carbohydrates; source of glucose

ANSWER: d

96. Which of the following is a consequence of starvation?

- a. Protein is metabolized.
- b. Heart muscle can be metabolized.
- c. Insufficient glucose is available for brain function.
- d. Fat loss occurs.
- e. All of the above are a consequence of starvation.

ANSWER: e

97. Which pair of values represents the same number of significant figures?

- a. 0.443 g and 443.0 g
- b. 156,900 m and 1.56900×10^5 m
- c. 510 K and 51.0 K
- d. 5.241 mL and 5.241×10^{-4} m

ANSWER: d

Subjective Short Answer

98. How many cubic centimeters of milk are in 2.0 quarts?

Chapter 1 Matter, Energy, and Measurement

ANSWER: 1,900 cm³

99. A car is going 58.7 mph (miles per hour). What is this speed in meters per second?

ANSWER: 26 m/s

100. 100 g of salmon contains 2.3 mg of omega 3 fatty acids. If most people need about 1.1 g of omega 3 fatty acids, how many pounds of salmon would need to be consumed?

ANSWER: 110 lb of salmon

101. A patient is dehydrated after having influenza. A 1.00 L banana bag (a mixture of thiamine, folate, magnesium sulfate, and multivitamins in a saline solution) is prescribed to be infused at a rate of 22 mL/min. How many hours are required to administer the entire bag?

ANSWER: 0.76 hours

102. Mercury has a density of 13.5 g/mL. If a thermometer breaks and 7.5 g of mercury is spilled onto a table, how many milliliters of mercury were spilled?

ANSWER: 0.56 mL

103. You admit a small child in pain. The child weighs 35 lb and needs to be given ibuprofen. The chart indicates the medication should be administered orally, b.i.d., at a dosage of 7.0 mg/kg. Children's liquid ibuprofen contains the active drug at a concentration of 115 mg/5.0 mL. How many milliliters should be administered at each dose?

ANSWER: 2.4 mL

104. A section of railroad track has a total volume of $8.80 \times 10^4 \text{ cm}^3$. If the steel of the track has a density of 7.80 g/cm³, what is the weight of the section in pounds?

ANSWER: 1,510 lb

105. Birds are warm blooded with body temperatures around 106°F. What is this temperature in degrees Celsius?

ANSWER: 41 °C

106. The coldest temperature ever recorded was -128.6 °F. What is this temperature in Kelvin?

ANSWER: 183.9 K